



# Keenetic Titan BE7200 Mesh Wi-Fi 7 Multi- Gigabit Router with a 110G, 12.5G and 41G Smart Switch, Multifunctional USB 3.2 and 2.0 Ports

Modelis: KN-1812-01-EU

Gamintojas: KEENETIC

EAN: 4897082922537

Prekės kodas: 461623

## 248.99€

VPN support: PPTP (client/server), L2TP over IPSec client/server, OpenVPN client/server, SSTP client/server, IPsec VPN (client/server) | Supported WAN type: Multi-WAN | Supported protocols: EoIP, IP-IP, GRE | Firewall: Yes | Command-line interface (CLI): Yes | WAN connection type: RJ-45, WISP | IPv4 & IPv6 features: IPv6 Telnet | DoS attack prevention: Yes | System event log: Yes | WPS push button: Yes | Guest access: Yes | Policy-based routing: Yes | Universal Plug and Play (UPnP): Yes |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Traffic statistics: Yes | 3G/4G USB modem compatibility: Yes | Parental control: Yes | WLAN data transfer rate (second band): 5764 Mbit/s | IPv4 & IPv6 features: Dual stack IPv4/IPv6 | DSL WAN: No | IPv4 & IPv6 features: IPv6 SSH | Built-in FTP server: Yes | IGMP snooping: Yes | Captive portal: Yes | WLAN data transfer rate (first band): 300 Mbit/s | Networking standards: IEEE 802.11k | WLAN data transfer rate (max): 7200 Mbit/s | SIM card slot: No | Cables included: LAN (RJ-45) | Height: 45 mm | Output current: 3 A | Network address translation (NAT): Yes | LED indicators: LAN, Power, WLAN | Web-based setup wizard: Yes | Processor manufacturer: MediaTek | AC input voltage: 100 - 240 V | Intelligent Mesh technology: Yes | Networking standards: IEEE 802.11ac | Security algorithms: OWE | Housing material: Plastic | Security algorithms: WPA3-Enterprise | Networking standards: IEEE 802.11v | DC-in jack: Yes | Support Samba (storage): Yes | MIMO: Yes | Number of guest networks (5 GHz): 7 | Routing table: Manual | Product colour: White | Product type: Tabletop router | Ethernet WAN: Yes | Routing table: DHCP | Operating relative humidity (H-H): 20 - 95% | MU-MIMO technology: Yes | Backup function: Yes | Supported network protocols: IPoE, PPPoE, PPTP, L2TP, 802.1x | WireGuard throughput: 900 Mbit/s | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 1 | Width: 217 mm | Schedule access: Yes | Depth: 159 mm | Output voltage: 12 V | Processor model: MediaTek MT7988D | Networking standards: IEEE 802.11a | Internet connection backup: Yes | Web-based management: Yes | MAC address filtering: Yes | Security algorithms: WEP | Security algorithms: WPA-PSK | Number of guest networks (2.4 GHz): 7 | Networking standards: IEEE 802.11r | Security algorithms: WPA2-PSK | AC input frequency: 50/60 Hz | Networking standards: IEEE 802.11g | Networking standards: IEEE 802.11n | Networking standards: IEEE 802.11be | Security algorithms: WPA2-Enterprise | Networking standards: IEEE 802.11b | Security algorithms: WPA3-PSK | IPoE/PPPoE data rate: 10000 Mbit/s | Internal memory type: DDR4 | USB port: Yes | Networking standards: IEEE 802.1Q | Networking standards: IEEE 802.11ax | Dynamic DNS (DDNS): Yes | Processor cores: 3 | Port forwarding: Yes | Flash memory: 256 MB | Mobile operating systems supported: Android | DHCP server: Yes | Top Wi-Fi standard: Wi-Fi 7 (802.11be) | USB 2.0 ports quantity: 1 | Ethernet LAN: Yes | Wi-Fi standards: Wi-Fi 6 (802.11ax) | Ethernet LAN interface type: 10 Gigabit Ethernet | Weight: 735 g | Ethernet LAN (RJ-45) ports: 6 | Reset button: Yes | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Bandwidth control: Yes | Antennas quantity: 4 | Media server: Yes | Quick start guide: Yes | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Wi-Fi standards: Wi-Fi 7 (802.11be) | PPPoE/PPTP/L2TP pass-through: Yes | Ethernet LAN data rates: 2500 | DHCP client: Yes | Wi-Fi Multimedia (WMM)/(WME): Yes | Operating temperature (T-T): 0 - 40 °C | Cabling technology: 10/100/1000/2500/5000/10000Base-T | Power source type: AC | Firewall security: SPI | Processor frequency: 1800 MHz | Wi-Fi standards: Wi-Fi 4 (802.11n) | Mobile operating systems supported: iOS | Number of users: 512 user(s) | Number of data streams: 4x4 | AC adapter included: Yes | Modulation: OFDMA | Firmware upgradeable: Yes |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shoppro.lt](http://www.shoppro.lt) | [info@shoppro.lt](mailto:info@shoppro.lt) | +370 693 39903

Ethernet LAN data rates: 10 | Ethernet LAN data rates: 10000 Mbit/s | Quality of Service (QoS) support: Yes | Antenna design: External | Ethernet LAN data rates: 100 | Internal memory: 1024 MB | VPN server: OpenVPN | Built-in processor: Yes | Ethernet LAN data rates: 1000 Mbit/s | Cloud-managed: Yes | L2TP/PPTP data rate: 3000 Mbit/s | Ping check: Yes | USSD request support: Yes | HTTPS security for access via KeenDNS: Yes | WireGuard: Yes | IntelliQoS: Yes | Direct or cloud access via KeenDNS: Yes | Cloudflare DNS: Yes | UDP-to-HTTP proxy: Yes | AdGuard ad blocker: Yes

---

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

[www.shopro.lt](http://www.shopro.lt) | [info@shopro.lt](mailto:info@shopro.lt) | +370 693 39903