



Keenetic Sprinter SE AX3000 Mesh Wi-Fi 6 Gigabit Router/Extender with a 4-Port Gigabit Smart Switch

Modelis: KN-3712-01-EU

Gamintojas: KEENETIC

EAN: 4897082922216

Prekės kodas: 461627

104.99€

VPN support: PPTP (client/server), L2TP over IPSec client/server, OpenVPN client/server, SSTP client/server, IPsec VPN (client/server) | Supported WAN type: Multi-WAN | Supported protocols: EoIP, IP-IP, GRE | Wi-Fi standards: Wi-Fi 4 (802.11n) | Quick start guide: Yes | Antennas quantity: 5 | Wi-Fi Multimedia (WMM)/(WME): Yes | DHCP client: Yes | Weight: 396 g | Wi-Fi standards: Wi-Fi 6 (802.11ax) | Universal Plug and Play (UPnP): Yes | Ethernet LAN (RJ-45) ports: 4 | Firewall: Yes | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Power source type: AC | Processor frequency: 1300 MHz | Cabling technology: 10/100/1000Base-T(X) | WLAN data transfer rate (second band): 2402 Mbit/s | Number of products included: 1 pc(s) | Backup function: Yes | Operating temperature (T-T): 0 - 40 °C | Ethernet

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

LAN interface type: Gigabit Ethernet | Dynamic DNS (DDNS): Yes | Policy-based routing: Yes | WLAN data transfer rate (first band): 300 Mbit/s | System event log: Yes | Processor manufacturer: MediaTek | Number of users: 256 user(s) | Parental control: Yes | Traffic statistics: Yes | Output voltage: 12 V | Cables included: LAN (RJ-45) | MIMO: Yes | Quality of Service (QoS) support: Yes | HTTPS security for access via KeenDNS: Yes | Modulation: OFDMA | Command-line interface (CLI): Yes | Ethernet WAN: Yes | 3G/4G USB modem compatibility: No | Quick installation guide: Yes | Cloud-managed: Yes | Ethernet LAN data rates: 1000 Mbit/s | DSL WAN: No | IPv4 & IPv6 features: IPv6 SSH | Internal memory: 512 MB | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | AC input voltage: 100 - 240 V | Built-in processor: Yes | LED indicators: LAN, Power, WLAN | Mobile operating systems supported: iOS | WAN connection type: RJ-45, WISP | Firewall security: SPI | Output current: 1 A | IPv4 & IPv6 features: IPv6 Telnet | Depth: 170 mm | Captive portal: Yes | Operating relative humidity (H-H): 20 - 95% | DDoS protection: Yes | Height: 42 mm | Product type: Tabletop router | Product colour: White | AC adapter included: Yes | Processor cores: 2 | Processor model: MediaTek MT7981B | Top Wi-Fi standard: Wi-Fi 6 (802.11ax) | DoS attack prevention: Yes | UDP-to-HTTP proxy: Yes | USB port: No | Internal memory type: DDR4 | Mobile operating systems supported: Android | DHCP server: Yes | IGMP snooping: Yes | Ethernet LAN data rates: 100 | Networking standards: IEEE 802.11b | Security algorithms: WPA3-PSK | Direct or cloud access via KeenDNS: Yes | Number of guest networks (5 GHz): 7 | DC-in jack: Yes | IPv4 & IPv6 features: Dual stack IPv4/IPv6 | Flash memory: 128 MB | Port forwarding: Yes | Network address translation (NAT): Yes | Networking standards: IEEE 802.11g | Networking standards: IEEE 802.11n | AC input frequency: 50/60 Hz | Ethernet LAN: Yes | SIM card slot: No | Width: 170 mm | Supported network protocols: IPoE, PPPoE, PPTP, L2TP, 802.1x | Guest access: Yes | Routing table: Manual | Networking standards: IEEE 802.11r | Security algorithms: WPA2-PSK | WPS push button: Yes | Intelligent Mesh technology: Yes | Ping check: Yes | Web-based management: Yes | MAC address filtering: Yes | Security algorithms: WEP | Networking standards: IEEE 802.11a | Web-based setup wizard: Yes | Networking standards: IEEE 802.1Q | Networking standards: IEEE 802.11ax | Networking standards: IEEE 802.11k | USSD request support: Yes | Schedule access: Yes | Number of guest networks (2.4 GHz): 7 | WireGuard throughput: 460 Mbit/s | WLAN data transfer rate (max): 3000 Mbit/s | Firmware upgradeable: Yes | Ethernet LAN data rates: 10 | Security algorithms: WPA-PSK | Security algorithms: WPA2-Enterprise | VPN server: OpenVPN | Bandwidth control: Yes | Routing table: DHCP | Networking standards: IEEE 802.11ac | Antenna design: Internal | Security algorithms: WPA3-Enterprise | Number of data streams: 3x3 | Security algorithms: OWE | Housing material: Plastic | MU-MIMO technology: Yes | PPPoE/PPTP/L2TP pass-through: Yes | Networking standards: IEEE 802.11v | IntelliQoS: Yes | WireGuard: Yes | L2TP/PPTP data rate: 900 Mbit/s | AdGuard ad blocker: Yes | Cloudflare DNS: Yes | IPoE/PPPoE data rate: 1800

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Mbit/s | Internet connection backup: Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903