# Xerox VersaLink B625V_DN Daugiafunkcis spausdintuvas Lazeris A4 1200 x 1200 DPI 65 ppm

Gamintojas: **XEROX** · Modelis: **B625V_DN** · EAN: **095205040876** · Prekės kodas: **462721**




## 2 214,90 €

Kaina su PVM

Be PVM: **1 830,50 €**

**Sandėlyje**

**Prekė internetu**


Nuskenuokite kodą arba apsilankykite www.shopro.lt

## Pagrindinės savybės

- ✓ Verslui Lazeris Vienpusis spausdinimas
- ✓ 1200 x 1200 DPI
- ✓ Spausdinimo spalvos: Juoda
- ✓ A4 65 ppm
- ✓ Vienpusis kopijavimas Monoskenavimas Spalvoto fakso siuntimas
- ✓ Apple AirPrint, Mopria Print Service, Xerox PrintBack
- ✓ Tiesioginis spausdinimas
- ✓ USB prievadas Ethernet LAN jungtis Mažo nuotolio radijo ryšys (NFC)
- ✓ Vidinė atmintis: 4096 MB Integruotas procesorius 1200 MHz
- ✓ 44,1 kg




















Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.








## Aprašymas

The Xerox® VersaLink® B625 Multifunction Printer is the total package for your office environment. It is small enough to fit where you need it and fast enough to support high print and scan volumes. The VersaLink B625 delivers fast printing — up to 65/61ppm Letter/A4 with first-print-out time as fast as 4.4 seconds. So there’s more than enough speed to meet your demanding department-level workload. With the VersaLink B625, your documents receive outstanding monochrome image quality and crisp text output with high-resolution output of 1200 x 1200 dpi. Use the Easy Assist App to simplify installation, monitor and manage your VersaLink right from your mobile phone. It assists with the installation of the latest driver software for your MFP on your computer, provides real-time monitoring of printer status, and delivers easy access to self-support services. With Xerox® Global Print Driver® you get a single print driver that is truly universal, it lets IT administrators install, upgrade and manage Xerox® and non-Xerox Devices from a single driver. The ConnectKey Technology Ecosystem on the VersaLink B625, opens a world of new capabilities with apps, innovative partner solutions and customization. Create customized workflows, automate complex tasks, print and scan directly to and from your cloud services.

## Techninė specifikacija

| | |
|---|---|
| **Printing** | |
| Print technology | Laser |
| Printing | Mono printing |
| Duplex printing | Yes |
| Maximum resolution | 1200 x 1200 DPI |
| Print speed (black, normal quality, A4/US Letter) | 65 ppm |
| Duplex printing mode | Auto |
| Print resolution black | 1200 x 1200 DPI |
| Warm-up time | 127 s |
| Warm-up time (from sleep mode) | 2.9 s |
| Time to first page (black, normal) | 4.1 s |
| N-in-1 print function | Yes |
| N-up printing | 2, 4, 6, 8, 9, 16 |
| Watermark printing | Yes |
| Secure printing | Yes |
| Cover page printing function | Yes |
| Booklet printing function | Yes |
| **Copying** | |
| Copying | Mono copying |
| Duplex copying | Yes |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

| | |
|---|---|
| Maximum copy resolution | 600 x 600 DPI |
| Duplex copying mode | Auto |
| Maximum copy size | A4 |
| Time to first copy (black, normal) | 4.1 s |
| Maximum number of copies | 9999 copies |
| Copier resize | 25 - 400% |
| N-in-1 copy function | Yes |
| ID-card copy function | Yes |
| Edge erase function | Yes |

## Scanning

| | |
|---|---|
| Scanning | Mono scanning |
| Duplex scanning | Yes |
| Optical scanning resolution | 600 x 600 DPI |
| Scanner type | ADF scanner |
| Maximum scan area | 215.9 x 355.6 mm |
| Scan to | E-mail, E-mail Server, File, Network folder, OCR, PC, USB |
| Scan speed (black) | 75 ppm |
| Image formats supported | JPEG, TIFF |
| Document formats supported | PDF |
| Output colour depth | 24 bit |
| Output greyscale depth | 8 bit |
| Scan drivers | TWAIN, WIA |

## Fax

| | |
|---|---|
| Faxing | Colour faxing |
| Fax resolution (black) | 600 x 600 DPI |
| Fax resolution (colour) | 400 x 400 DPI |
| Fax forwarding | Yes |
| Fax delayed sending | Yes |
| Job build function | Yes |

## Features

| | |
|---|---|
| Maximum duty cycle | 300000 pages per month |
| Duplex functions | Copy, Fax, Print, Scan |
| Number of print cartridges | 1 |
| Printing colours | Black |
| Page description languages | PCL 5c, PCL 6, PDF, PostScript 3 |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

| | |
|---|---|
| **Input & output capacity** | |
| Total number of input trays | 2 |
| Total input capacity | 650 sheets |
| Total output capacity | 550 sheets |
| Paper tray 1 input capacity | 550 sheets |
| Multi-Purpose tray | Yes |
| Multi-Purpose tray input capacity | 100 sheets |
| Auto document feeder (ADF) | Yes |
| Auto document feeder (ADF) input capacity | 200 sheets |
| Maximum input capacity | 3850 sheets |
| Maximum output capacity | 550 sheets |
| **Paper handling** | |
| Maximum ISO A-series paper size | A4 |
| Paper tray media types | Bond paper, Card stock, Envelopes, Labels, Letterhead, Lightweight paper, Plain paper, Pre-printed, Recycled paper |
| ISO A-series sizes (A0...A9) | A4, A4+, A5 |
| Maximum print size | 216 x 356 mm |
| Custom media width | 98.4 - 216 mm |
| Custom media length | 191 - 356 mm |
| Paper tray media weight | 60 - 176 g/m² |
| Multi-Purpose Tray media weight | 60 - 176 g/m² |
| Auto Document Feeder (ADF) media weight | 52 - 120 g/m² |
| **Ports & interfaces** | |
| Direct printing | Yes |
| USB port | Yes |
| USB connector | USB Type-A / USB Type-B |
| USB 2.0 ports quantity | 2 |
| Optional connectivity | Bluetooth, Wireless LAN |
| **Network** | |
| Wi-Fi | No |
| Ethernet LAN | Yes |
| Cabling technology | 10/100/1000Base-T(X) |
| Ethernet LAN data rates | 10,100,1000 Mbit/s |
| Near Field Communication (NFC) | Yes |
| Security algorithms | 256-bit AES, 802.1x RADIUS, FIPS 140-3, HTTPS, IPSec |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

| | |
|---|---|
| Supported network protocols (IPv4) | TCP/IP: HTTP/HTTPS, Internet Printing Protocol, LPR/LPD, Raw Socket Printing/Port 9100, IPv4/IPv6, WSD |
| Supported network protocols (IPv6) | IPv6 |
| Management protocols | DHCP, BOOTP, SNMP, SLPv2, HTTP, HTTPS, AutoIP (Self Assigned Address), TLS, NTP, DNS, SMB, SMTP/POP3, WSD, LDAP, Multicast DNS, Bonjour, syslog (for SIEM) |
| Embedded web server | Yes |
| Mobile printing technologies | Apple AirPrint, Mopria Print Service, Xerox PrintBack |
| **Performance** | |
| Internal memory | 4096 MB |
| Internal storage capacity | 32 GB |
| Storage media | eMMC |
| Built-in processor | Yes |
| Processor frequency | 1200 MHz |
| Processor cores | 4 |
| Sound pressure level (printing) | 56 dB |
| Sound pressure level (copying) | 56 dB |
| Sound pressure level (standby) | 14 dB |
| Sound power level (printing) | 72 dB |
| Sound power level (standby) | 32 dB |
| **Design** | |
| Product colour | Black, Grey |
| Market positioning | Business |
| Built-in display | Yes |
| Display diagonal | 17.8 cm (7") |
| Control type | Touch |
| Colour display | Yes |
| **Power** | |
| Power consumption (max) | 796 W |
| Power consumption (standby) | 31 W |
| Power consumption (sleep) | 1.7 W |
| Power consumption (off) | 1.7 W |
| AC input voltage | 220 - 240 V |
| AC input frequency | 50/60 Hz |
| **System requirements** | |
| Windows operating systems supported | Windows 10, Windows 11, Windows 8, Windows 8.1 |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

| | |
|---|---|
| Mac operating systems supported | Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura |
| Linux operating systems supported | Yes |
| Server operating systems supported | Windows Server 2008, Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019 |

## Operational conditions

| | |
|---|---|
| Operating relative humidity (H-H) | 8 - 80% |
| Operating temperature (T-T) | 10 - 32 °C |

## Sustainability

| | |
|---|---|
| Sustainability certificates | Blue Angel, ENERGY STAR, EPEAT |

## Weight & dimensions

| | |
|---|---|
| Width | 558.8 mm |
| Depth | 578.4 mm |
| Height | 739.1 mm |
| Weight | 44.1 kg |

## Packaging data

| | |
|---|---|
| Package width | 550 mm |
| Package depth | 650 mm |
| Package height | 565 mm |
| Package weight | 28.9 kg |

## Packaging content

| | |
|---|---|
| Cartridge(s) included | Yes |
| Included cartridge capacity (black) | 10000 pages |
| Power cord included | Yes |
| Quick installation guide | Yes |

## Other features

| | |
|---|---|
| Safety sheet | Yes |
| Maximum scan area (ADF) | 216 x 355 mm |
| Minimum scan area (ADF) | 76 x 127 mm |
| Current rating | 5.3 A |
| Documentation CD | Yes |

## Technical details

| | |
|---|---|
| Box contents | - AC Power Cord - Installation Guide - Product Information Flyer - Product Safety Sheet - Software Update Flyer - Software and Documentation CD - Black Print Cartridge - 10,000 page capacity |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

| Matmenys ir svoris | |
|---|---|
| Svoris | 65,21kg |

## Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas
- Saugos duomenų lapas
- Atitikties deklaracija
- Vaizdo įrašas 1 objects.icecat.biz/objects/118720408_63259852.mp4
- Vaizdo įrašas 2 objects.icecat.biz/objects/118720408_63259865.mp4
- Vaizdo įrašas 3 objects.icecat.biz/objects/118720408_63259847.mp4
- Vaizdo įrašas 4 youtube.com/watch?v=rtf9rTN8UkE
- Vaizdo įrašas 5 youtube.com/watch?v=2eaHZyl8ZoQ
- Vaizdo įrašas 6 youtube.com/watch?v=uzqAiqxj7Vs

## Gamintojo ir saugos informacija

GAMINTOJAS

**Xerox**

ATSAKINGAS ASMUO ES

**Xerox**
Lautruphøj 45660, 2750 Ballerup, DK
xerox.com

PLATINTOJAS

**MB KOMPIUTERIŲ GURU**
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

**Saugos dokumentai**

- Atitikties deklaracija
- Saugos duomenų lapas