

**ASUS ProArt PA34VCNV kompiuterio monitorius 86,6 cm (34.1")
3440 x 1440 pikseliai UltraWide Quad HD LCD Juoda**

Gamintojas: **ASUS** · Modelis: **PA34VCNV** · EAN: **4711387206393** · Prekės kodas: **463953**



591,90 €

Kaina su PVM

Be PVM: **489,17 €**

Sandelyje



Prekë internetu

Nuskenute kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- | | |
|--|---|
| ✓ 86,6 cm (34.1") Juoda | ✓ Maksimalus atnaujinimo dažnis: 60 Hz Reakcijos laikas: 5 ms |
| ✓ Aukščio reguliavimas 13 cm Įmontuoti garsiakalbiai | ✓ 3440 x 1440 pikseliai UltraWide Quad HD Skydo tipas: IPS |
| ✓ USB aukštakrypčio prievado tipas: C tipo USB HDMI HDMI versija: 2.0 „DisplayPort“ kiekis: 2 „DisplayPort“ versija: 1.4 | ✓ Energijos vartojimo efektyvumo klasė (SDR): F ENERGY STAR, EPEAT Silver |
| ✓ Ekranas: Išlenktas | |

5 YIL GARANTİ UZATMA İRİLİN KAYIT SAYI: 50



*Örüntüsüz kaydetmek için QR kodu okutunuz





Aprašymas

ASUS ProArt Display PA34VCNV Curved Professional Monitor - 34.1-inch, IPS, 21:9 3440 x 1440, 3800R Curvature, 100% sRGB / Rec.709, Color Accuracy $\Delta E < 2$, Calman Verified, USB-C Docking PD 96W, RJ45, Ergonomic Stand, Green Sustainability

ProArt Display PA34VCNV

All the Essentials for Pros

ProArt Display PA34VCNV is a 34.1-inch 21:9 ultra-wide curved monitor designed for professional video editors. This Calman Verified display boasts a wide color gamut with 100% sRGB / Rec.709 coverage and is factory pre-calibrated to Delta E < 2 for exceptional color accuracy. For added convenience, stable internet connection and USB-C port offers video, data transfers, and 96-watt power delivery provides one-cable docking solution for creators.

Empowering Creative Professional

Filmmakers & Video Editors

A 21:9 ultra wide viewing and high resolution visual performance is a “must” working tool for video editing and post production, it can see more than 16:9 display.

Colorists

Factory pre-calibrated to Delta E < 2 color accuracy for industry-leading color fidelity.

Designers & Photographers

Truly precise color reproduction to bring out the details in photographs or digital artwork.

Exquisite Design

Immersive with Ultra-wide

To see more details and crystal clear image than ever through 3440x1440 resolution which is 2.5 times the resolution of Full HD displays, gives you more space to spread out your various work windows for more productive multitasking. The 3800R panel curvature ensures every point on the curved display is equidistant to your eyes, so you get a comfortable viewing when you are working.

Enjoy True-to-Life Color

PA34VCNV goes beyond industry color standards, providing 100% sRGB / Rec.709 coverage. In addition, 10-bit color depth enables more than 1.07 billion onscreen colors, bringing out the smallest details in photos.

Class-Leading Color Fidelity

Each ProArt display is factory pre-calibrated using a new three-scale process to guarantee industry-leading color fidelity. The display then undergoes stringent testing using ASUS advanced grayscale tracking technology to ensure smoother color gradations, better uniformity, and high color accuracy with a Delta E < 2 color difference.

True Color, Out of the Box

Color professionals rely on color-accurate displays to ensure that their creations look exactly as intended. Each PA34VCNV is Calman Verified and subjected to stringent, meticulous testing to ensure smoother gradation for assured color-accurate viewing and content-creation experiences.

Quick Color Gamut Adjustment

ASUS-exclusive ProArt Preset provides multiple color modes to suit different needs. PA34VCNV is compliant with the DICOM Part 14 standard to ensure smooth gradations and accurate identification of grayscale shading.

The USB-C® That Does it All

The included USB-C® port enables superfast data transfers, DisplayPort connectivity, and 96-watt power delivery to charge laptops and other devices—all via a single cable. PA34VCNV also serves as a USB hub: any device connected to the monitor's USB ports gains access to other connected peripherals.

Expansive Connectivity

In addition to USB-C, ProArt display offers a myriad of connectivity options including HDMI®, DisplayPort™ (with daisy-chain support), USB Type-A, and additional USB-C downstream port for compatibility with a wide range of devices. DisplayPort allows users to daisy-chain multiple displays from a single video source, enhancing productivity. PA34VCNV even includes an RJ45 Ethernet port to provide connected devices with a stable Internet connection for more space saving and convenience. It also has pass-through port for the headphone jack input.

ASUS Eye Care Technology

ASUS Ultra-Low Blue Light Technology

The new hardware-based ASUS Ultra-Low Blue Light technology reduces potentially harmful high-energy blue light emissions while offering color performance that's better than monitors with software-only filtering solutions.

ASUS Flicker-Free Technology

ASUS Flicker-Free technology provides more comfortable viewing experiences by reducing on-screen flicker to minimize eye strain, headaches, and eye fatigue when spending long hours in front of a display.

Ergonomic Stand

Each ProArt display features an ergonomic stand with tilt, swivel and height adjustments for comfortable viewing. Furthermore, the quick-release feature makes it easy to attach the display via the integrated VESA wall mount—screw-free, so it's done in seconds!

Sustaining an Incredible Future

Environmental Certification*

ASUS monitors are stringently tested to meet the requirements of world-leading sustainability certifications. These tests include a comprehensive database of up-to-date criteria, independent verification, and a structured system for continuous improvement.

Eco-friendly Packaging

The latest ASUS monitor packaging are made of at least 80% recycled cardboard. ASUS has designed the packaging to minimize weight and volume, which helps conserve natural resources and allows more devices to be transported in a single shipping container.

Energy-Efficient Features

Select ASUS monitors have a power-saving Eco-mode, and achieve zero-watt power consumption with hard-switch off.

Eco-friendly Materials

Extensive research and development ensure ASUS monitors are made from eco-friendly materials like post-consumer recycled (PCR) plastics or components like mercury-free panels.

Techninė specifikacija

Ekranas	
Ekranas įstrižainė	86,6 cm (34.1")
Ekranas rezoliucija	3440 x 1440 pikseliai
Natūralus kraštinių santykis	21:9
Ekranas technologija	LCD
Lietimui jautrus ekranas	Ne
HD tipas	UltraWide Quad HD
Skydo tipas	IPS
Reakcijos laikas	5 ms
Ekranas forma	Išlenktas
Kontrasto santykis (tipinis)	1000:1
Maksimalus atnaujinimo dažnis	60 Hz
Ekranas spalvų skaičius	1,073 milijardo spalvų
Foninio apšvietimo tipas	LED
Ekranas ryškumas (tipinis)	300 cd/m²
Ekranas paviršius	Matinis
Ekranas išlinkis	3800R
Matymo kampas, horizontalus	178°
Matymo kampas, vertikalus	178°
Pikselių žingsnis	0,2325 x 0,2325 mm
Matomas dydis, horizontalus	80 cm
Matomas dydis, vertikalus	33,5 cm
Horizontalus skaitmeninis dažnis	15 - 135 kHz
Vertikalus skaitmeninis dažnis	48 - 60 Hz
Palaikoma HDR	Taip
Didelio dinaminio diapazono (HDR) technologija	High Dynamic Range 10 (HDR10)
Palaikomas sRGB (įprastas)	100%
Veikimo charakteristikos	

NVIDIA G-SYNC	Ne
„AMD FreeSync“	Ne
„VESA Adaptive Sync“ palaikymas	Taip
Apsaugos nuo mirgėjimo technologija	Taip
Mažo kiekio mėlynos šviesos technologija	Taip
Multimedija	
Įmontuoti garsiakalbiai	Taip
Integruota kamera	Ne
Garsiakalbių skaičius	2
RMS galingumas	4 W
Konstrukcija	
Pozicija rinkoje	Grafinis dizainas
Produkto spalva	Juoda
Kojelių spalva	Juoda
Ryšys	
Įmontuotas USB jungčių daugiklis	Taip
HDMI	Taip
Ausinių išvestis	Taip
USB koncentratoriaus versija	3.2 Gen 1 (3.1 Gen 1)
USB aukštakrypčio prievado tipas	C tipo USB
Priešsrovinių prievadų skaičius	1
C tipo USB kylančiųjų prievadų skaičius	1
USB A tipo žemakrypčių prievadų skaičius	2
USB C tipo žemakrypčių prievadų skaičius	1
„USB Type C DisplayPort Alternate Mode“	Taip
„USB Power Delivery“	Taip
USB maitinimo tiekimas iki	96 W
HDMI portų kiekis	2
HDMI versija	2.0
„DisplayPort“ kiekis	2
„DisplayPort“ versija	1.4
Ausinių išvestys	1
Ausinių jungtis	3,5 mm
HDCP	Taip
HDCP versija	2.2

Tinklas

Ethernet LAN jungtis	Taip
----------------------	------

Ergonomija

VESA tvirtinimo pagrindas	Taip
Kabelio spynos lizdas	Taip
Aukščio reguliavimas	Taip
Suderinama su VESA sienos tvirtinimo sistema	100 x 100 mm
Montuojamas ant sienos	Taip
Laido spynos lizdo tipas	Kensington
Reguliuojamas aukštis (maks.)	13 cm
Sukiojamas	Taip
Pasukamas	15 - -15°
Pokrypio reguliavimas	Taip
Posvyrio kampo intervalas	23 - -5°

Energijos valdymas



Energijos vartojimo efektyvumo klasė (SDR)	F
Energijos vartojimo efektyvumo klasė (HDR)	G
Energijos sąnaudos (SDR) per 1000 valandų	26 kWh
Energijos sąnaudos (HDR) per 1000 valandų	44 kWh
Energijos suvartojimas	26,9 W
Energijos suvartojimas (PowerSave)	0,5 W
AC įėjimo įtampa	100 - 240 V
AC įėjimo dažnis	50/60 Hz
Energijos efektyvumo skalė	Nuo A iki G
Energijos suvartojimas (laukimo režimu)	0,5 W
Energijos suvartojimas (off)	0,3 W
Maitinimo tipas	Vidinis

Svoris ir matmenys

Plotis (su stovu)	817,2 mm
Gylis (su stovu)	240 mm
Aukštis (su stovu)	569,2 mm
Svoris (su stovu)	10,8 kg
Plotis (be stovo)	817,2 mm
Gylis (be stovo)	91,7 mm

Aukštis (be stovo)	369,7 mm
Svoris (be stovo)	7,8 kg
Pakuotės duomenys	
Pakuotės plotis	1080 mm
Pakuotės gylis	520 mm
Pakuotės aukštis	1900 mm
Paketo svoris	16,3 kg
Pakuotės tipas	„Box“
Pakuotės turinys	
Pridėtas stovas	Taip
Tvarumas	
Tvarumo sertifikatai	ENERGY STAR, EPEAT Silver
Tvarumo reikalavimų laikymasis	Taip
Kitos savybės	
Ethernet LAN (RJ-45) portų kiekis	1
Techninė informacija	
Būdingas atnaujinimo dažnis	60 Hz
Matmenys ir svoris	
Matmenys (I × P × A)	19,00cm × 52,00cm × 107,00cm
Svoris	16,30kg

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė

E A-G

- › [Energijos etiketė](#)
- › [Gaminio informacijos lapas](#)
- › [EPREL duomenų bazė](#)

Dokumentai ir vaizdo įrašai

> [Naudojimo instrukcija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

ASUSTeK Computer Inc

Li-Te Road 15, 112 Taipei, TW

[asus.com](https://www.asus.com)

ATSAKINGAS ASMUO ES

ASUS France S.A.R.L.

Allee bienvenue 10, 93160 Paris, FR

channel.asus.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt