HP Color LaserJet Pro MFP M479fnw, Print, copy, scan, fax, email, Scan to email/PDF; 50-sheet uncurled ADF

Gamintojas: **HP** · Modelis: **W1A78A#B19** · EAN: **192018996687** · Prekės kodas: **465058**



2 220,89 €

Kaina su PVM

Be PVM: **1 835,45 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Verslui Lazeris Spalvotas spausdinimas
- ✓ 600 x 600 DPI
- ✓ Spausdinimo spalvos: Juoda, Žydras, Rausvai raudona, Geltona
- ✓ A4 27 ppm
- ✓ Spalvotas kopijavimas Spalvotas skenavimas Spalvoto fakso siuntimas
- ✓ Mopria Print Service, HP ePrint, Apple AirPrint, Google Cloud Print
- ✓ Tiesioginis spausdinimas
- ✓ USB prievadas „Wi-Fi“ Ethernet LAN jungtis Bluetooth
- ✓ Vidinė atmintis: 512 MB Integruotas procesorius 1200 MHz
- ✓ 22,6 kg


















Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.









Aprašymas

Winning in business means working smarter. The HP Color LaserJet Pro MFP M479 is designed to let you focus your time where it’s most effective- growing your business and staying ahead of the competition.

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Techninė specifikacija

Printing	
Print technology	Laser
Printing	Colour printing
Duplex printing	Yes
Maximum resolution	600 x 600 DPI
Print speed (black, normal quality, A4/US Letter)	27 ppm
Duplex printing mode	Manual
Print resolution colour	600 x 600 DPI
Print resolution black	600 x 600 DPI
Print speed (colour, normal quality, A4/US Letter)	27 ppm
Warm-up time	45 s
Time to first page (black, normal)	9.5 s
Time to first page (colour, normal)	11 s
Print margin top (min)	4.23 mm
Print margin bottom (min)	4.23 mm
Print margin left (min)	4.23 mm
Print margin right (min)	4.23 mm
N-in-1 print function	Yes
Secure printing	Yes
Copying	
Copying	Colour copying
Duplex copying	Yes

Maximum copy resolution	600 x 600 DPI
Copy speed (black, normal quality, A4)	27 cpm
Copy speed (colour, normal quality, A4)	27 cpm
Time to first copy (black, normal)	9.5 s
Time to first copy (colour, normal)	11.1 s
Maximum number of copies	999 copies
Copier resize	25 - 400%
N-in-1 copy function	Yes
N-in-1 copy function (N=)	2
ID-card copy function	Yes
Auto fit function	Yes

Scanning

Scanning	Colour scanning
Duplex scanning	Yes
Optical scanning resolution	1200 x 1200 DPI
Scanner type	Flatbed scanner
Duplex scanning mode	Auto
Maximum scan resolution	1200 x 1200 DPI
Maximum scan area	216 x 297 mm
Scan technology	CIS
Scan to	E-mail, Software, TWAIN, WIA
Scan speed (colour)	20 ppm
Scan speed (black)	29 ppm
Image formats supported	JPG, TIFF
Document formats supported	PDF
Input colour depth	30 bit
Greyscale levels	256
Scan drivers	TWAIN, WIA

Fax

Faxing	Colour faxing
Fax resolution (black)	300 x 300 DPI
Fax transmission speed	3 sec/page
Modem speed	33.6 Kbit/s
Fax memory	400 pages
Auto-redialing	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Speed dialling	Yes
Fax speed dialing (max numbers)	120
Fax forwarding	Yes
Fax broadcasting	119 locations
Fax delayed sending	Yes
Auto reduction	Yes

Features

Maximum duty cycle	50000 pages per month
Duplex functions	Copy
Number of print cartridges	4
Printing colours	Black, Cyan, Magenta, Yellow
Recommended duty cycle	750 - 4000 pages per month
Digital sender	Yes
Page description languages	PostScript 3, PDF, PWG, URF, PCL 5e, PCL 6
Printer fonts	Scalable, TrueType
All-In-One-multitasking	Yes
Country of origin	China
HP segment	Business

Input & output capacity

Total number of input trays	2
Total input capacity	300 sheets
Total output capacity	150 sheets
Paper tray 1 input capacity	50 sheets
Paper tray 2 input capacity	250 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	50 sheets
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	50 sheets
Maximum number of input trays	3
Maximum input capacity	850 sheets
Maximum output capacity	150 sheets

Paper handling

Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Bond paper, Photo paper, Recycled paper, Envelopes, Labels, Rough paper, Postcard

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

ISO A-series sizes (A0...A9)	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
ISO C-series sizes (C0...C9)	C5
Non-ISO print media sizes	Oficio, 16K
JIS B-series sizes (B0...B9)	B5, B6
Envelopes sizes	B5, C5, DL
Photo paper sizes	10x15 cm
Custom media width	76 - 216 mm
Custom media length	127 - 356 mm
Paper tray media weight	60 - 200 g/m²
Envelope feeder	No
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	1
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Wi-Fi Direct	Yes
Bluetooth	Yes
Security algorithms	SNMPv3, SSL/TLS, WPA2-Enterprise, EAP-TLS, SNMPv2, SNMP, WPA2-Personal, WPA, TLS, AES, HTTPS, IPPS, TKIP
Mobile printing technologies	Mopria Print Service, HP ePrint, Apple AirPrint, Google Cloud Print
Performance	
Internal memory	512 MB
Maximum internal memory	512 MB
Built-in processor	Yes
Processor frequency	1200 MHz
Sound pressure level (printing)	49 dB
Sound pressure level (scanning)	48 dB
Sound power level (printing)	6.3 dB
Design	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Product colour	Grey, White
Market positioning	Business
Built-in display	Yes
Display	CGD
Display diagonal	10.9 cm (4.3")
Touchscreen	Yes
Control type	Buttons, Touch
Colour display	Yes

Power

Power consumption (average operating)	550 W
Power consumption (PowerSave)	0.7 W
Power consumption (printing)	550 W
Power consumption (ready)	20 W
Power consumption (sleep)	0.7 W
Power consumption (off)	0.06 W
Energy Star Typical Electricity Consumption (TEC)	1.116 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz

Brand-specific features

HP ePrint	Yes
HP Auto-On/Auto-Off	Yes
HP Dynamic security	Yes
HP Security tools	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; LDAP authentication and authorization; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, access control, 802.1x authentication (EAP-TLS, and PEAP), authentication via WEP, WPA/WPA2 Personal, WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, compatible with optional HP JetAdvantage Security Manager, IPPS
HP Management tools	HP Printer Assistant, HP Utility (Mac), HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource Kit for HP Universal Print Driver
HP GTIN (EAN/UPC) with options	(ABT) 192018996649; (ABY) 192018996656; (ACQ) 192018996663; (B13) 192018996670; (B19) 192018996687; (BAZ) 192018996694
HP GTIN (EAN/UPC)	192018996649, 192018996656, 192018996663, 192018996670, 192018996687, 192018996694

System requirements	
Windows operating systems supported	Windows 7 Enterprise, Windows 7 Ultimate, Windows 7 Professional, Windows 7 Starter, Windows 7, Windows 8 Pro, Windows 8 Enterprise, Windows 8, Windows 8.1 Pro, Windows 8.1 Enterprise, Windows 8.1, Windows 10 Pro, Windows 10 Enterprise, Windows 10
Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, MacOS
Server operating systems supported	Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016
Other operating systems supported	iOS, Android
Operational conditions	
Operating relative humidity (H-H)	20 - 70%
Storage temperature (T-T)	-20 - 40 °C
Operating temperature (T-T)	10 - 32.5 °C
Recommended operating temperature range (T-T)	15 - 27 °C
Certificates	
Certification	CISPR 32:2012/EN 55032:2012 - Class B, CISPR 32:2015/EN 55032:2015 - Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010+A1:2015
Sustainability	
Sustainable technologies and materials	Mercury free
Doesn't contain	Mercury
Weight & dimensions	
Width	416 mm
Depth	461 mm
Height	400 mm
Weight	22.6 kg
Packaging data	
Package width	597 mm
Package depth	497 mm
Package height	490 mm
Package weight	26.2 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	2400 pages
Included cartridge capacity (CMY)	1200 pages
Cables included	AC
Warranty card	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Logistics data	
Harmonized System (HS) code	8443310000
Pallet gross weight	544.9 kg
Technical details	
Master (outer) cases per pallet layer	4 pc(s)
Compliance certificates	CECP, GS mark, CCC, BIS, Federal Communications Commission (FCC), CE, BSMI
Box contents	HP Color LaserJet Pro M479fnw; 4 preinstalled HP LaserJet Toner cartridges (black: 2,400 pages, Introductory - cyan, magenta, yellow: 1,200 pages); In-box documentation (Getting Started Guide, Install Poster); Warranty card (where required); Internet connection is required to set up the printer; HP printer software is available at http://www.hp.com/support; Power cord; USB cable; Fax cable
Other features	
Number of users	10 user(s)
Recommended system requirements	2 GB available hard disk space, Internet connection, USB port, Internet browser.
Compatible operating systems	Windows Client OS (32/64-bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple macOS Sierra v10.12, Apple macOS High Sierra v10.13, Apple macOS Mojave v10.14, Discrete PCL6 Printer Driver, for more information on the supported operating systems go to http://www.support.hp.com, enter your product name and search, click on User Guides and enter your product name and search for User Guide, search for your (Product Name) User Guide, search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, for more information on the supported operating systems see http://www.hp.com/go/upd
Electromagnetic compatibility	CISPR 32:2012/EN 55032:2012 - Class B, CISPR 32:2015/EN 55032:2015 - Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010+A1:2015
Custom media sizes	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional Tray 3: 100 x 148 to 216 x 356 mm
Acoustic power emissions (ready)	34 dB
Acoustic pressure emissions bystander (ready)	14 dB
Typical electricity consumption (TEC) number	1.116 kWh/week (Energy Star)
UNSPSC-code	43212110
Matmenys ir svoris	
Svoris	27,04kg

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas
- CE ženklinimas

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

› CE ženklinimas