HP Color LaserJet Pro MFP 4302fdw Printer

Gamintojas: **HP** · Modelis: **5HH64F** · EAN: **196068323264** · Prekės kodas: **468208**



526,89 €

Kaina su PVM

Be PVM: **435,45 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Verslui Lazeris Spalvotas spausdinimas
- ✓ 600 x 600 DPI
- ✓ Spausdinimo spalvos: Juoda, Žydras, Rausvai raudona, Geltona
- ✓ A4 33 ppm
- ✓ Spalvotas kopijavimas Spalvotas skenavimas Vienpusio fakso siuntimas
- ✓ Mopria Print Service, Apple AirPrint
- ✓ Tiesioginis spausdinimas
- ✓ USB prievadas „Wi-Fi“ Ethernet LAN jungtis Bluetooth
- ✓ Vidinė atmintis: 512 MB Integruotas procesorius 1200 MHz
- ✓ 20,4 kg










Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.






Aprašymas

Fast colour printing and easy set up Get a blazing fast colour printer and easy management tools with LaserJet Pro.

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Techninė specifikacija

Printing	
Print technology	Laser
Printing	Colour printing
Duplex printing	Yes
Maximum resolution	600 x 600 DPI
Print speed (black, normal quality, A4/US Letter)	33 ppm
Duplex printing mode	Auto
Print resolution colour	600 x 600 DPI
Print resolution black	600 x 600 DPI
Print speed (colour, normal quality, A4/US Letter)	33 ppm
Print speed (black, draft quality, A4/US Letter)	35 ppm
Duplex print speed (black, normal quality, A4/US Letter)	29 ppm
Duplex print speed (colour, normal quality, A4/US Letter)	29 ppm
Warm-up time	55 s
Time to first page (black, normal)	9.5 s
Time to first page (colour, normal)	10.5 s
Watermark printing	Yes
Copying	
Copying	Colour copying
Duplex copying	Yes
Maximum copy resolution	600 x 600 DPI
Copy speed (black, normal quality, A4)	35 cpm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Copy speed (colour, normal quality, A4)	35 cpm
Time to first copy (black, normal)	7.6 s
Time to first copy (colour, normal)	10 s
Maximum number of copies	999 copies
Copier resize	25 - 400%
N-in-1 copy function	Yes
N-in-1 copy function (N=)	2
ID-card copy function	Yes
Auto fit function	Yes

Scanning

Scanning	Colour scanning
Duplex scanning	Yes
Optical scanning resolution	1200 x 1200 DPI
Scanner type	Flatbed scanner
Maximum scan resolution	1200 x 1200 DPI
Maximum scan area	216 x 297 mm
Scan technology	CIS
Scan to	E-mail, Software, TWAIN, WIA
Scan speed (colour)	35 ppm
Scan speed (black)	44 ppm
Duplex scan speed (colour)	37 ppm
Duplex scan speed (black)	46 ppm
Image formats supported	JPG, TIFF
Document formats supported	PDF
Input colour depth	30 bit
Greyscale levels	256
Scan drivers	TWAIN, WIA

Fax

Faxing	Mono faxing
Fax resolution (black)	300 x 300 DPI
Fax transmission speed	5 sec/page
Modem speed	33.6 Kbit/s
Fax memory	500 pages
Auto-redialing	Yes
Speed dialling	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Fax forwarding	Yes
Fax delayed sending	Yes
Auto reduction	Yes

Features

Maximum duty cycle	50000 pages per month
Duplex functions	Print, Copy
Number of print cartridges	4
Printing colours	Black, Cyan, Magenta, Yellow
Recommended duty cycle	750 - 4000 pages per month
Digital sender	Yes
Page description languages	PostScript 3, PDF, PWG, URF, PCL 5e, PCL 5c, PCL 6
Printer fonts	Scalable, TrueType
All-In-One-multitasking	Yes
Country of origin	China
Replacement cartridges	HP 220A Black Original LaserJet Toner Cartridge (~2,000 pages) W2200A; HP 220A Cyan Original LaserJet Toner Cartridge (~1,800 pages) W2201A; HP 220A Yellow Original LaserJet Toner Cartridge (~1,800 pages) W2202A; HP 220A Magenta Original LaserJet Toner Cartridge (~1,800 pages) W2203A; HP 220X Black Original LaserJet Toner Cartridge (~7,500 pages) W2200X; HP 220X Cyan Original LaserJet Toner Cartridge (~5,500 pages) W2201X; HP 220X Yellow Original LaserJet Toner Cartridge (~5,500 pages) W2202X; HP 220X Magenta Original LaserJet Toner Cartridge (~5,500 pages) W2203X
HP segment	Small medium business

Input & output capacity

Total number of input trays	2
Total input capacity	300 sheets
Total output capacity	150 sheets
Paper tray 1 input capacity	50 sheets
Paper tray 2 input capacity	250 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	50 sheets
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	50 sheets
Maximum number of input trays	3
Maximum input capacity	850 sheets
Maximum output capacity	150 sheets

Paper handling

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Bond paper, Photo paper, Recycled paper, Envelopes, Labels, Rough paper, Postcard, Letterhead
ISO A-series sizes (A0...A9)	A4, A5
Maximum print size	212 x 352 mm
JIS B-series sizes (B0...B9)	B6
Custom media width	76.2 - 216 mm
Custom media length	127 - 356 mm
Paper tray media weight	60 - 200 g/m²
Envelope feeder	No
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) ports quantity	1
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Wi-Fi Direct	Yes
Bluetooth	Yes
Mobile printing technologies	Mopria Print Service, Apple AirPrint
Performance	
Internal memory	512 MB
Maximum internal memory	512 MB
Internal storage capacity	512 GB
Built-in processor	Yes
Processor frequency	1200 MHz
Sound pressure level (printing)	50 dB
Sound pressure level (scanning)	48 dB
Sound power level (printing)	6.1 dB
Design	
Product colour	Blue, White

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Market positioning	Business
Built-in display	Yes
Display	LED
Display diagonal	10.9 cm (4.3")
Control type	Touch

Power

Power consumption (max)	585 W
Power consumption (PowerSave)	0.8 W
Power consumption (printing)	585 W
Power consumption (ready)	18 W
Power consumption (sleep)	0.8 W
Power consumption (off)	0.07 W
Energy Star Typical Electricity Consumption (TEC)	1.423 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz

Brand-specific features

HP Auto-On/Auto-Off	Yes
HP Dynamic security	Yes
HP GTIN (EAN/UPC) with options	(ABT) 196068332570; (ABY) 196068332587; (B19) 196068323264; (BAZ) 196068332594
HP GTIN (EAN/UPC)	196068332570, 196068332587, 196068323264, 196068332594

System requirements

Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, MacOS
Server operating systems supported	Windows Server 2008 R2 x64, Windows Server 2012, Windows Server 2012 R2 x64, Windows Server 2016, Windows Server 2019, Windows Server 2022
Mobile operating systems supported	Android, iOS
Other operating systems supported	ChromeOS, Android, iOS

Operational conditions

Storage temperature (T-T)	-20 - 40 °C
Operating temperature (T-T)	10 - 32.5 °C
Recommended operating temperature range (T-T)	15 - 27 °C

Certificates

Certification	CISPR 22:2008 (International) Class B, CISPR 32:2015 (International) Class B / EN 55032:2015 Class B + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class B. Other EMC approvals as required by individual countries.

Sustainability

Sustainability certificates	Blue Angel
Sustainability compliance	Yes

Carbon footprint

Total carbon footprint (kg of CO2e)	220
Carbon emissions, manufacturing (kg of CO2e)	140
Carbon emissions, logistics (kg of CO2e)	6
Carbon emissions, end-of-life (kg of CO2e)	28
Total carbon emissions, w/o use phase (kg of CO2e)	47

Weight & dimensions

Width	421 mm
Depth	435 mm
Height	384 mm
Weight	20.4 kg

Packaging data

Package width	597 mm
Package depth	497 mm
Package height	492 mm
Package weight	23.6 kg

Packaging content

Cartridge(s) included	Yes
Included cartridge capacity (black)	2000 pages
Included cartridge capacity (CMY)	1000 pages
Cables included	AC
Warranty card	Yes

Logistics data

Pallet gross weight	414 kg
Layers per pallet	4 pc(s)
Products per pallet	16 pc(s)

Technical details

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Master (outer) cases per pallet layer	4 pc(s)
Compliance certificates	GS mark, CCC, BIS, cUL, UL, CE, BSMI
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-pro-mfp-4301-4303dw-fdn-fdw-printer-series/model/38348035?sku=5HH64F&serialnumber=5HH64F ; https://kaas.hpcloud.hp.com/pdf-public/pdf_2963110_en-US-1.pdf
Box contents	HP Color LaserJet Pro 4302fdw Printer; 4 preinstalled HP LaserJet Toner cartridges (Black: 2,000 pages, Introductory-Cyan, Magenta, Yellow: 1,000 pages); In-box documentation (Reference Guide, Setup Card); Warranty card (Where required); HP printer software is available at https://www.hp.com/support; Power cord; USB cable, Fax cable (Switzerland only).
Other features	
Number of users	10 user(s)
Power supply type	Internal (Built-in) power supply
Recommended system requirements	2 GB available hard disk space; Internet connection or USB port; Internet browser. 2 GB available hard drive space; Internet connection or USB port; Internet browser.
Compatible operating systems	Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 15 Sequoia; Linux; Citrix; Chrome OS
Electromagnetic compatibility	CISPR 22:2008 (International) Class B, CISPR 32:2015 (International) Class B / EN 55032:2015 Class B + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class B. Other EMC approvals as required by individual countries.
Custom media sizes	Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm
Pallet dimensions (W x D x H)	1200 x 1000 x 2111 mm
Acoustic power emissions (ready)	Inaudible
Typical electricity consumption (TEC) number	1.423 kWh/Week (Blue Angel)
UNSPSC-code	43212110
Matmenys ir svoris	
Matmenys (I × P × A)	59,00cm × 50,00cm × 49,00cm

Dokumentai ir vaizdo įrašai

› Vaizdo įrašas objects.icecat.biz/objects/99820717_63179169.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc

Page Mill Road 1501, CA 94304 Palo Alto, California, US

hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.

Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES

hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt

Saugos dokumentai

› Gamintojo saugos informacija