

Samsung G93SD computer monitor 124.5 cm (49") 5120 x 1440 pixels Dual QHD OLED Silver

Gamintojas: **SAMSUNG** · Modelis: **LS49DG934SUXEN** · EAN: **8806095700656** · Prekės kodas: **468767**



1 019,90 €

Kaina su PVM

Be PVM: **842,89 €**

[Sandėlyje](#)



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 124.5 cm (49") OLED OLED
- ✓ Dual QHD 5120 x 1440 pixels 32:9
- ✓ 240 Hz 0.03 ms 250 cd/m² 1000000:1
- ✓ AMD FreeSync Flicker-free technology
- ✓ G 61 kWh 61 W



Aprašymas

49" | QD-OLED | Dual QHD | 0.03ms(GTG) | 240Hz

Techninė specifikacija

Specifications

Sandėlio grupė

Root/Electronics/PC peripherals/Monitors [+0][-2080]

Display

Display diagonal

124.5 cm (49")

Display resolution	5120 x 1440 pixels
Native aspect ratio	32:9
Display technology	OLED
Touchscreen	No
HD type	Dual QHD
Panel type	OLED
Response time	0.03 ms
Screen shape	Curved
Contrast ratio (typical)	1000000:1
Maximum refresh rate	240 Hz
Display number of colours	1 billion colours
Display brightness (typical)	250 cd/m²
Display brightness (min)	200 cd/m²
Anti-glare screen	Yes
Screen curvature rating	1800R
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display diagonal (metric)	124 cm
Colour gamut	99%
Quantum dot color technology	Yes
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	Yes
AMD FreeSync type	FreeSync Premium Pro
Flicker-free technology	Yes
Game mode	Yes
Game features	Super Arena Gaming UX
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Gaming
Product colour	Silver
Feet colour	Black, Silver

Ports & interfaces

Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
Number of USB Type-C upstream ports quantity	1
USB Type-C downstream ports quantity	2
HDMI ports quantity	1
HDMI version	2.1
Micro HDMI ports quantity	1
DisplayPorts quantity	1
DisplayPort version	1.4
HDCP	Yes
HDCP version	2.2
DC-in jack	Yes

Ergonomics

VESA mounting	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Adjustable height (max)	12 cm
Tilt adjustment	Yes
Tilt angle range	-2 - 15°
Picture-in-Picture	Yes

Power

Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	61 kWh
Energy consumption (HDR) per 1000 hours	71 kWh
Power consumption (typical)	61 W
Power consumption (standby)	0.5 W
AC input voltage	100 - 240 V
Power supply type	External
Energy efficiency scale	A to G

Operational conditions

Operating temperature (T-T)	10 - 40 °C
-----------------------------	------------

Storage temperature (T-T)	10 - 80 °C
---------------------------	------------

Weight & dimensions

Width (with stand)	1194.7 mm
Depth (with stand)	284.1 mm
Height (with stand)	529.3 mm
Weight (with stand)	12.6 kg
Width (without stand)	1194.7 mm
Depth (without stand)	180.8 mm
Height (without stand)	365 mm
Weight (without stand)	8.8 kg

Packaging data

Stand type	HAS stand
Package width	1352 mm
Package depth	474 mm
Package height	240 mm
Package weight	18.1 kg

Packaging content

Stand included	Yes
Cables included	AC, DisplayPort, USB Type-A to USB Type-C

Other features

Brand specific technologies	Black Equalizer, Eye Saver
Picture-by-Picture (PbP)	Yes
Auto source switch+	Yes
Image size	Y
Off Timer Plus	Yes
Virtual AIM point	Yes

Matmenys ir svoris

Matmenys (I × P × A)	134,00cm × 47,00cm × 24,00cm
----------------------	------------------------------