be quiet! Pure Power 13 M | 1000W power supply unit 20+4 pin ATX ATX Black

Gamintojas: **BE QUIET!** · Modelis: **BP028EU** · EAN: **4260052192207** · Prekės kodas: **469124**



168.90€

Kaina su PVM

Be PVM: **139.59€**

In Stock

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt


Pagrindinės savybės


- ✓ 80 PLUS® Gold efficiency (up to 94.4%)
- ✓ ATX 3.1 PSU with full support for PCIe 5.1 GPUs and GPUs with 6+2 pin connectors
- ✓ Handles massive power excursions
- ✓ Exceptionally silent semi-passive 120mm be quiet! fan
- ✓ Semi-passive construction for quiet and energy-saving operation
- ✓ LLC technology for advanced stability and voltage regulation
- ✓ One massive high-performance 12V-rail
- ✓ One PCIe 5.1 12V-2x6 600W and 4 PCIe 6+2 connectors for overclocked high-end GPUs
- ✓ Full suite of safety features
- ✓ Meets latest requirements for modern standby











Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aprašymas

Exceptional quiet, superior features

Pure Power 13 M 1000W is an ATX 3.1 compliant and PCIe 5.1 compatible power supply with semi-passive cooling. It offers peerless dependability with best-in-class features. Having both a PCIe 5.1 cable and PCIe 6+2 cables in the scope of delivery, this PSU offers outstanding compatibility with current-gen and next-gen graphics cards. Pure Power 13 M 1000W offers the best combination of features with outstanding compatibility.

Techninė specifikacija

Power	
Total power	1000 W
AC input voltage	100 - 240 V
Peak power	1050 W
AC input frequency	50/60 Hz
Maximum input current (@110V)	12 A
Maximum input current (@220V)	6 A
Power factor	0.98
Power Factor Correction (PFC) type	Active
Number of +12V rail(s)	1
Combined power (+3.3V)	120 W
Combined power (+12V)	1000 W
Combined power (+5V)	120 W
Combined power (-12V)	3.6 W
Combined power (+5Vsb)	15 W
Max output current (+3.3V)	22 A
Max output current (+12V1)	83.4 A
Max output current (+5V)	22 A
Max output current (-12V)	0.3 A
Max output current (+5Vsb)	3 A
Hold time	21.09 ms
Efficiency	92.5%
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Surge & inrush protection (SIP), Under voltage
Ports & interfaces	
Motherboard power connector	20+4 pin ATX
Peripheral (Molex) power connectors (4-pin)	2

Motherboard power cable length	55 cm
Number of SATA power connectors	6
SATA power cable length	500,650,800,950 mm
Peripheral (Molex) power cable length	800,950 mm
EPS power connector (8-pin)	Yes
PCI Express power connectors (6+2 pin)	4
PCI Express power connectors (12-pin)	1
CPU P4 connector (4-pin)	2
CPU power connector (4+4 pin)	Yes
CPU power cable length	65 cm
PCI Express connector	Yes
Cabling type	Fully-Modular
Performance	
Purpose	PC
Power supply unit (PSU) form factor	ATX
80 PLUS certification	80 PLUS Gold
ATX version	3.1
EPS version	2.92
Noise level	30.3 dB
Bearing technology	Rifle
Mean time between failures (MTBF)	100000 h
Design	
Product colour	Black
Cooling type	Active
Fan diameter	12 cm
Number of fans	1 fan(s)
Fan speed	0 - 2000 RPM
Illumination	No
On/off switch	Yes
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Packaging content	
Cables included	AC, CPU, PCIe, Peripheral (Molex), SATA
Certificates	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Compliance certificates	BSMI, CB, CCC, CE, Federal Communications Commission (FCC), IRAM, RCM, RoHS, TÜV mark, UKCA, WEEE, cTUVus
Weight & dimensions	
Width	150 mm
Depth	160 mm
Height	86 mm
Weight	2.64 kg
Packaging data	
Package width	210 mm
Package depth	320 mm
Package height	133 mm
Package weight	3.4 kg
Technical details	
Sustainability certificates	ENERGY STAR, ErP
Logistics data	
Shipping (inner) case length	58 cm
Shipping (inner) case width	32.5 cm
Shipping (inner) case height	23.3 cm
Products per shipping (inner) case	6 pc(s)
Shipping (inner) case gross weight	22.7 kg
Other features	
Screws included	Yes
Cable ties included	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	30.00cm × 21.00cm × 11.00cm

Dokumentai ir vaizdo įrašai

- User manual
- Product leaflet
- Vaizdo įrašas objects.icecat.biz/objects/131837061_64694817.mp4

Gamintojo ir saugos informacija

MANUFACTURER

Listan GmbH
Wilhelm-Bergner-Str. 11C, 21509 Glinde, DE
listan.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt