

# Epson TM-J7700(321PH) Wired & Wireless Inkjet POS printer

Gamintojas: **EPSON** · Modelis: **C31CF70321PH** · EAN: **8715946661681** · Prekės kodas: **475873**



## 886,91 €

Kaina su PVM

Be PVM: **732,98 €**

**Sandėlyje**



**Prekė internetu**

Nuskuokite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ Inkjet POS printer
- ✓ Connectivity technology: Wired & Wireless
- ✓ USB port Ethernet LAN
- ✓ White
- ✓ 5.8 kg



## Aprašymas

Designed to offer maximum performance and minimum running costs in retail environments, the TM-J7700 multifunctional POS printer uses inkjet technology to print receipts as well as slips, forms and coupons, with sharp, durable results.

### Faster, better inkjet technology

Inkjet technology means that not only are printouts more detailed (600dpi compared to 180dpi for existing models), they're around twice as fast too, with a print speed of 100mm/s (23.2lps) compared to 43mm/s (13.5lps) for previous models.

### Low TCO

Epson has managed to incorporate inkjet technology into this new model while retaining a similar low total cost of ownership to previous dot matrix printers.

## Simple maintenance

The ink cartridges have an easy-install design ideal for busy retail counters, as well as drop-in paper roll for quick loading, and the ink formulation used offers better water and light resistance than dot matrix, so receipts and documents will last longer.

## Backwards compatible

To make upgrading from existing models incredibly easy, the TM-J7700 is fully backwards-compatible with the TM-J7500 and has exactly the same footprint, so it can simply be swapped in. However, to integrate smoothly with the latest ePOS systems, the model offers both USB and Ethernet connection options.

## Techninė specifikacija

| Specifications                    |                                   |
|-----------------------------------|-----------------------------------|
| Sandėlio grupė                    | POS > Receipt Printer [+41][-270] |
| Printing                          |                                   |
| Print technology                  | Inkjet                            |
| Type                              | POS printer                       |
| Print speed                       | 98 mm/sec                         |
| Paper handling                    |                                   |
| Maximum printing width            | 8.3 cm                            |
| Ports & interfaces                |                                   |
| Connectivity technology           | Wired & Wireless                  |
| USB port                          | Yes                               |
| USB connector                     | USB Type-B                        |
| Ethernet LAN (RJ-45) ports        | 1                                 |
| Standard interfaces               | Ethernet, USB 2.0                 |
| Network                           |                                   |
| Ethernet LAN                      | Yes                               |
| Wi-Fi                             | No                                |
| Features                          |                                   |
| Sound pressure level (printing)   | 55 dB                             |
| Mean time between failures (MTBF) | 180000 h                          |
| Cutter                            | Yes                               |
| Country of origin                 | China                             |
| Design                            |                                   |
| Product colour                    | White                             |
| Power                             |                                   |

|                                   |                             |
|-----------------------------------|-----------------------------|
| Power source type                 | AC                          |
| <b>Operational conditions</b>     |                             |
| Operating temperature (T-T)       | 10 - 35 °C                  |
| Storage temperature (T-T)         | -20 - 40 °C                 |
| Operating relative humidity (H-H) | 20 - 80%                    |
| Storage relative humidity (H-H)   | 20 - 85%                    |
| <b>Weight &amp; dimensions</b>    |                             |
| Width                             | 251 mm                      |
| Depth                             | 260 mm                      |
| Height                            | 188 mm                      |
| Weight                            | 5.8 kg                      |
| <b>Packaging data</b>             |                             |
| Cables included                   | AC, USB                     |
| Quantity per pack                 | 1 pc(s)                     |
| Package width                     | 310 mm                      |
| Package depth                     | 390 mm                      |
| Package height                    | 355 mm                      |
| Package weight                    | 7.87 g                      |
| <b>Packaging content</b>          |                             |
| AC adapter included               | Yes                         |
| <b>Logistics data</b>             |                             |
| Harmonized System (HS) code       | 84433210                    |
| <b>Matmenys ir svoris</b>         |                             |
| Matmenys (I × P × A)              | 39,00cm × 36,00cm × 32,00cm |
| Svoris                            | 7,87kg                      |