

DELL Pro E2726HS computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black

Gamintojas: **DELL TECHNOLOGIES** · Modelis: **DELL-E2726HS** · EAN: **5397321028826** · Prekės kodas: **476876**



137,90 €

Kaina su PVM

Be PVM: **113,97 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6cm (27") Full HD 1920 x 1080 IPS
- ✓ 8ms, 16:9, 300cd/m², 1000:1
- ✓ VGA, HDMI, DisplayPort



Aprašymas

Get the essentials to enhance productivity with this 27-inch height-adjustable monitor certified by TÜV Rheinland® for 3-star eye comfort.

Techninė specifikacija

Specifications

Sandėlio grupė [TFT] FLAT PANEL DISPLAYS [+108][-363]

Display

Display diagonal 68.6 cm (27")

Display resolution 1920 x 1080 pixels

Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Full HD
Panel type	IPS
Response time	8 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	100 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Display brightness (typical)	300 cd/m²
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Supported graphics resolutions	640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 1200 (UXGA), 1600 x 900, 1920 x 1080 (HD 1080)
Supported video modes	480p, 576p, 720p, 1080p
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Response time (fast)	5 ms
Pixel pitch	0.3114 x 0.3114 mm
Pixel density	82 ppi
Horizontal scan range	30 - 83 kHz
Vertical scan range	48 - 76 Hz
Viewable size, horizontal	59.8 cm
Viewable size, vertical	33.6 cm
Digital horizontal frequency	30 - 110 kHz
Digital vertical frequency	48 - 100 Hz
Surface hardness	3H
NTSC coverage (typical)	72%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Flicker-free technology	Yes
Low Blue Light technology	Yes

Multimedia

Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W

Design

Market positioning	Office
Product colour	Black
Front bezel colour	Black
Detachable stand	Yes
Feet colour	Black

Ports & interfaces

Built-in USB hub	No
HDMI	Yes
Headphone out	No
VGA (D-Sub) ports quantity	1
HDMI ports quantity	1
DisplayPorts quantity	1
DisplayPort out version	1.4
HDCP	Yes
HDCP version	1.4

Ergonomics

VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable management	Yes
Adjustable height (max)	13 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-173 - 173°
Tilt adjustment	Yes
Tilt angle range	-5 - 21°

On Screen Display (OSD)	Yes
Plug and Play	Yes
Power	
Energy efficiency class (SDR)	D
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	17 kWh
Power consumption (typical)	16.9 W
Power consumption (standby)	0.3 W
Power consumption (max)	38 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	1.5 A
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	5000 - 12192 m
Weight & dimensions	
Width (with stand)	610.7 mm
Depth (with stand)	211.6 mm
Height (with stand)	514.6 mm
Weight (with stand)	4.6 kg
Width (without stand)	610.7 mm
Depth (without stand)	55.1 mm
Height (without stand)	355 mm
Weight (without stand)	3.09 kg
Bezel width (side)	6.4 mm
Bezel width (top)	6.4 mm
Bezel width (bottom)	1.23 cm

Packaging data

Package weight	7.1 kg
----------------	--------

Packaging content

Stand included	Yes
Cables included	AC, HDMI
HDMI cable length	1.8 m

Sustainability

Sustainability certificates	ENERGY STAR, TCO
Doesn't contain	Arsenic, Mercury, PVC/BFR

Carbon footprint

Total carbon footprint (kg of CO2e)	189
Carbon emissions, manufacturing (kg of CO2e)	89.21
Carbon emissions, logistics (kg of CO2e)	13.23
Carbon emissions, energy usage (kg of CO2e)	82.78
Carbon emissions, end-of-life (kg of CO2e)	3.78
PAIA version	GaBi version 1, 2025

Other features

Compliance certificates	RoHS
-------------------------	------

Matmenys ir svoris

Matmenys (I × P × A)	79,00cm × 15,00cm × 45,00cm
Svoris	7,10kg