

DELL UltraSharp U2724D computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black, Silver

Gamintojas: **DELL TECHNOLOGIES** · Modelis: **DELL-U2724D** · EAN: **5397184821442** · Prekės kodas: **476898**



372,90 €

Kaina su PVM

Be PVM: **308,18 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6cm (27") Quad HD 2560 x 1440 Edge LED IPS
- ✓ 8ms, 16:9, 350cd/m², 2000:1
- ✓ USB, HDMI, DisplayPort



Aprašymas

Experience a new level of visual comfort, enhanced productivity and extensive connectivity with this monitor certified by TÜV for 5-star eye comfort.

Techninė specifikacija

Specifications

Sandėlio grupė

[TFT] FLAT PANEL DISPLAYS [+108][-363]

Display

Display diagonal

68.6 cm (27")

Display resolution

2560 x 1440 pixels

Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Quad HD
Panel type	IPS
Response time	8 ms
Screen shape	Flat
Contrast ratio (typical)	2000:1
Maximum refresh rate	120 Hz
Display number of colours	1.07 billion colours
Backlight type	Edge LED
Display brightness (typical)	350 cd/m²
Anti-glare screen	Yes
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 1200 (UXGA), 1600 x 900, 1920 x 1080 (HD 1080), 2048 x 1080, 2560 x 1440
Supported video modes	480p, 576p, 720p, 1080i, 1080p
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Response time (fast)	5 ms
Pixel pitch	0.2331 x 0.2331 mm
Pixel density	108.97 ppi
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
Digital horizontal frequency	30 - 178 kHz
Digital vertical frequency	48 - 120 Hz
Display diagonal (metric)	68.47 cm
High Dynamic Range (HDR) supported	No
Surface hardness	3H
Colour depth	8 bit
Colour gamut standard	DCI-P3
Colour gamut	98%
sRGB coverage (typical)	100%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No

Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Business
Product colour	Black, Silver
Front bezel colour	Black
Feet colour	Silver
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 2 (3.1 Gen 2)
USB upstream port type	USB Type-C
Number of upstream ports	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	3
USB Type-C downstream ports quantity	1
HDMI ports quantity	1
HDMI version	2.1
DisplayPorts quantity	2
DisplayPort version	1.4
Headphone outputs	1
Headphone connectivity	3.5 mm
Microphone in	No
PC Audio in	No
HDCP	Yes
HDCP version	1.4
Charging port type	USB Type-C + USB Type-A
AC (power) in	Yes
Network	
Wi-Fi	No

Ergonomics

VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable management	Yes
Cable lock slot type	Kensington
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 21°
On Screen Display (OSD)	Yes
Plug and Play	Yes

Power

Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	24 kWh
Power consumption (typical)	23.9 W
Power consumption (standby)	0.5 W
Power consumption (max)	85 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	1.6 A
Power supply type	Internal

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	5000 - 12192 m

Weight & dimensions

Width (with stand)	612.2 mm
Depth (with stand)	192.3 mm
Height (with stand)	535.6 mm
Weight (with stand)	6.24 kg
Width (without stand)	612.2 mm
Depth (without stand)	50.1 mm
Height (without stand)	352.5 mm
Weight (without stand)	4.49 kg
Bezel width (side)	7.75 mm
Bezel width (top)	7.75 mm
Bezel width (bottom)	9.1 mm

Packaging data

Package weight	9.4 kg
USB cable length	1 m

Packaging content

Stand included	Yes
Cables included	AC, DisplayPort, USB Type-A to USB Type-C
Power adapter included	Yes
Remote control included	No
Stylus included	No
Quick start guide	Yes
DisplayPort cable length	1.8 m

Sustainability

Sustainability certificates	ENERGY STAR, TCO, EPEAT
Doesn't contain	PVC/BFR, Arsenic, Mercury
Sustainability compliance	Yes

Carbon footprint

Total carbon footprint (kg of CO2e)	605
Total carbon emissions, standard deviation (kg of CO2e)	149
Carbon emissions, manufacturing (kg of CO2e)	376.92
Carbon emissions, logistics (kg of CO2e)	46.59
Carbon emissions, energy usage (kg of CO2e)	176.06
Carbon emissions, end-of-life (kg of CO2e)	5.45

PAIA version	PAIA 1.3.2, 2022
--------------	------------------

Other features

Heavy metals free	Hg (mercury)
-------------------	--------------

Compliance certificates	RoHS
-------------------------	------

Ethernet LAN (RJ-45) ports	0
----------------------------	---

Matmenys ir svoris

Matmenys (I × P × A)	46,00cm × 15,00cm × 83,00cm
----------------------	-----------------------------

Svoris	9,31kg
--------	--------