

Samsung OH55A-S Digital signage flat panel 139.7 cm (55") VA 3500 cd/m² Full HD Black Tizen 5.0 24/7

Gamintojas: **SAMSUNG** · Modelis: **LH55OHAOSGBXEN** · EAN: **8806094549843** · Prekės kodas: **479209**



5 357,90 €

Kaina su PVM

Be PVM: **4 428,02 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Outdoor Digital signage flat panel Black
- ✓ 139.7 cm (55") 1920 x 1080 pixels VA 3500 cd/m²
- ✓ 6 ms
- ✓ Ethernet LAN



Aprašymas

Display diagonal, ": 55 | Refresh rate, Hz: 120 | Display resolution, pixels: 1920 x 1080 | Pixel pitch, mm: 0.630 x 0.630 | Display brightness, cd/m²: 3500 | Contrast ratio (typical): 6000:1 | Viewing angle, vertical, °: 178 | Viewing angle, horizontal, °: 178 | Response time, ms: 6 | Operation time: 24/7 | Connections: HDMI | Connections: USB | Connections: Audio (3.5mm) | Connections: RS-232C | Connections: Ethernet (RJ-45) | Power consumption, W: 274 | Power consumption (standby), W: 0.5 | Dimensions W x D x H, mm: 1260.6 x 85 x 731.4 | Weight, g: 46100 | IP classification: IP56 | Bezel width, mm: 24.9 | Pivot: Yes | Touch sensitive screen: No | Internal player: Yes | IK classification: IK10 | Built-in speakers: No

Techninė specifikacija

Specifications

Sandėlio grupė

[IMO] INFO MONITORS 32 - 55 [+18][-148]

Display

Display diagonal	139.7 cm (55")
Display technology	VA
Display resolution	1920 x 1080 pixels
Display brightness	3500 cd/m ²
HD type	Full HD
Touchscreen	No
Response time	6 ms
Contrast ratio (typical)	6000:1
Dynamic contrast ratio marketing name	Mega Contrast
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.63 x 0.63 mm
Horizontal scan range	30 - 136 kHz
Vertical scan range	24 - 75 Hz
Colour gamut	72%

Ports & interfaces

HDMI ports quantity	2
DVI port	No
DisplayPorts quantity	0
USB port	Yes
HDMI version	2
USB ports quantity	1
Ethernet LAN (RJ-45) ports	2
Audio (L/R) out	1
RS-232 interface	Yes
HDBaseT input ports	1

Audio

Built-in speaker(s)	No
---------------------	----

Design

Product design	Digital signage flat panel
Product colour	Black
Placement supported	Outdoor
VESA mounting	Yes

Orientation	Horizontal/Vertical
Panel mounting interface	1186 x 560 mm
Bezel width (bottom)	2.49 cm
Bezel width (side)	2.49 cm
Bezel width (top)	2.49 cm
Performance	
Purpose	Universal
Operating hours (hours/days)	24/7
HDCP	Yes
International Protection (IP) code	IP56
HDCP version	2.2
Power	
Power consumption (typical)	530 W
Power consumption (sleep)	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Computer system	
Computer system	Yes
Computer system type	System on Chip (SoC)
Internal memory	8 GB
Operating system installed	Tizen 5.0
Weight & dimensions	
Display width	1260.6 mm
Display depth	85 mm
Display height	731.4 mm
Display weight	46.1 kg
Packaging data	
Package width	1358 mm
Package depth	230 mm
Package height	845 mm
Package weight	52.6 kg
Operational conditions	
Operating temperature (T-T)	-30 - 50 °C
Operating relative humidity (H-H)	10 - 80%

Network

Ethernet LAN Yes

Wi-Fi No

Other features

Audio output 1

Flash memory 8000 MB

RS-232 input ports 1

RS-232 output ports 1

Glass protection Yes

Matmenys ir svoris

Matmenys (I × P × A) 23,00cm × 136,00cm × 85,00cm

Svoris 52,60kg