HP LaserJet MFP M234dw Printer

Gamintojas: **HP** · Modelis: **6GW99F** · EAN: **194850664199** · Prekės kodas: **479330**



157.91€

Kaina su PVM

Be PVM: **130.50€**

In Stock

Prekė internetu


Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Scan to email; Scan to PDF
- ✓ Print, copy, scan
- ✓ Print speed up to 29 ppm (black)
- ✓ Up to 600 x 600 dpi

















Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aprašymas

Super versatile. Super compact – with reliable wireless. A high-productivity MFP with the fastest two-sided printing in its class[2] and the time-saving HP Smart app.[6,7] Count on peace of mind from more reliable connections,[1] and a worry-free experience with simplified setup.

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Techninė specifikacija

Printing	
Print technology	Laser
Printing	Mono printing
Duplex printing	Yes
Maximum resolution	600 x 600 DPI
Print speed (black, normal quality, A4/US Letter)	29 ppm
Duplex printing mode	Auto
Print resolution black	600 x 600 DPI
Warm-up time	45 s
Time to first page (black, normal)	7 s
Print margin top (min)	6 mm
Print margin bottom (min)	6 mm
Print margin left (min)	5 mm
Print margin right (min)	5 mm
Secure printing	Yes
Copying	
Copying	Mono copying
Duplex copying	Yes
Maximum copy resolution	600 x 600 DPI
Copy speed (black, normal quality, A4)	29 cpm
Time to first copy (black, normal)	10.3 s
Maximum number of copies	99 copies
Copier resize	25 - 400%
Auto fit function	Yes
Scanning	
Scanning	Colour scanning

Duplex scanning	No
Optical scanning resolution	600 x 1200 DPI
Scanner type	Flatbed scanner
Maximum scan area	216 x 297 mm
Scan to	TWAIN, Software
Scan speed (colour)	10 ppm
Scan speed (black)	19 ppm
Image formats supported	BMP, JPEG, JPG, Raw, TIFF
Document formats supported	PDF
Input colour depth	24 bit
Greyscale levels	256
Scan drivers	TWAIN
TWAIN version	2.1

Fax

Faxing	No

Features

Maximum duty cycle	20000 pages per month
Duplex functions	Print
Number of print cartridges	1
Printing colours	Black
Recommended duty cycle	200 - 2000 pages per month
Page description languages	PCLmS, PWG, URF
All-In-One-multitasking	Yes
Country of origin	China, Vietnam
Replacement cartridges	HP 135A Black LaserJet Toner Cartridge, W1350A (~1100), HP 135X Black LaserJet Toner Cartridge, W1350X (~2400)
HP segment	Home office

Input & output capacity

Total number of input trays	1
Total input capacity	150 sheets
Total output capacity	100 sheets
Paper tray 1 input capacity	150 sheets
Maximum number of input trays	1
Maximum input capacity	150 sheets
Maximum output capacity	100 sheets

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Envelopes, Card stock, Labels, Rough paper, Postcard
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	216 x 354 mm
Non-ISO print media sizes	Executive, Legal, Letter
JIS B-series sizes (B0...B9)	B5
Photo paper sizes (imperial)	4x6"
Custom media width	101.6 - 216 mm
Custom media length	152.4 - 356 mm
Paper tray media weight	60 - 163 g/m²
Envelope feeder	No
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	1
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	10,100 Mbit/s
Wi-Fi standards	Wi-Fi 4 (802.11n), 802.11g, 802.11b
Wi-Fi Direct	Yes
Bluetooth	Yes
Security algorithms	SNMPv3, SSL/TLS, SNMPv2, SNMP, TLS
Mobile printing technologies	Mopria Print Service, Apple AirPrint
Performance	
Internal memory	64 MB
Maximum internal memory	64 MB
Card reader integrated	No
Built-in processor	Yes
Processor frequency	500 MHz
Sound pressure level (printing)	51 dB
Sound power level (printing)	6.6 dB

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Design	
Product colour	Grey
Market positioning	Home & office
Built-in display	Yes
Display	LCD
Display diagonal	3.23 cm (1.27")
Control type	Buttons
Power	
Power consumption (PowerSave)	0.6 W
Power consumption (printing)	453 W
Power consumption (ready)	3.3 W
Power consumption (sleep)	0.6 W
Power consumption (off)	0.04 W
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz
Brand-specific features	
HP Auto-On/Auto-Off	Yes
HP Dynamic security	Yes
HP Security tools	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; TLS 1.0/1.1 disabled by default; Update to OpenSSL version 1.1.1; Enable/disable Network ports; SNMPv1, SNMPv2, and SNMPv3, community password change; Secure defaults, Encrypted data at rest, Active FW update, Admin password by default, Cipher & TLS selection; Account lockout; Secure Wi-Fi setup
HP GTIN (EAN/UPC) with options	(ABY) 194850664182; (B19) 194850664199; (BAZ) 194850664205
HP GTIN (EAN/UPC)	194850664182, 194850664199, 194850664205
System requirements	
Windows operating systems supported	Windows 8, Windows 8.1, Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, MacOS
Server operating systems supported	Windows Server 2008 R2 x64, Windows Server 2012 R2 x64, Windows Server 2016 x64
Other operating systems supported	Linux
Operational conditions	
Operating relative humidity (H-H)	10 - 80%
Storage temperature (T-T)	-20 - 60 °C
Operating temperature (T-T)	15 - 32.5 °C

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Storage relative humidity (H-H)	10 - 90%
Recommended humidity operating range	30 - 70%
Recommended operating temperature range (T-T)	17.5 - 25 °C

Certificates

Certification	CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6.

Sustainability

Sustainability certificates	ENERGY STAR, Blue Angel, EPEAT Silver
Sustainable technologies and materials	Mercury free
Doesn't contain	Mercury
Sustainability compliance	Yes

Carbon footprint

Total carbon footprint (kg of CO2e)	110
Carbon emissions, manufacturing (kg of CO2e)	76
Carbon emissions, logistics (kg of CO2e)	4
Carbon emissions, end-of-life (kg of CO2e)	19
Total carbon emissions, w/o use phase (kg of CO2e)	12

Weight & dimensions

Width	368 mm
Depth	298.6 mm
Height	241.9 mm
Weight	7.6 kg

Packaging data

Package width	497 mm
Package depth	298 mm
Package height	388 mm
Package weight	9.6 kg

Packaging content

Cartridge(s) included	Yes
Included cartridge capacity (black)	700 pages
Cables included	AC
Warranty card	Yes
Bundled software	No CD inbox (expect Indonesia and China Gov); Downloadable Software from hp.com or 123.hp.com; #CD include HP Software Installer, Uninstaller, printer driver and other essential tools

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Logistics data	
Harmonized System (HS) code	8443310000
Pallet gross weight	483.5 kg
Layers per pallet	6 pc(s)
Products per pallet	48 pc(s)
Technical details	
Master (outer) cases per pallet layer	8 pc(s)
Compliance certificates	GS mark, CCC, EAC, BIS, Federal Communications Commission (FCC), CE, BSMI
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/details/hp-laserjet-mfp-m232-m237-printer-series/model/30836604?sku=6GW99F ; https://h10032.www1.hp.com/ctg/Manual/c06759742.pdf ; https://h10032.www1.hp.com/ctg/Manual/c06759742.pdf
Box contents	HP LaserJet MFP M234dw Printer; HP Black LaserJet Toner Cartridge (700 pages); Dust cover; Reference guide; Setup poster; Warranty guide and flyer in some countries; Power cord
Other features	
Number of users	5 user(s)
Power supply type	Built-in 110V or 200V Power Supply
Recommended system requirements	Microsoft Windows 10; 8.1; 8; 2 GB available hard disk space; Internet connection; Microsoft Internet Explorer. Apple macOS v10.14 Mojave; macOS v10.15 Catalina; macOS v11 Big Sur; 2 GB HD; Internet required.
Compatible operating systems	Windows 11; Windows 10; Windows 8; Windows 8.1; macOS 10.14 Mojave; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 15 Sequoia; Linux
Electromagnetic compatibility	CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6.
Custom media sizes	101.6 x 152.4 to 216 x 356 mm
Pallet dimensions (W x D x H)	1200 x 1000 x 2474 mm
Pallet dimensions (W x D x H) (imperial)	1199.9 x 1000 x 2474 mm (47.2 x 39.4 x 97.4")
Pallet weight (imperial)	482.5 kg (1063.7 lbs)
Acoustic power emissions (ready)	26 dB
Acoustic pressure emissions bystander (ready)	16 dB
Typical electricity consumption (TEC) number	0.255 kWh/Week
UNSPSC-code	43212110
Matmenys ir svoris	
Matmenys (I × P × A)	30.00cm × 50.00cm × 39.00cm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Dokumentai ir vaizdo įrašai

- Product leaflet
- CE marking

Gamintojo ir saugos informacija

MANUFACTURER

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

EU RESPONSIBLE PERSON

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- CE marking
- Manufacturer safety information