

Zebra SP2002 Fixed bar code reader 1D/2D CMOS Black

Gamintojas: **ZEBRA** · Modelis: **SP2002-SR400000SGW** · EAN: · Prekės kodas: **483918**



153,90 €

Kaina su PVM

Be PVM: **127,19 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Scan Type: 1D, 2D, OCR, Digimarc
- ✓ Corded/Cordless: Corded
- ✓ Scan Range: Standard Range

Aprašymas

Reliable checkout performance at a price that fits your budget. Ideal for small retailers, Quick Serve Restaurants (QSRs), convenience stores, and speciality shops

Techninė specifikacija

Scanning	
Type	Fixed bar code reader
Scanner type	1D/2D
Sensor type	CMOS
Linear (1D) barcodes supported	Code 39, Code 128, Code 93, Codabar, Code 11, MSI-Plessey, EAN-13, UPC-A, Korean 3 of 5, GS1 DataBar
2D (matrix & stacked) barcodes supported	QR Code, Micro QR Code, Data Matrix, PDF417, MicroPDF417, Composite Codes, Aztec Code, MaxiCode, SecurPharm
Optical sensor resolution (W x H)	1280 x 800 pixels
Working distance range	64 - 198 mm
Horizontal field of view	62°

Vertical field of view	41°
Pitch reading angle	-60 - 60°
Ports & interfaces	
Connectivity technology	Wired
Standard interfaces	RS-232
Performance	
Product colour	Black
International Protection (IP) code	IP52
Protection features	Drop resistant, Electrostatic Discharge (ESD) protection, Impact resistant, Shock resistant
LED indicators	Power
Print contrast	20%
Power	
Power source type	USB, RS-232
Input voltage	4.75 - 5.25 V
Weight & dimensions	
Weight	110 g
Width	75 mm
Depth	57 mm
Height	75 mm
Base weight	108 g
Base dimensions (WxDxH)	80 x 80 x 140 mm
Packaging data	
Stand included	Yes
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	5 - 95%
Drop resistance	1.5 m
Technical details	
Warranty period	3 year(s)
Compliance certificates	IECEX, CSA, UL
Matmenys ir svoris	
Matmenys (I × P × A)	19,00cm × 12,00cm × 8,00cm

Svoris	0,30kg
--------	--------