



CARD READER FLAT SMARTCARD 4SL/USB2.0 1.3M CRE- SM3SD AXAGON

Modelis: CRE-SM3SD

Gamintojas: AXAGON

EAN: 8595247906922

Prekės kodas: 48447

16.99€

Compact desktop smart card / ID card reader AXAGON CRE-SM3SD FlatReader with USB 2.0 interface includes additional slots for SD, microSD and SIM cards. The card reader supports all common contact smart card formats, chip cards and other cards, including contact bank payment cards or contact electronic ID cards *. The reader is compatible with most national applications for eID (electronic ID cards).

Thanks to the SIM card slot including SIM management software, SD and microSD card slots, the reader can also be used for backup and data transfer.

Compatibility with all common OS such as Windows, Linux, Mac OS and Android, allows wide use on

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

desktops and laptops as well as phones and tablets. The smart LED indicator lights up shortly after the activity change, then turns off and doesn't bother the user with unnecessary light. Compact design, high-quality manufacturing, anti-slip pads and long cable ensure easy and trouble-free use.

Input:

- USB 2.0 CCID protocol.
- Backward compatible with USB 1.1.
- Connection to computer via USB 2.0 type A male connector.
- For connection to a phone or tablet with a USB-C connector, we recommend a USB-C -> USB-A reduction, e.g. AXAGON RUCM-AFA. For connection to a phone with a micro USB connector, we recommend an OTG reduction micro USB -> USB-A.

Card reader:

- Four-slot reader with support for the following formats:
- Smart Card slot supports ATM / CAC / ID / IC / SIS contact cards,
- Micro SD slot supports microSD / microSDHC / microSDXC / TransFlash,
- SD slot supports SecureDigital / SDHC / SDXC, MultiMedia Card, MMC 4.0, MMC Dual Voltage, MMC mobile, RS-MMC, with adapter miniSD, miniSDHC, MMC Micro cards,
- the SIM slot supports standard size SIM cards (microSIM and nanoSIM with the appropriate adapter).

Smart card specifications support:

- Supports ISO 7816 Class A, B and C contact Smart cards (5V, 3V and 1.8V).
- Supports ISO 7816, EMV 4.1 (EMV 2000 level 1) standards.
- Supports protocols T=0 and T=1, I2C, SLE 4432/42 (S=10), SLE 4418/28 (S=9).
- PC/SC 2.0 PC Smart Card standard support.
- Microsoft Smart Card for Windows support.
- Supports I2C cards SLE4418, SLE4428, SLE4432, SLE4442, SLE4436, SLE5536, SLE6636, AT88SC1608, AT45D041.
- Microsoft WHQL USB Smart Card Reader compliant.
- FIPS 201 standard compliant.

Flash Card Specifications Support:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- SD 1.0/1.1 (SD - Secure Digital, up to 2GB) standard compliant.
- SD 2.0 (SDHC - Secure Digital High Capacity, up to 32GB) standard compliant.
- SD 3.0 (SDXC - Secure Digital eXtended Capacity, up to 2TB) standard compliant.
- MMC a eMMC 3.x/4.0/4.1/4.2 standard compliant.

Other features:

- Microsoft USB-CCID driver compatible.
- Plug and Play support.
- Allows the use of SIM and microSD slot at the same time.
- Smart card insertion detection.
- SW SIMedit for editing and backing up contacts can be downloaded from the product support tab at www.axagon.eu.
- Standby support, automatic standby mode.
- Reader power via USB bus (bus-power).
- A LED indicates computer USB port connection (steady) and data transfer (flashing).
- Anti-slip pad against spontaneous movement on the table.
- Dimensions 67 x 63 x 20 mm, cable length 1.3 m.
- Weight 60 g.

Supported OS:

- MS Windows XP / Vista / 7 / 8 / 8.1 / 10 / 11 and later, Windows Server 2003 / 2008 / 2012 / 2016 / 2019 / 2022 and later (supported are all 32- and 64-bit Windows OS versions), Mac OS X 10.x and higher, Linux with kernel 2.4.x and higher, Android 8 and above.

* Note: The reader only supports contact cards that have visible contacts on the surface. The card without contacts is therefore RFID and cannot be used in the reader.

Package contains:

- USB Smart card reader with 1.3 m hardwired cable,
- multilingual manual CZ / DE / DK / ENG / ESP / FIN / FR / GR / HR / HU / IT / NL / PL / PT / RO / RU / SK / SWE / BG / CN / TR / ARA,
- packed in a cardboard box with a hanging hole.

Summary: Axagon CRE-SM3SD USB Smart card & SD/microSD/SIM Flat. Interface: USB 2.0. Cable

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

length: 1.3 m, Product colour: Black. Weight: 60 g | Vendor Homepage:
<https://www.axagon.eu/en/produkty/cre-sm3sd> | Application area: Access control, Banking & payments, Healthcare | Compatible memory cards: MicroSD (TransFlash)/MicroSDHC/MicroSDXC/MiniSD/MiniSDHC/MMC/MMC Mobile/RS-MMC/SD/SDHC/SDXC | Easy to use: Yes | Plug and Play: Yes | Product type: Universal smart card reader | SIM card support: Yes | Built-in display: No | Cable length: 1.3 | Country of origin: China | Housing material: Plastic | LED indicators: Yes | Placement supported: Indoor | Product colour: Black | Bluetooth: No | Interface: USB 2.0 | Near Field Communication (NFC): No | Supported protocols: T=0 and T=1, I2C, SLE 4432/42 (S=10), SLE 4418/28 (S=9) | External power adapter: No | Operating voltage: 5 | Power source: USB | Compliance certificates: CE/RoHS | Manual: Yes | Warranty period: 2 | Linux operating systems supported: Yes | Mac compatibility: Yes | Mac operating systems supported: Yes | Other operating systems supported: Yes | Windows operating systems supported: Yes | Depth: 20 | Height: 63 | Weight: 60 | Width: 67 | Certification: CE, RoHS | Package depth: 100 | Package height: 28 | Package type: Box | Package weight: 89 | Package width: 125 | Quick installation guide: Yes | Smart card included: No | Model: CRE-SM3SD | Units per Shipping Box: 100 | Unit Calculated Volume: 0.000365 | Unit Calculated Weight: 0.092

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903