



CARD READER STAND SMARTCARD/ID/USB2.0 1.3M CRE-SM4N AXAGON



Modelis: CRE-SM4N

Gamintojas: AXAGON

EAN: 8595247907004

Prekės kodas: 48514

13.00€

Desktop stand smart card / ID card reader AXAGON CRE-SM4N StandReader with USB 2.0 interface. The card reader supports all common contact smart card formats, chip cards and other cards, including contact bank payment cards or contact electronic ID cards *. The reader is compatible with most national applications for eID (electronic ID cards).

Compatibility with all common OS such as Windows, Linux and Mac OS and Android, allows wide use on desktops and laptops as well as phones and tablets. The smart LED indicator lights up shortly after the activity change, then turns off and doesn't bother the user with unnecessary light. Practical design, high-quality manufacturing, anti-slip pad and long cable ensure easy and trouble-free use.

Input:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- USB 2.0 CCID protocol.
- Backward compatible with USB 1.1.
- Connection to computer via USB 2.0 type A male connector.
- For connection to a phone or tablet with a USB-C connector, we recommend a USB-C -> USB-A reduction, e.g. AXAGON RUCM-AFA. For connection to a phone with a micro USB connector, we recommend an OTG reduction micro USB -> USB-A.

Card reader:

- 1 slot supports contact ATM / CAC / ID / IC / SIS cards.
- Supports ISO 7816 Class A, B and C contact Smart cards (5V, 3V and 1.8V).
- Supports ISO 7816, EMV 4.1 (EMV 2000 level 1) standards.
- Supports protocols T=0 and T=1, I2C, SLE 4432/42 (S=10), SLE 4418/28 (S=9).
- PC/SC 2.0 PC Smart Card support.
- Microsoft Smart Card for Windows support.
- Supports I2C cards SLE4418, SLE4428, SLE4432, SLE4442, SLE4436, SLE5536, SLE6636, AT88SC1608, AT45D041.
- Microsoft WHQL USB Smart Card Reader compliant.
- FIPS 201 standards compliant.

Other features:

- Microsoft USB-CCID driver compatible.
- Plug and Play support.
- Standby support, automatic standby mode.
- Reader power via USB bus (bus-power).
- Red LED indicates computer USB port connection (steady) and data transfer (flashing).
- LED indicators lights up shortly after the activity change, then turns off and doesn't bother.
- LED indication shines through the contact symbol, which indicates inserted card orientation.
- Weights at the bottom of the stand for better stability.
- Anti-slip pad against spontaneous movement on the table.
- Dimensions 77 x 56 x 49 mm, cable length 1.3 m.
- Weight 82 g.

Supported OS:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- MS Windows XP / Vista / 7 / 8 / 8.1 / 10 / 11 and later, Windows Server 2003 / 2008 / 2012 / 2016 / 2019 / 2022 and later (supported are all 32- and 64-bit Windows OS versions), Mac OS X 10.x and higher, Linux with kernel 2.4.x and higher, Android 8 and above.

* Note: The reader only supports contact cards that have visible contacts on the surface. The card without contacts is therefore RFID and cannot be used in the reader.

Package contains:

- USB Smart card reader with 1.3 m hardwired cable,
- multilingual guide CZ / DE / DK / ENG / ESP / FIN / FR / GR / HR / HU / IT / NL / PL / PT / RO / RU / SK / SWE / BG / CN / TR / ARA,
- packed in a cardboard box with a hanging hole.

Summary: Axagon Universal desktop USB contact Smart/ID card reader with long USB-A cable.

Suitable for the eObanka application.. Interface: USB 2.0. Cable length: 1.3 m, Product colour: Black. Weight: 82 g | Vendor Homepage: <https://www.axagon.eu/en/produkty/cre-sm4n> | Application area: Access control, Banking & payments, Healthcare | Easy to use: Yes | Plug and Play: Yes | Product type: Universal smart card reader | SIM card support: No | Built-in display: No | Cable length: 1.3 | Country of origin: China | Housing material: Plastic | LED indicators: Yes | Placement supported: Indoor | Product colour: Black | Bluetooth: No | Interface: USB 2.0 | Near Field Communication (NFC): No | Supported protocols: T=0 und T=1, I2C, SLE 4432/42 (S=10), SLE 4418/28 (S=9) | External power adapter: No | Operating voltage: 5 | Power source: USB | Compliance certificates: CE/RoHS | Manual: Yes | Warranty period: 2 | Linux operating systems supported: Yes | Mac compatibility: Yes | Mac operating systems supported: Yes | Other operating systems supported: Yes | Windows operating systems supported: Yes | Depth: 49 | Height: 56 | Weight: 82 | Width: 77 | Certification: CE, RoHS | Package depth: 100 | Package height: 40 | Package type: Box | Package weight: 113 | Package width: 125 | Quick installation guide: Yes | Smart card included: No | Model: CRE-SM4N | Units per Shipping Box: 72 | Unit Calculated Volume: 0.0005316 | Unit Calculated Weight: 0.119

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903