

Epson EB-685W Ultra short throw projector 3500 ANSI lumens 3LCD WXGA (1280x800) White, Grey

Gamintojas: **EPSON** · Modelis: **V11H744040** · EAN: **8715946605210** · Prekės kodas: **488320**



991,90 €

Kaina su PVM

Be PVM: **819,75 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Ultra short throw projector White, Grey
- ✓ 3LCD 3500 ANSI lumens
- ✓ Lamp 5000 h
- ✓ WXGA (1280x800) 16:10 14000:1
- ✓ Screen size compatibility: 1524 - 2540 mm (60 - 100") Number of colours: 1.07 billion colours
- ✓ Focus: Manual Zoom capability
- ✓ Ethernet LAN
- ✓ Built-in speaker(s) 16 W
- ✓ AC 354 W



Aprašymas

HD-ready classroom projector

Innovative teaching solution with a large scalable screen size of up to 100 inches to display HD-ready WXGA content for enhanced learning.

The EB-685W's ultra-short-throw design allows you to present large images from a very short distance with minimised shadows and glare. With a brightness level of 3,500 lumens, an HD-ready WXGA resolution, a 14,000:1 contrast ratio, and HDMI input, students benefit from sharp, clear images.

High-quality, bright images

Epson's 3LCD technology ensures high-quality images with equally high White and Colour Light Output for vivid colours and bright images, even in daylight, and three times brighter colours than leading competitive projectors.

Enhanced learning

Split-screen functionality allows two pieces of content to be displayed simultaneously without compromising on quality. The moderator function allows teachers to remain in control, choosing what content to display.

Document camera compatibility

Connecting the optional Epson document camera allows you to easily display images and 3D objects with incredible detail for the whole class to see.

Keep costs down

Project for longer with improved reliability and a longer lamp life of up to 10,000 hours in eco mode.

-Optional wireless capability

Wirelessly display content easily from a range of smart devices and Google Chromebooks using our iProjection App.

Techninė specifikacija

Specifications	
Sandėlio grupė	Root/Electronics/PC peripherals/Projectors and screens/Projectors [+4][-135]
Projector	
Projector brightness	3500 ANSI lumens
Projection technology	3LCD
Projector native resolution	WXGA (1280x800)
Contrast ratio (typical)	14000:1
Native aspect ratio	16:10
Screen size compatibility	1524 - 2540 mm (60 - 100")
Supported aspect ratios	16:10
Projection distance	0.4 - 0.6 m
Projection distance (wide)	0 - 0.4 m
Projection distance (tele)	0 - 0.6 m
Contrast ratio (dynamic)	14000:1
Number of colours	1.07 billion colours
Projector brightness (economic mode)	2900 ANSI lumens
Vertical scan range	100 - 120 Hz
Keystone correction, horizontal	-3 - 3°

Keystone correction, vertical	-3 - 3°
Matrix size	1.5 cm (0.59")
Light source	
Light source type	Lamp
Service life of light source	5000 h
Service life of light source (economic mode)	10000 h
Lamp power	250 W
Lens system	
Focus	Manual
Focal length range	3.7 mm
Fixed focal length	3.7 mm
Zoom capability	Yes
Zoom type	Auto
Zoom ratio	1.35:1
Digital zoom	1.35x
Throw ratio	0.28 - 0.37:1
Video	
Full HD	No
3D	No
HD-Ready	Yes
Video processing	10 bit
Colour modes (2D)	Cinema, Dynamic
Video colour modes	Dynamic, Cinema, Presentation, sRGB, Blackboard
Ports & interfaces	
VGA (D-Sub) ports quantity	3
HDMI ports quantity	3
Composite video in	1
Component video (YPbPr/YCbCr) in	0
DVI port	No
Audio (L/R) in	1
Serial interface type	RS-232
S-Video inputs quantity	0
USB 2.0 ports quantity	2
Headphone outputs	1

Microphone in	Yes
USB connector type	USB Type-A, USB Type-B
Mobile High-Definition Link (MHL)	Yes
AC (power) in	Yes
Network	
Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100 Mbit/s
Storage	
Card reader integrated	No
Features	
Noise level	35 dB
Interactive	No
Noise level (economic mode)	30 dB
On Screen Display (OSD)	Yes
Air filter	Yes
2D/3D frequency image	100 - 120 Hz
Country of origin	Philippines
Password protection	Yes
Compatible operating systems	Linux, Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Ubuntu 14.10, Ubuntu 15.04, Ubuntu 15.10, Ubuntu 16.04 LTS, Windows 10, Windows 8, Windows 8.1
Multimedia	
Built-in speaker(s)	Yes
RMS rated power	16 W
Number of built-in speakers	1
Design	
Product type	Ultra short throw projector
Product colour	White, Grey
Placement	Wall
Cable lock slot	Yes
Cable lock slot type	Kensington
Display	
Built-in display	No
Power	

Power source	AC
Power consumption (typical)	354 W
Power consumption (standby)	0.37 W
Power consumption (PowerSave)	310 W
Power consumption (economy mode)	309 W
AC input voltage	100-240 V
AC input frequency	50 - 60 Hz

Software

Software support	via: AMX, Crestron (Network), Control4
Windows operating systems supported	Windows 10, Windows 8, Windows 8.1
Mac compatibility	Yes
Mac operating systems supported	Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks

Operational conditions

Operating temperature (T-T)	5 - 40 °C
Storage temperature (T-T)	-10 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	10 - 90%

Weight & dimensions

Weight	5.7 kg
Width	367 mm
Depth	400 mm
Height	149 mm
Package width	490 mm
Package depth	730 mm
Package height	335 mm
Package weight	18.5 kg

Packaging content

Remote control included	Yes
Remote control type	IR
Batteries included	Yes
Cables included	AC
Quick start guide	Yes
Manual	Yes
WLAN adapter included	Yes

Bundled software	EasyMP Multi PC Projection, Epson Projektor Management
------------------	--

Technical details

Colour	Yes
Sustainability certificates	TCO
USB display function	3 in 1: Image / Mouse / Sound

Logistics data

Quantity per pack	1 pc(s)
Products per pallet	12 pc(s)
Pallet gross weight	0 g
Pallet gross length	120 cm
Pallet gross width	80 cm
Pallet gross height	141 cm
Products per pallet layer	2 pc(s)
Products per pallet layer (UK)	2 pc(s)
Products per pallet (UK)	12 pc(s)
Pallet weight (UK)	0 g
Pallet length (UK)	120 cm
Pallet width (UK)	100 cm
Pallet height (UK)	141 cm
Harmonized System (HS) code	85286200

Other features

RS-232 ports	1
--------------	---

Matmenys ir svoris

Matmenys (l × P × A)	73,00cm × 49,00cm × 34,00cm
Svoris	18,60kg