

# DELL Plus S3225QS computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD LCD Silver

Gamintojas: **DELL TECHNOLOGIES** · Modelis: **DELL-S3225QS** · EAN: **5397184962374** · Prekės kodas: **489444**



## 403,90 €

Kaina su PVM

Be PVM: **333,80 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ 80.0cm (31.5") 4K Ultra HD 3840 x 2160 Edge LED VA
- ✓ 8ms, 16:9, 300cd/m², 3000:1
- ✓ HDMI, DisplayPort



## Aprašymas

31.5-inch 4K monitor with up to 120Hz refresh rate and dual 5W speakers for elevated entertainment.

## Techninė specifikacija

### Specifications

Sandėlio grupė

[TFT] FLAT PANEL DISPLAYS [+99][-375]

### Display

Display diagonal

80 cm (31.5")

Display resolution

3840 x 2160 pixels

|                                     |                                                                                                                                                                                                                                                      |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Native aspect ratio                 | 16:9                                                                                                                                                                                                                                                 |
| Display technology                  | LCD                                                                                                                                                                                                                                                  |
| Touchscreen                         | No                                                                                                                                                                                                                                                   |
| HD type                             | 4K Ultra HD                                                                                                                                                                                                                                          |
| Panel type                          | VA                                                                                                                                                                                                                                                   |
| Response time                       | 8 ms                                                                                                                                                                                                                                                 |
| Screen shape                        | Flat                                                                                                                                                                                                                                                 |
| Contrast ratio (typical)            | 3000:1                                                                                                                                                                                                                                               |
| Maximum refresh rate                | 120 Hz                                                                                                                                                                                                                                               |
| Display number of colours           | 1.07 billion colours                                                                                                                                                                                                                                 |
| LED backlight                       | Yes                                                                                                                                                                                                                                                  |
| Backlight type                      | Edge LED                                                                                                                                                                                                                                             |
| Display brightness (typical)        | 300 cd/m²                                                                                                                                                                                                                                            |
| Response time measurement type      | GTG (Gray to Gray)                                                                                                                                                                                                                                   |
| Anti-glare screen                   | Yes                                                                                                                                                                                                                                                  |
| Supported graphics resolutions      | 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800 (WXGA), 1280 x 960, 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 2560 x 1440, 3840 x 2160 |
| Supported video modes               | 480p, 576p, 720p, 1080i, 2160p                                                                                                                                                                                                                       |
| Viewing angle, horizontal           | 178°                                                                                                                                                                                                                                                 |
| Viewing angle, vertical             | 178°                                                                                                                                                                                                                                                 |
| Response time (fast)                | 5 ms                                                                                                                                                                                                                                                 |
| Pixel pitch                         | 0.18159 x 0.18159 mm                                                                                                                                                                                                                                 |
| Pixel density                       | 139 ppi                                                                                                                                                                                                                                              |
| Viewable size, horizontal           | 69.7 cm                                                                                                                                                                                                                                              |
| Viewable size, vertical             | 39.2 cm                                                                                                                                                                                                                                              |
| Digital horizontal frequency        | 25 - 300 kHz                                                                                                                                                                                                                                         |
| Digital vertical frequency          | 48 - 120 Hz                                                                                                                                                                                                                                          |
| High Dynamic Range (HDR) supported  | Yes                                                                                                                                                                                                                                                  |
| High Dynamic Range (HDR) technology | High Dynamic Range 10 (HDR10)                                                                                                                                                                                                                        |
| Surface hardness                    | 3H                                                                                                                                                                                                                                                   |
| sRGB coverage (typical)             | 99%                                                                                                                                                                                                                                                  |
| DCI-P3 coverage                     | 95%                                                                                                                                                                                                                                                  |
| <b>Performance</b>                  |                                                                                                                                                                                                                                                      |
| NVIDIA G-SYNC                       | No                                                                                                                                                                                                                                                   |

|                               |                  |
|-------------------------------|------------------|
| AMD FreeSync                  | Yes              |
| AMD FreeSync type             | FreeSync Premium |
| <b>Multimedia</b>             |                  |
| Built-in speaker(s)           | Yes              |
| Built-in camera               | No               |
| Number of speakers            | 2                |
| RMS rated power               | 10 W             |
| <b>Design</b>                 |                  |
| Market positioning            | Office           |
| Product colour                | Silver           |
| Front bezel colour            | Black            |
| Detachable stand              | Yes              |
| Feet colour                   | Silver           |
| <b>Ports &amp; interfaces</b> |                  |
| Built-in USB hub              | No               |
| HDMI                          | Yes              |
| Headphone out                 | No               |
| HDMI ports quantity           | 2                |
| HDMI version                  | 2.1              |
| DisplayPorts quantity         | 1                |
| HDCP                          | Yes              |
| HDCP version                  | 1.4/2.2          |
| <b>Network</b>                |                  |
| Wi-Fi                         | No               |
| <b>Ergonomics</b>             |                  |
| VESA mounting                 | Yes              |
| Cable lock slot               | Yes              |
| Height adjustment             | Yes              |
| Panel mounting interface      | 100 x 100 mm     |
| Wall mountable                | Yes              |
| Cable management              | Yes              |
| Cable lock slot type          | Kensington       |
| Adjustable height (max)       | 10 cm            |
| Pivot                         | Yes              |

|                         |          |
|-------------------------|----------|
| Pivot angle             | -4 - 4°  |
| Swivelling              | No       |
| Tilt adjustment         | Yes      |
| Tilt angle range        | -5 - 21° |
| On Screen Display (OSD) | Yes      |
| Plug and Play           | Yes      |
| LED indicators          | Power    |

#### Power

|                                         |             |
|-----------------------------------------|-------------|
| Energy efficiency class (SDR)           | F           |
| Energy efficiency class (HDR)           | G           |
| Energy consumption (SDR) per 1000 hours | 32 kWh      |
| Energy consumption (HDR) per 1000 hours | 50 kWh      |
| Power consumption (typical)             | 32 W        |
| Power consumption (standby)             | 0.3 W       |
| Power consumption (max)                 | 85 W        |
| Power consumption (off)                 | 0.3 W       |
| AC input voltage                        | 100 - 240 V |
| AC input frequency                      | 50/60 Hz    |
| Input current                           | 1.5 A       |
| Power supply type                       | Internal    |
| Energy efficiency scale                 | A to G      |

#### Operational conditions

|                                   |                |
|-----------------------------------|----------------|
| Operating temperature (T-T)       | 0 - 40 °C      |
| Storage temperature (T-T)         | -20 - 60 °C    |
| Operating relative humidity (H-H) | 10 - 80%       |
| Storage relative humidity (H-H)   | 5 - 90%        |
| Operating altitude                | 0 - 5000 m     |
| Non-operating altitude            | 5000 - 12192 m |

#### Weight & dimensions

|                       |          |
|-----------------------|----------|
| Width (with stand)    | 712.5 mm |
| Depth (with stand)    | 221.8 mm |
| Height (with stand)   | 545.7 mm |
| Weight (with stand)   | 8.5 kg   |
| Width (without stand) | 712.5 mm |
| Depth (without stand) | 61.4 mm  |

|                                              |                             |
|----------------------------------------------|-----------------------------|
| Height (without stand)                       | 412.8 mm                    |
| Weight (without stand)                       | 5.97 kg                     |
| Bezel width (side)                           | 7.62 mm                     |
| Bezel width (top)                            | 7.62 mm                     |
| Bezel width (bottom)                         | 1.3 cm                      |
| Packaging data                               |                             |
| Package weight                               | 13.7 kg                     |
| Packaging content                            |                             |
| Stand included                               | Yes                         |
| Cables included                              | AC, HDMI                    |
| Power adapter included                       | No                          |
| Remote control included                      | No                          |
| Stylus included                              | No                          |
| Quick start guide                            | Yes                         |
| Sustainability                               |                             |
| Sustainability certificates                  | ENERGY STAR                 |
| Doesn't contain                              | Arsenic, Mercury, PVC/BFR   |
| Carbon footprint                             |                             |
| Total carbon footprint (kg of CO2e)          | 344                         |
| Carbon emissions, manufacturing (kg of CO2e) | 142.42                      |
| Carbon emissions, logistics (kg of CO2e)     | 25.46                       |
| Carbon emissions, energy usage (kg of CO2e)  | 155.49                      |
| Carbon emissions, end-of-life (kg of CO2e)   | 20.3                        |
| PAIA version                                 | GaBi version 1, 2024        |
| Other features                               |                             |
| Compliance certificates                      | RoHS                        |
| Ethernet LAN (RJ-45) ports                   | 0                           |
| Technical details                            |                             |
| Native refresh rate                          | 60 Hz                       |
| Matmenys ir svoris                           |                             |
| Matmenys (I × P × A)                         | 92,00cm × 17,00cm × 51,00cm |
| Svoris                                       | 13,60kg                     |