

DELL Plus S3425DW computer monitor 86.4 cm (34") 3440 x 1440 pixels Wide Quad HD LCD Silver

Gamintojas: **DELL TECHNOLOGIES** · Modelis: **DELL-S3425DW** · EAN: **5397184962398** · Prekės kodas: **489445**



434,90 €

Kaina su PVM

Be PVM: **359,42 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 86.4cm (34") 4K Ultra HD 3840 x 2160 Edge LED VA
- ✓ 5ms, 21:9, 300cd/m², 3000:1
- ✓ USB, HDMI



Aprašymas

34-inch WQHD USB-C curved monitor with up to 120Hz refresh rate and dual 5W speakers for elevated entertainment.

Techninė specifikacija

Specifications

Sandėlio grupė

[TFT] FLAT PANEL DISPLAYS [+99][-375]

Display

Display diagonal

86.4 cm (34")

Display resolution

3440 x 1440 pixels

Native aspect ratio	21:9
Display technology	LCD
Touchscreen	No
HD type	Wide Quad HD
Panel type	VA
Response time	5 ms
Screen shape	Curved
Contrast ratio (typical)	3000:1
Maximum refresh rate	120 Hz
Display number of colours	1.07 billion colours
LED backlight	Yes
Backlight type	Edge LED
Display brightness (typical)	300 cd/m²
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	Yes
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800 (WXGA), 1280 x 960, 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 2560 x 1440, 3840 x 2160
Supported video modes	480p, 576p, 720p, 1080i, 2160p
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Response time (fast)	3 ms
Pixel pitch	0.23175 x 0.23175 mm
Pixel density	109 ppi
Viewable size, horizontal	79.7 cm
Viewable size, vertical	33.4 cm
Digital horizontal frequency	25 - 200 kHz
Digital vertical frequency	48 - 120 Hz
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
Surface hardness	3H
sRGB coverage (typical)	99%
DCI-P3 coverage	95%
Performance	
NVIDIA G-SYNC	No

AMD FreeSync	Yes
AMD FreeSync type	FreeSync Premium
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	10 W
Design	
Market positioning	Office
Product colour	Silver
Front bezel colour	Black
Detachable stand	Yes
Feet colour	Silver
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Headphone out	No
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-C
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	2
USB Type-C downstream ports quantity	1
USB Type-C DisplayPort Alternate Mode	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	65 W
HDMI ports quantity	2
HDMI version	2.1
HDCP	Yes
HDCP version	1.4/2.2
Network	
Wi-Fi	No
Ergonomics	

VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable management	Yes
Cable lock slot type	Kensington
Adjustable height (max)	13 cm
Pivot	Yes
Pivot angle	-4 - 4°
Swivelling	No
Tilt adjustment	Yes
Tilt angle range	-5 - 21°
Picture-in-Picture	Yes
On Screen Display (OSD)	Yes
Plug and Play	Yes
LED indicators	Power
Power	
Energy efficiency class (SDR)	F
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	31 kWh
Energy consumption (HDR) per 1000 hours	40 kWh
Power consumption (typical)	31 W
Power consumption (standby)	0.3 W
Power consumption (max)	175 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	2 A
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%

Operating altitude	0 - 5000 m
Non-operating altitude	5000 - 12192 m
Weight & dimensions	
Width (with stand)	807.3 mm
Depth (with stand)	221.8 mm
Height (with stand)	517.2 mm
Weight (with stand)	9.13 kg
Width (without stand)	807.3 mm
Depth (without stand)	116.9 mm
Height (without stand)	355.8 mm
Weight (without stand)	6.91 kg
Bezel width (side)	8.29 mm
Bezel width (top)	8.25 mm
Bezel width (bottom)	1.38 cm
Packaging data	
Package weight	14.9 kg
Packaging content	
Stand included	Yes
Cables included	AC, USB Type-C to USB Type-C
Power adapter included	No
Remote control included	No
Stylus included	No
Quick start guide	Yes
Sustainability	
Sustainability certificates	ENERGY STAR
Doesn't contain	Arsenic, Mercury, PVC
Carbon footprint	
Total carbon footprint (kg of CO2e)	354
Carbon emissions, manufacturing (kg of CO2e)	144.79
Carbon emissions, logistics (kg of CO2e)	27.97
Carbon emissions, energy usage (kg of CO2e)	150.8
Carbon emissions, end-of-life (kg of CO2e)	30.44
PAIA version	GaBi version 1, 2024
Other features	

Compliance certificates	RoHS
-------------------------	------

Ethernet LAN (RJ-45) ports	0
----------------------------	---

Matmenys ir svoris

Matmenys (I × P × A)	95,00cm × 23,00cm × 45,00cm
----------------------	-----------------------------

Svoris	14,65kg
--------	---------