

DELL P Series P1917S computer monitor 48.3 cm (19") 1280 x 1024 pixels SXGA LCD Black

Gamintojas: **DELL** · Modelis: **DELL-P1917SE** · EAN: **8592978429034** · Prekės kodas: **498089**



220,90 €

Kaina su PVM

Be PVM: **182,56 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

✓ 48.26 cm (19") SXGA LED IPS 1280 x 1024

✓ 1 VGA, 1 HDMI, 1 DisplayPort

✓ 6 ms, 5:4, 250cd/m², 1000:1



Aprašymas

Dell 19 Monitor | P1917S brings greater productivity to the workplace with added user comfort and convenience.

Techninė specifikacija

Specifications

Sandėlio grupė

Peripherie & Desktop > Monitore [+1613][-584]

Display

Display diagonal

48.3 cm (19")

Display resolution

1280 x 1024 pixels

Native aspect ratio	5:4
Display technology	LCD
Touchscreen	No
HD type	SXGA
Panel type	IPS
Response time	6 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	60 Hz
Display number of colours	16.78 million colours
Backlight type	LED
Display brightness (typical)	250 cd/m²
Supported graphics resolutions	1280 x 1024 (SXGA)
Contrast ratio (dynamic)	4000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.293 x 0.293 mm
Pixel density	86 ppi
Horizontal scan range	30 - 81 kHz
Vertical scan range	56 - 76 Hz
Viewable size, horizontal	37.5 cm
Viewable size, vertical	30 cm
Viewable size diagonal	48 cm
High Dynamic Range (HDR) supported	No
3D	No
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Home
Product colour	Black

Ports & interfaces

Built-in USB hub	Yes
HDMI	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-B
Number of upstream ports	1
USB Type-A downstream ports quantity	4
VGA (D-Sub) ports quantity	1
DVI port	No
HDMI ports quantity	1
DisplayPorts quantity	1

Network

Wi-Fi	No
-------	----

Ergonomics

VESA mounting	Yes
Cable lock slot	No
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Adjustable height (max)	13 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 21°

Power

Energy efficiency class (SDR)	D
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	11 kWh
Power consumption (typical)	14 W
Power consumption (standby)	0.3 W
Power consumption (max)	38 W
Power consumption (off)	0.3 W
Power consumption (PowerSave)	13 W

AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Input current	1.5 A
Power supply type	Internal
Annual energy consumption	17 kWh
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	10 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	5000 - 12192 m
Weight & dimensions	
Width (with stand)	405.6 mm
Depth (with stand)	180 mm
Height (with stand)	499.3 mm
Weight (with stand)	5.13 kg
Width (without stand)	405.6 mm
Depth (without stand)	50.3 mm
Height (without stand)	334.3 mm
Weight (without stand)	2.6 kg
Packaging content	
Stand included	Yes
Cables included	AC, DisplayPort, USB, VGA
Sustainability	
Sustainability certificates	ENERGY STAR
Carbon footprint	
Total carbon footprint (kg of CO2e)	433
Total carbon emissions, standard deviation (kg of CO2e)	86
Carbon emissions, manufacturing (kg of CO2e)	309.16
Carbon emissions, logistics (kg of CO2e)	38.54
Carbon emissions, energy usage (kg of CO2e)	83.14
Carbon emissions, end-of-life (kg of CO2e)	2.17
Other features	

TV tuner integrated	No
Energy efficiency class (legacy scale)	A+
Ethernet LAN (RJ-45) ports	0
Compliance industry standards	TCO
Supplied AC adapter type	AC
Thin Client	
Thin client installed	No