


Hannspree HT165HPB kompiuterio monitorius 39,6 cm (15.6") 1920 x 1080 pikseliai „Full HD“ LCD Lietimui jautrus ekranas Juoda

Gamintojas: **HANNSPREE** · Modelis: **HT165HPB** · EAN: **4711404025013** · Prekės kodas: **500689**



307,90 €

Kaina su PVM

Be PVM: **254,46 €**

Sandėlyje






Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 39,6 cm (15.6") Juoda
- ✓ Įmontuoti garsiakalbiai
- ✓ HDMI HDMI versija: 1.4
- ✓ Ekranas forma: Plokščias
- ✓ Maksimalus atnaujinimo dažnis: 60 Hz Reakcijos laikas: 15 ms
- ✓ 1920 x 1080 pikseliai „Full HD“ Skydo tipas: IPS
- ✓ Energijos vartojimo efektyvumo klasė (SDR): C CE, RoHS





Aprašymas

Get hands-on with your work using this 15.6" Full HD (1920×1080) touch monitor, featuring responsive 10-point P-Cap touch technology and durable hard glass protection ($\geq 7H$). With wide 170° viewing angles, built-in speakers, and HDMI + VGA inputs, designed to perform in any environment. The ergonomic smart stand tilts from 15° to 50°, while VESA compatibility supports both landscape and portrait mounting. Perfect for kiosks, control stations, or creative setups.

Ideal for Commercial Environments

An excellent choice for commercial applications, interactive digital signage, instore retail, gaming and amusement arcades, POS terminals, interactive kiosks, and presentation purposes.

Projected Capacitive (PCAP) Touch

With 10-point Projected Capacitive (P-Cap) touch technology, the HANNSpree HT165HPB delivers seamless and accurate touch response. Featuring LED-backlit LCD technology, it offers exceptional colour performance, making it an excellent choice for a wide range of demanding interactive applications.

Perfect for both commercial and consumer use, the HT165HPB is a versatile solution for all your multi-touch monitor needs—ideal for interactive digital signage, in-store retail, gaming and amusement, point-of-sale (POS) terminals, interactive kiosks, presentations, and more.

Full HD Resolution and wide viewing angles 170°

The HANNSpree HT165HPB features a Full HD panel that delivers stunning 1920 × 1080 resolution visuals with outstanding colour reproduction and a 170°/170° wide viewing angle. This provides greater flexibility when extending your screen, ensuring superb colour and contrast—even from extreme viewing positions—without colours washing out.

Scratch Resistant - Multi-Touch Screen with 7H Surface Hardness

A 7H scratch-resistant surface ensures durability and a consistently high-quality touch experience. Scratch resistance is essential for touch solutions used in education and public environments, achieved through a toughened glass overlay that protects the screen. This design allows the panel surface to withstand scratches and impacts from objects, making it ideal for public spaces and educational institutions.

With its 7H hardness rating, the HT165HPB is built for schools, colleges, universities, as well as retail and industrial applications—offering long-lasting protection against impacts, dirt, and daily wear.

Slide easily into the best angle for touch control

The HT165HPB features a smart adjustable sliding-tilt stand with a 15°–50° tilt range for the ideal viewing position and effortless touch usage for interaction.

Alternatively, the hinged stand allows the monitor to lay completely flat on a desk, transforming it into a large tablet. With its ergonomic design, you can reduce poor posture and wrist strain while enjoying the HT165HPB's excellent picture quality and responsive touch interaction.

Additionally, the monitor is VESA-compatible (75 × 75 mm), offering exceptional flexibility for a wide range of installation options, including wall mounting, arm mounting, POS stands, kiosk towers, and other configurations.

Extensive Connectivity

The HANNspree HT165HPB offers a wide range of connectivity options, including HDMI and D-Sub (VGA). With its versatile inputs, the HT165HPB ensures compatibility across multiple devices—whether you’re gaming, browsing, or video chatting with friends, your content is always ready to go.

Getting touch functionality is simple: just connect the USB cable from your PC to the monitor’s USB upstream port, then connect your preferred video input to project images on screen.

Speakers and Headphones

The HT165HPB comes with two built-in speakers, making it easy to stay connected with family, friends, and colleagues. Whether you’re watching movies, listening to music, playing games, or more, you can enjoy clear audio without the need for external speakers.

Prefer a more private experience? Simply plug your headset into the headphone jack and turn up the volume.

Techninė specifikacija

Ekranas	
Ekranas įstrižainė	39,6 cm (15.6")
Ekranas rezoliucija	1920 x 1080 pikseliai
Natūralus kraštinių santykis	16:9
Ekranas technologija	LCD
Lietimui jautrus ekranas	Taip
HD tipas	„Full HD“
Skydo tipas	IPS
Reakcijos laikas	15 ms
Ekranas forma	Plokščias
Kontrasto santykis (tipinis)	800:1
Maksimalus atnaujinimo dažnis	60 Hz
Ekranas spalvų skaičius	262000 spalvų
LED galinis apšvietimas	Taip
Foninio apšvietimo tipas	W-LED
Liečiamo ekranas technologija	Talpinis
Lietimui jautri technologija	„Multi-touch“
Vienalaikių kontaktinių taškų skaičius	10
Ekranas ryškumas (tipinis)	250 cd/m²
Neblizgantis ekranas	Taip
Palaikomos grafikos rezoliucijos	1920 x 1080 (HD 1080)
Palaikomi vaizdo režimai	1080p
Kontrasto santykis (dinaminis)	10000000:1
Matymo kampas, horizontalus	170°

Matymo kampas, vertikalus	170°
Pikselių žingsnis	0,17925 x 0,17925 mm
Horizontali diapazono riba	30 - 61 kHz
Ekrano įstrižainės dydis (metrinė)	39,6 cm
Paviršiaus kietumas	7H
Veikimo charakteristikos	
Žaidimo režimas	Taip
Išmanieji režimai	Eco, Žaidimas, Filmas, PC
Multimedija	
Įmontuoti garsiakalbiai	Taip
Garsiakalbių skaičius	2
RMS galingumas	2 W
Konstrukcija	
Produkto spalva	Juoda
Ryšys	
HDMI	Taip
Ausinių išvestis	Taip
B tipo USB kylančiųjų prievadų skaičius	1
USB lietimui jautrus prievadas	Taip
USB lietimui jautrių prievadų kiekis	1
VGA (D-Sub) portų kiekis	1
HDMI portų kiekis	1
HDMI versija	1.4
Audio įėjimas	Taip
Ausinių išvestys	1
Ergonomija	
VESA tvirtinimo pagrindas	Taip
Kabelio spynos lizdas	Taip
Suderinama su VESA sienos tvirtinimo sistema	75 x 75 mm
Laido spynos lizdo tipas	Kensington
Pokrypio reguliavimas	Taip
Posvyrio kampo intervalas	15 - 50°
Virtualusis ekranas (OSD)	Taip

On Screen Display (OSD) kalbos	Supaprastinta kinų, Tradicinė kinų, Vokiečių kalba, Olandų kalba, Anglų kalba, Ispanų kalba, Suomų kalba, Prancūzų kalba, Italų kalba, Japonų, Korėjiečių, Lenkų kalba, Portugalų kalba, Rusų kalba
OSD kalbų skaičius	15
LED indikatoriai	Taip
Energijos valdymas	
Energijos vartojimo efektyvumo klasė (SDR)	C
Energijos vartojimo efektyvumo klasė (HDR)	Nepasiekiamo
Energijos sąnaudos (SDR) per 1000 valandų	6,5 kWh
Energijos suvartojimas	10 W
Energijos suvartojimas (laukimo režimu)	0,2 W
Energijos suvartojimas (off)	0,2 W
AC įėjimo įtampa	100 - 240 V
AC įėjimo dažnis	50/60 Hz
Įvesties srovė	3 A
AC adapterio išėjimo įtampa	12 V
Maitinimo tipas	Vidinis
Energijos efektyvumo skalė	Nuo A iki G
Aplinkos sąlygos	
Darbo temperatūros diapazonas (TT)	5 - 35 °C
Darbo santykinės drėgmės diapazonas	20 - 85%
Svoris ir matmenys	
Plotis (be stovo)	379,4 mm
Gylis (be stovo)	36,8 mm
Aukštis (be stovo)	248,6 mm
Svoris (be stovo)	1,27 kg
Pakuotės duomenys	
Pakuotės plotis	453 mm
Pakuotės gylis	86 mm
Pakuotės aukštis	389 mm
Paketo svoris	2,36 kg
Pakuotės turinys	
Pridėti kabeliai	HDMI, Energija, Iš A tipo USB į B tipo USB
Pridedamas maitinimo adapteris	Taip
Greitos pradžios vadovas	Taip

Instrukcija


Taip

Kitos savybės

Atitikties sertifikatai

CE, RoHS

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė

C A-G

- › [Energijos etiketė](#)
- › [Gaminio informacijos lapas](#)
- › [EPREL duomenų bazė](#)

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Hannspree Europe Holdings B.V.

Newtonweg 25, 5928 PN Venlo, NL

hannspree.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt