

# ICY BOX IB-DK2262AC Wired USB 3.2 Gen 1 (3.1 Gen 1) Type-C Anthracite

Gamintojas: **ICY BOX** · Modelis: **IB-DK2262AC** · EAN: **4250078171911** · Prekės kodas: **500782**



## 181,90 €

Kaina su PVM

Be PVM: **150,33 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ **ATTENTION:** DisplayLink driver must be installed before use. Display and connection expansion is provided by DisplayLink video compression technology
- ✓ **CONNECTIVITY:** The USB-C docking station combines 16 ports in one connector, including 1 x USB-C 3.0 (5 Gbps), 1 x USB-C 3.0 (5 Gbps data and charging only) and 6 x USB-A
- ✓ **TRIPLE DISPLAY:** Triple video output is supported and is done through Displaylink and DisplayPort Alt Mode technologies. The resolutions 2x 2K@60 Hz and 1x 4K@60 Hz are supported
- ✓ **COMPATIBILITY:** The new Displaylink driver must be installed before use. The 4K@60 HDMI 2 port and VGA port are compatible with the USB 3.0 Type C port
- ✓ **POWER DELIVERY:** The PD charging function allows you to charge your laptop or Macbook via the USB-C port up to 55W. You can also connect your mouse and keyboard to the USB 2.0 ports



## Aprašymas

### Rugged aluminium design

The IB-DK2262AC's solid housing is made of strong aluminium alloy, which makes this housing more durable than ordinary aluminium or plastic products, effectively protecting the DockingStation and equipping it for a wide range of use conditions. The aluminium material and the heat sink design with cooling fins support heat dissipation for an excellent passive cooling effect and protect the unit from overheating even under heavy use.

### Triple video output

The IB-DK2262AC provides up to three video interfaces of different resolutions with two HDMI® and one VGA connection, enabling the simultaneous connection of HDMI® and VGA display devices in expansion mode. This is achieved by combining state-of-the-art technologies such as DisplayLink® and DisplayPort™ Alt Mode.

### LAN port - fast and safe

Wireless devices are certainly more convenient and good to use in many situations, and yet there are better options if you need high data transfer rates, for example. In addition, wired connections are more secure than wireless connections. Especially if you don't want to or can't fully exploit the security measures available via WLAN, LAN connections offer less risk. Then an Ethernet interface is the best way to transfer files between devices with high security and maximum transfer rate.

## Techninė specifikacija

| Specifications                                  |                                              |
|-------------------------------------------------|----------------------------------------------|
| Sandėlio grupė                                  | Notebook > Dockingstations/Hubs [+971][-442] |
| Ports & interfaces                              |                                              |
| Connectivity technology                         | Wired                                        |
| Host interface                                  | USB 3.2 Gen 1 (3.1 Gen 1) Type-C             |
| USB 2.0 ports quantity                          | 3                                            |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 3                                            |
| HDMI ports quantity                             | 1                                            |
| Microphone in                                   | No                                           |
| Headphone outputs                               | 1                                            |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity | 2                                            |
| USB Power Delivery (USB PD)                     | Yes                                          |
| USB Power Delivery up to                        | 55 W                                         |
| VGA (D-Sub) ports quantity                      | 1                                            |
| Combo headphone/mic port                        | Yes                                          |
| DC-in jack                                      | Yes                                          |
| Network                                         |                                              |
| Ethernet LAN                                    | Yes                                          |
| Ethernet LAN (RJ-45) ports                      | 1                                            |
| Ethernet LAN data rates                         | 10,100,1000 Mbit/s                           |
| Performance                                     |                                              |
| Product colour                                  | Anthracite                                   |
| Card reader integrated                          | Yes                                          |
| Compatible memory cards                         | MicroSD (TransFlash), SD                     |
| HD type                                         | 4K Ultra HD                                  |

|                                     |                                     |
|-------------------------------------|-------------------------------------|
| Maximum digital resolution          | 3840 x 2160 pixels                  |
| Maximum analog resolution           | 1920 x 1080 pixels                  |
| Number of displays supported        | 3                                   |
| Maximum refresh rate                | 60 Hz                               |
| LED indicators                      | Power                               |
| Housing material                    | Aluminium                           |
| Country of origin                   | China                               |
| Power                               |                                     |
| Power source type                   | AC                                  |
| AC input voltage                    | 100-240 V                           |
| AC input frequency                  | 50 - 60 Hz                          |
| Power supply                        | 65 W                                |
| Output voltage                      | 20 V                                |
| Output current                      | 3.25 A                              |
| Software                            |                                     |
| Windows operating systems supported | Windows 10, Windows 11, Windows 8   |
| Mac operating systems supported     | Yes                                 |
| Other operating systems supported   | ChromeOS                            |
| Weight & dimensions                 |                                     |
| Width                               | 50 mm                               |
| Depth                               | 103 mm                              |
| Height                              | 140 mm                              |
| Weight                              | 480 g                               |
| Packaging data                      |                                     |
| Quantity per pack                   | 1 pc(s)                             |
| Package weight                      | 1.19 kg                             |
| Packaging content                   |                                     |
| Cables included                     | AC, USB Type-C to USB Type-C        |
| AC adapter included                 | Yes                                 |
| Manual                              | Yes                                 |
| Interface adapters included         | USB Type-A male - USB Type-C female |
| Logistics data                      |                                     |
| Products per master (outer) case    | 12 pc(s)                            |
| Master (outer) case width           | 210 mm                              |

|                                  |          |
|----------------------------------|----------|
| Master (outer) case length       | 350 mm   |
| Master (outer) case height       | 455 mm   |
| Master (outer) case gross weight | 14.3 kg  |
| Harmonized System (HS) code      | 84718000 |