Integral 1TB - 1000GB SSD 2.5INCH SATA 3 R-520MB/s W-470MB/s TBW 300 V SERIES 2

Gamintojas: **INTEGRAL** · Modelis: **INSSD1TS625V2X** · EAN: **5055288447240** · Prekės kodas: **500962**

176,90 €

Kaina su PVM

Be PVM: **146,20 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 2.5-inch form factor with SATA III 6Gbps interface (backward compatible with SATA 3Gbps and SATA 1.5Gbps)
- ✓ Performance: Faster boot than HDD, Faster access to applications, enhanced productivity and increased efficiency
- ✓ Non-volatile Flash Memory for outstanding data retention
- ✓ Ultra-efficient Block Management and Wear Levelling
- ✓ Supports S.M.A.R.T. - Self-Monitoring, Analysis and Reporting Technology
- ✓ 3 year warranty or TBW - whichever is earlier applies

Aprašymas

The Integral V Series SSD (V2) is an excellent choice for increasing storage and boosting performance for your desktop or laptop PC. With a fantastic combination of fast data read/write and reliability, along with low power operation, the Integral V Series offers excellent value.

Techninė specifikacija

Specifications	
Sandėlio grupė	Komponenten & Zubehör > SSD [+1078][-1497]

Features	
SSD capacity	1 TB
SSD form factor	2.5"
Interface	Serial ATA III
NVMe	No
Memory type	TLC
Component for	PC/Laptop
Hardware encryption	No
Data transfer rate	6 Gbit/s
Read speed	520 MB/s
Write speed	470 MB/s
Controller type	SMI SM2258XT
S.M.A.R.T. support	Yes
TRIM support	Yes
Mean time between failures (MTBF)	1500000 h
Protection features	Shock resistant
TBW rating	320
Certification	CE, FCC, UKCA
Power	
Operating voltage	5 V
Power consumption (read)	1.65 W
Power consumption (write)	1.8 W
Power consumption (idle)	0.475 W
Weight & dimensions	
Width	69.8 mm
Depth	100.2 mm
Height	7 mm
Weight	45 g
Packaging data	
Package width	108 mm
Package depth	135 mm
Package height	15 mm
Package weight	55 g
Package type	Box

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Operational conditions	
Operating temperature (T-T)	0 - 70 °C
Storage temperature (T-T)	-40 - 85 °C
Operating relative humidity (H-H)	5 - 85%
Operating vibration	3.08 G
Non-operating vibration	3.08 G
Other features	
Compliance certificates	CE, Federal Communications Commission (FCC)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903