


Samsung QB13R-M Digital signage flat panel 33 cm (13") LCD Wi-Fi 500 cd/m² Full HD Black Built-in processor Tizen 4.0 16/7

Gamintojas: **SAMSUNG** · Modelis: **LH13QBRMBGCXEN** · EAN: **8806094965469** · Prekės kodas: **502119**



532,90 €

Kaina su PVM

Be PVM: **440,41 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Digital signage flat panel Black
- ✓ 33 cm (13") 1920 x 1080 pixels LCD 500 cd/m²
- ✓ 30 ms
- ✓ Ethernet LAN Wi-Fi



Techninė specifikacija

Display

Display diagonal	33 cm (13")
Display technology	LCD
Display resolution	1920 x 1080 pixels
Display brightness	500 cd/m ²
HD type	Full HD
Touchscreen	No
Panel type	ADS

Native aspect ratio	16:9
Response time	30 ms
Contrast ratio (typical)	800:1
Contrast ratio (dynamic)	10000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.153 x 0.153 mm
Horizontal scan range	30 - 81 kHz
Vertical scan range	48 - 75 Hz
Haze rate	25%
Pixel frequency (max)	594 MHz
Colour gamut	45%

Ports & interfaces

HDMI ports quantity	1
DVI port	No
DisplayPorts quantity	0
USB port	Yes
HDMI version	1.4
HDMI input ports quantity	1
USB ports quantity	1
Ethernet LAN (RJ-45) ports	1
RS-232 interface	Yes
DC-in jack	Yes

Design

Product design	Digital signage flat panel
Product colour	Black
VESA mounting	Yes
Screen shape	Flat
Panel mounting interface	100 x 100 mm
Bezel width (bottom)	1.22 cm
Bezel width (side)	1.22 cm
Bezel width (top)	1.22 cm
Bezel colour	Charcoal Black
Mounting type	Wall

Performance

Purpose	Universal
Operating hours (hours/days)	16/7
HDCP	Yes
HDCP version	2.2
Power	
Power consumption (typical)	27.5 W
Power consumption (sleep)	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Computer system	
Computer system	Yes
Built-in processor	Yes
Computer system type	System on Chip (SoC)
Operating system installed	Tizen 4.0
Weight & dimensions	
Display width	322 mm
Display depth	28.2 mm
Display height	193.5 mm
Display weight	900 g
Packaging data	
Package width	376 mm
Package depth	248 mm
Package height	132 mm
Package weight	1.7 kg
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Certificates	
Certification	Class B 60950-1, 62368-1
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Other features	
Flash memory	8000 MB

RS-232 input ports	1
--------------------	---

RJ-45 input ports	1
-------------------	---

Technical details

Audio out (mini jack)	1
-----------------------	---