

iiyama ProLite T1532MSC-B1S kompiuterio monitorius 38,1 cm (15") 1024 x 768 pikseliai XGA LCD Lietimui jautrus ekranas Juoda

 Gamintojas: **IIYAMA** · Modelis: **T1532MSC-B1S** · EAN: **4948570122097** · Prekės kodas: **507157**


402,91 €

Kaina su PVM

 Be PVM: **332,98 €**

Sandėlyje


Prekė internetu

 Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 38,1 cm (15") Juoda
- ✓ Įmontuoti garsiakalbiai
- ✓ HDMI „DisplayPort“ kiekis: 1
- ✓ Ekrano forma: Plokščias
- ✓ Reakcijos laikas: 8 ms
- ✓ 1024 x 768 pikseliai XGA Skydo tipas: TN
- ✓ Energijos vartojimo efektyvumo klasė (SDR): E ErP CE, cULus, EAC, REACH, RoHS, UKCA, VCCI, WEEE





Aprašymas

The ProLite T1532MSC-B1S 15" multi-touch screen is based on projected capacitive technology which thanks to a glass overlay covering the screen guarantees high durability, scratch-resistance and perfect picture performance. The touch function remains unaffected even if the glass is scratched. A solid and steady base supports the touchscreen with an adjustable stand offering full 90 degree positioning angles. Menu buttons are located on the side of the screen which can be locked to prevent tampering and includes a handy function to deactivate the touchscreen for cleaning. In addition the edge-to-edge glass design creates an eye-catching finish with high light transmission guaranteeing perfect picture clarity and brilliant colours.

Techninė specifikacija

Display	
Display diagonal	38.1 cm (15")
Display resolution	1024 x 768 pixels
Native aspect ratio	4:3
Display technology	LCD
Touchscreen	Yes
HD type	XGA
Panel type	TN
Response time	8 ms
Screen shape	Flat
Contrast ratio (typical)	800:1
Touchscreen technology	Projected capacitive system
Touch technology	Multi-touch
Number of simultaneous touchpoints	10
Display brightness (typical)	350 cd/m²
Display brightness	315 cd/m²
Viewing angle, horizontal	176°
Viewing angle, vertical	176°
Pixel pitch	0.297 x 0.297 mm
Horizontal scan range	31 - 60 kHz
Viewable size, horizontal	30.4 cm
Viewable size, vertical	22.8 cm

Digital horizontal frequency	31 - 60 kHz
Display diagonal (metric)	38 cm
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Multimedia	
Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	2 W
Design	
Product colour	Black
Front bezel colour	Black
Ports & interfaces	
Built-in USB hub	No
HDMI	Yes
Headphone out	No
USB Touch port	Yes
VGA (D-Sub) ports quantity	1
HDMI ports quantity	1
DisplayPorts quantity	1
HDCP	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	No
Panel mounting interface	100 x 100 mm
Cable management	Yes
Cable lock slot type	Kensington
Tilt adjustment	Yes
Tilt angle range	-5 - 90°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Traditional Chinese, German, English, Spanish, French, Italian, Japanese
Power	

Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	10.1 kWh
Power consumption (typical)	16 W
Power consumption (standby)	1.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Weight & dimensions	
Width (with stand)	351 mm
Depth (with stand)	200 mm
Height (with stand)	306.5 mm
Weight (with stand)	3.7 kg
Packaging content	
Cables included	AC, USB, HDMI, DisplayPort, Audio
Quick start guide	Yes
Sustainability	
Sustainability certificates	ErP
Other features	
International Protection (IP) code	IP54
Compatible operating systems	All iiyama monitors are Plug & Play and compatible with Windows and Linux. For details regarding the supported OS for the touch models, please refer to the driver instruction file available in the downloads section.
Brightness	315 cd/m²
Active display area (W x H)	304.1 x 228.1 mm
Weight	3.7 kg
Height	306.5 mm
Width	351 mm
Depth	200 mm
Compliance certificates	CE, cULus, EAC, REACH, RoHS, UKCA, VCCI, WEEE
User controls	picture (contrast, brightness, H. position, V. position, phase, clock, auto adjust), advanced (color temp., sharpness), OSD (timeout, position, H. position, V. position), option (reset, language, source select, display mode, volume, mute, factory)
Touch method	stylus, finger, glove (latex)
Control panel	Menu, Scroll up/ Brightness, Scroll down/ Mute, Select, Power

Matmenys ir svoris

Matmenys (I × P × A)

43,00cm × 43,00cm × 16,00cm

Energijos efektyvumas ir ekologinis projektavimas



10 kWh/1000h



2025/04/13

Energijos efektyvumo klasė

E A-G

- > Energijos etiketė
- > Gaminio informacijos lapas
- > EPREL duomenų bazė

Dokumentai ir vaizdo įrašai

- > Naudojimo instrukcija
- > Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

iiyama International

Wijkmeesterstraat 8, 2131 HA Hoofddorp, NL

iiyama.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt