

DELL UltraSharp U2422H computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LCD Black, Silver

Gamintojas: **DELL** · Modelis: **U2422H** · EAN: **5704174534464** · Prekės kodas: **507850**



284,89 €

Kaina su PVM

Be PVM: **235,45 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 60.5 cm (23.8") Black, Silver
- ✓ Height adjustment 15 cm
- ✓ HDMI HDMI version: 1.4 DisplayPorts quantity: 2 DisplayPort version: 1.4
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 60 Hz Response time: 8 ms
- ✓ 1920 x 1080 pixels Full HD Panel type: IPS
- ✓ Energy efficiency class (SDR): C



Techninė specifikacija

Specifications

Sandėlio grupė

Peripherie & Desktop > Monitore [+1613][[-584]

Display

Display diagonal

60.5 cm (23.8")

Display resolution

1920 x 1080 pixels

Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Full HD
Panel type	IPS
Response time	8 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	60 Hz
Display number of colours	16.78 million colours
Backlight type	W-LED
Display brightness (typical)	250 cd/m²
Anti-glare screen	Yes
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080)
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p
Response time (fast)	5 ms
Pixel pitch	0.2745 x 0.2745 mm
Pixel density	92.53 ppi
Horizontal scan range	30 - 83 kHz
Vertical scan range	56 - 76 Hz
Viewable size, horizontal	52.7 cm
Viewable size, vertical	29.6 cm
Viewable size diagonal	60.5 cm
Display diagonal (metric)	60.47 cm
Colour gamut standard	sRGB
Colour gamut	100%
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Business

Product colour	Black, Silver
Feet colour	Silver
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Number of upstream ports	1
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	3
USB Type-C downstream ports quantity	1
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	2
DisplayPort version	1.4
Audio output	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Adjustable height (max)	15 cm
Pivot	Yes
Pivot angle	-90 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 21°
Power	
Energy efficiency class (SDR)	C
Energy consumption (SDR) per 1000 hours	12 kWh
Power consumption (typical)	11.6 W
Power consumption (standby)	0.3 W
Power consumption (max)	63 W
Power consumption (off)	0.3 W
Power consumption (PowerSave)	11.06 W
AC input voltage	100 - 240 V

AC input frequency	50 - 60 Hz
Input current	1.2 A
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width (with stand)	537.6 mm
Depth (with stand)	179.6 mm
Height (with stand)	496 mm
Weight (with stand)	5.27 kg
Width (without stand)	537.6 mm
Depth (without stand)	48.5 mm
Height (without stand)	310.7 mm
Weight (without stand)	3.52 kg
Bezel width (side)	5.3 mm
Bezel width (top)	5.3 mm
Bezel width (bottom)	8.95 mm
Packaging data	
Package weight	7.82 kg
Carbon footprint	
Total carbon footprint (kg of CO2e)	479
Total carbon emissions, standard deviation (kg of CO2e)	99
Carbon emissions, manufacturing (kg of CO2e)	339
Carbon emissions, logistics (kg of CO2e)	39
Carbon emissions, energy usage (kg of CO2e)	99
Carbon emissions, end-of-life (kg of CO2e)	3
Total carbon emissions, w/o use phase (kg of CO2e)	381
Logistics data	
Harmonized System (HS) code	85285210