

Epson EB-805F Ultra short throw projector 5000 ANSI lumens 3LCD 1080p (1920x1080) Black

Gamintojas: **EPSON** · Modelis: **V11H923640** · EAN: **8715946688695** · Prekės kodas: **508130**



3 755,90 €

Kaina su PVM

Be PVM: **3 104,05 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Projektorius su „Ultra Short Throw“ technologija: Kompaktiškas, neįkylus dizainas.
- ✓ Iki 130 colių ekranas: „Full HD“ raiška, 5 000 liumenų ryškumas ir 3LCD technologija
- ✓ Sumontuokite ir pamirškite: Mažai priežiūros reikalaujantis lazerinis projektorius su 5 metų garantija
- ✓ Paprasta įrengti: 360 laipsnių pasukimas su portreto tipo projekcijos atrama
- ✓ Lanksčios atkūrimo parinktys: Leiskite turinį tiesiai iš USB atmintinės



Aprašymas

EB-805F

This laser display solution brings informative signage to life and produces scalable projections of up to 130 inches. It brings a fresh dimension to signage with borderless images and projection onto ultra-wide surfaces, including glass and curved walls. The EB-805F features Full HD 1080p image quality and delivers powerful and informative displays for retail, hospitality and visitor attractions.

Innovative and cost effective

Epson's advanced laser technology is robust and reliable, providing a fit-and-forget digital signage solution. It offers bright and vivid colours in a cost-effective solution that's capable of large display sizes.

Large and scalable images

The EB-805F enables scalable display sizes of up to 130 inches, in Full HD resolution with 5,000 lumen brightness and 3LCD technology for bright colours and high display quality even in bright spaces.

Versatile and easy to install

This sleek, stylish and bright display solution offers the flexibility to fulfil the most exacting brief, and the versatility to work in tight spaces. It can be mounted on the wall, ceiling, floor, or even hidden away to create added mystery. Its ultra-short-throw design enables projection of large images from a short distance. A white version is also available.

Flexible playback options

Content can be played directly from a USB stick, including: playlists, videos, and signage content using the built-in content playback feature and Epson Projector Content Manager software. Users can benefit from multi-projector and daisy-chain support for built-in edge blending, or illuminate an entire wall with one huge image. Also, the split screen feature allows users to connect multiple input sources to display different content sources simultaneously.

Techninė specifikacija

Projector	
Projector brightness	5000 ANSI lumens
Projection technology	3LCD
Projector native resolution	1080p (1920x1080)
Contrast ratio (typical)	2500000:1
Native aspect ratio	16:9
Screen size compatibility	1651 - 3302 mm (65 - 130")
Projection distance (wide)	0 - 0.4 m
Projection distance (tele)	0 - 0.8 m
Number of colours	1.07 billion colours
Projector brightness (economic mode)	3500 ANSI lumens
Vertical scan range	192 - 240 Hz
Keystone correction, horizontal	-3 - 3°
Keystone correction, vertical	-3 - 3°
Matrix size	1.57 cm (0.62")
White light output	5000 ANSI lumens
Colour light output	5000 ANSI lumens
Heat dissipation	1244 BTU/h

Light source

Light source type	Laser
Service life of light source	20000 h
Service life of light source (economic mode)	30000 h

Lens system

Focus	Manual
Fixed focal length	3.9 mm
Zoom type	Auto
Zoom ratio	1.35:1
Throw ratio	0.27 - 0.37:1

Video

Full HD	Yes
Video processing	10 bit
Video colour modes	Blackboard, Cinema, Dynamic, Presentation, sRGB, DICOM simulation mode, Multi-projection

Ports & interfaces

VGA (D-Sub) ports quantity	2
HDMI ports quantity	4
Audio (L/R) in	3
Serial interface type	RS-232C
HDMI connector type	Full-size
USB 2.0 ports quantity	2
USB 2.0 Type-B ports quantity	1
Audio (L/R) out	1

Network

Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1

Features

Noise level	36 dB
Noise level (economic mode)	27 dB
Country of origin	China
Password protection	Yes

Multimedia

Built-in speaker(s)	Yes
---------------------	-----

RMS rated power	8 W
-----------------	-----

Design

Product type	Ultra short throw projector
--------------	-----------------------------

Product colour	Black
----------------	-------

Placement	Ceiling, Desktop, Wall
-----------	------------------------

Cable lock slot	Yes
-----------------	-----

Cable lock slot type	Kensington
----------------------	------------

Power

Power source	AC
--------------	----

Power consumption (typical)	366 W
-----------------------------	-------

Power consumption (standby)	0.5 W
-----------------------------	-------

Power consumption (economy mode)	262 W
----------------------------------	-------

AC input voltage	220-240 V
------------------	-----------

AC input frequency	50 - 60 Hz
--------------------	------------

Software

Software support	via: Crestron Integrated Partner, Crestron RoomView, Extron IP Link, Extron XTP, AMX Device Discovery, Control4 Simple Device Discovery Protocol
------------------	--

Operational conditions

Storage temperature (T-T)	-10 - 60 °C
---------------------------	-------------

Operating relative humidity (H-H)	20 - 80%
-----------------------------------	----------

Storage relative humidity (H-H)	10 - 90%
---------------------------------	----------

Weight & dimensions

Weight	9.4 kg
--------	--------

Width	458 mm
-------	--------

Depth	375 mm
-------	--------

Height	210 mm
--------	--------

Package width	535 mm
---------------	--------

Package depth	595 mm
---------------	--------

Package height	350 mm
----------------	--------

Package weight	13.2 kg
----------------	---------

Packaging content

Remote control included	Yes
-------------------------	-----

Batteries included	Yes
--------------------	-----

Cables included	AC
-----------------	----

Warranty card	Yes
---------------	-----

WLAN adapter included	Yes
Bundled software	Inhalt DIY-App, EasyMP Multi PC Projection, Epson Projektor Content Manager, Epson Projektor Management
Technical details	
Sustainability certificates	TCO
Logistics data	
Quantity per pack	1 pc(s)
Products per pallet	12 pc(s)
Pallet gross weight	0 g
Products per pallet (UK)	12 pc(s)
Pallet weight (UK)	0 g
Harmonized System (HS) code	85286200
Other features	
Supported network protocols	HTTPS, IPv6, SNMP, ESC/VP.net, PJLink
Matmenys ir svoris	
Matmenys (I × P × A)	59,00cm × 54,00cm × 34,00cm