

Viewsonic VA VA2708-HDJ kompiuterio monitorius 68,6 cm (27") 1920 x 1080 pikseliai „Full HD“ LED Juoda

Gamintojas: **VIEWSONIC** · Modelis: **VA2708-HDJ** · EAN: **766907026085** · Prekės kodas: **508235**



233,91 €

Kaina su PVM

Be PVM: **193,31 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68,6 cm (27") Juoda
- ✓ Aukščio reguliavimas 13 cm
- ✓ HDMI versija: 1.4 „DisplayPort“ kiekis: 1 „DisplayPort“ versija: 1.2
- ✓ Ekrano forma: Plokščias
- ✓ Maksimalus atnaujinimo dažnis: 100 Hz Reakcijos laikas: 5 ms
- ✓ 1920 x 1080 pikseliai „Full HD“ Skydo tipas: IPS
- ✓ Energijos vartojimo efektyvumo klasė (SDR): E ErP BSMI, CB, CE, EAC, REACH, RoHS, WEEE

Aprašymas

Extraordinary Wide-Angle Vision

Enjoy vivid colors with consistent brightness and amazing accuracy no matter the vantage point. SuperClear® IPS monitor features ultra-wide 178-degree vertical and horizontal viewing angles that deliver the same image quality with true color accuracy and consistency from screen to print.

Full HD 1080p

Full HD 1920x1080 resolution creates unbelievably clear pixel-by-pixel image performance. Experience mind-blowing clarity and detail while working, gaming, or enjoying the latest show premiere.

Variable Refresh Rate Delivers Smooth, Continuous Visuals

Variable Refresh Rate technology eliminates screen tearing and choppy frame rates for smooth and seamless visuals in every scene.

Smooth Visuals With 100Hz Refresh Rate

With a fast 100Hz screen refresh rate, you can experience a truly fluid visual display. This results in improved viewing clarity, reduced screen stutter during fast-moving action scenes, and benefits work-related tasks, reducing eye strain and increasing productivity.

Industrial Colour Standard

A 99% sRGB panel colour coverage capability reproduces richer and more vivid colours, ensuring that images align perfectly with industry colour standards.

Connection Flexibility

HDMI, VGA, and DisplayPort(DP) inputs give you the freedom to connect your monitor to a wide range of devices.

A New Angle on Workplace Ergonomics

Enjoy every detail with advanced ergonomics – swivel, pivot, height adjustment, and a -3.5°~28° ergonomic tilt angle. Each provides a greater range of customizable adjustments for maximum comfort. The full ergonomic design also enables you to use the monitor while standing or having a strategic group discussion around the screen.

Eye ProTech+ for Always-on Eye Protection

Work comfortably over extended periods with ViewSonic Eye ProTech+. Combining Flicker-Free technology with a built-in low blue light screen, this monitor helps maintain fresh-feeling eyes and prevent digital eye fatigue at all times without compromising image quality.

Low Energy Consumption

Designed with energy efficiency in mind, ViewSonic’s Eco Mode successfully reduces carbon footprint and significantly lowers office overhead costs.

Techninė specifikacija

Display	
Display diagonal	68.6 cm (27")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	No
HD type	Full HD
Panel type	IPS
Response time	5 ms
Screen shape	Flat
Contrast ratio (typical)	1300:1
Maximum refresh rate	100 Hz
Display number of colours	16.7 million colours
LED backlight	Yes

Backlight type	LED
Display brightness (typical)	250 cd/m²
Anti-glare screen	Yes
Contrast ratio (dynamic)	5000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.311 x 0.311 mm
Horizontal scan range	24 - 115 kHz
Vertical scan range	48 - 100 Hz
Surface hardness	3H
Colour depth	8 bit
Colour gamut standard	NTSC
sRGB coverage (typical)	99%
NTSC coverage (typical)	77%
Performance	
Flicker-free technology	Yes
Multimedia	
Built-in camera	No
Design	
Market positioning	Office
Product colour	Black
Feet colour	Black
Ports & interfaces	
HDMI	Yes
VGA (D-Sub) ports quantity	1
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
Audio output	Yes
Headphone connectivity	3.5 mm
DC-in jack	Yes
Ergonomics	
VESA mounting	Yes

Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Cable management	Yes
Cable lock slot type	Kensington
Adjustable height (max)	13 cm
Pivot	Yes
Pivot angle	90 - 90°
Swivelling	Yes
Swivel angle range	0 - 360°
Tilt adjustment	Yes
Tilt angle range	-4 - 28°
On Screen Display (OSD)	Yes
Power	
Energy efficiency class (SDR)	E
Energy consumption (SDR) per 1000 hours	21 kWh
Power consumption (standby)	0.3 W
AC input voltage	100 - 240 V
Power supply type	Internal
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 90%
Weight & dimensions	
Width (with stand)	615 mm
Depth (with stand)	223 mm
Height (with stand)	407.4 mm
Weight (with stand)	6.1 kg
Width (without stand)	615 mm
Depth (without stand)	46 mm
Height (without stand)	363.8 mm
Weight (without stand)	4.1 kg
Packaging data	

Package width	679 mm
Package depth	167 mm
Package height	456 mm
Package weight	7.7 kg
Packaging content	
Cables included	HDMI
Quick start guide	Yes
Sustainability	
Sustainability certificates	ErP
Sustainability compliance	Yes
Other features	
Compatible operating systems	Windows 10/11 certified; macOS tested
Weight	6.1 kg
Compliance certificates	BSMI, CB, CE, EAC, REACH, RoHS, WEEE
Logistics data	
Products per master (outer) case	1 pc(s)
Pallet gross width	120 cm
Pallet gross length	100 cm
Pallet gross height	198 cm
Harmonized System (HS) code	8528521000