Viewsonic VG2441V Vaizdo konferencijų monitorius 61 cm (24") LED 1920 x 1080 pikseliai „Full HD“

Gamintojas: **VIEWSONIC** · Modelis: **VG2441V** · EAN: **766907032253** · Prekės kodas: **508300**



188,91 €

Kaina su PVM


Be PVM: **156,12 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Instant, secure access to your digital workspace using Windows Hello
- ✓ Crystal-clear video with 5MP webcam, privacy cover, dual microphones, and stereo speakers
- ✓ 120Hz refresh rate ensures ultra-smooth visuals during meetings and multitasking
- ✓ USB-C port simplifies connections for audio, video, and data transfer
- ✓ USB 3.2 hub with 1 USB-C upstream, 3 USB downstream ports, HDMI, and DisplayPort inputs for seamless multi-device connectivity
- ✓ Ergonomic design with height, tilt, swivel, and pivot adjustments for flexible setup








Aprašymas

The VG2441V is a 24” Full HD (1920 x 1080) USB-C video conferencing monitor with Windows Hello, designed to deliver secure, high-quality virtual meetings straight out of the box. With facial recognition login via Windows Hello, users can sign in quickly and securely—reducing password fatigue and minimizing the risk of visual hacking. A built-in 5MP adjustable webcam, dual microphones, and dual 2W speakers provide sharp video and clear audio for professional-grade conferencing. The webcam’s ±5° vertical tilt ensures perfect framing, while the built-in privacy cover safeguards user privacy when the camera is not in use. The monitor supports streamlined connectivity with a USB-C upstream port for video, audio, and data, plus HDMI, DisplayPort, and three USB 3.2 downstream ports—making it ideal for both home and office environments. With a 120Hz refresh rate and integrated Eye ProTech+ technology (low blue light and flicker-free viewing), the VG2441V ensures smooth visuals and greater eye comfort throughout the workday. For additional productivity, it supports vDisplay Manager for on-screen control and vSplit for efficient window layout management—both available via the ViewSonic Display Portal. With full ergonomic adjustability including height, tilt, swivel, and pivot, the VG2441V adapts to your setup for long-lasting comfort and flexible workflows.

Windows Hello for Secure Hassle-free Login

Enjoy hassle-free access to your digital workspace with Windows Hello, ensuring a swift and secure sign-in with facial recognition. Enhance authentication security, reduce password issues, and minimize the risk of data breaches.

*Users must set up a Windows Hello PIN before activating facial recognition or fingerprint login. For more information, click here.
*Please note that Windows Hello does not work when the monitor is pivoted to portrait mode.

An All-in-one Video Conferencing and Live Streaming Setup

Complete with a built-in 5MP adjustable webcam, dual microphones, dual 2W speakers, the VG2441V delivers high-quality, out-of-the-box video conferencing and streaming capability.

Perfect Framing with Adjustable Vertical Angle

Tilt the built-in webcam up to 5 degrees in either direction to fine-tune your video angle. Whether you're presenting, collaborating, or streaming, you’ll always stay centered and professionally framed.

Physical Slide Cover for Privacy and Peace of Mind

The built-in webcam features a simple slide cover that protects your privacy when the camera isn’t in use. Slide it open to join a call, then close it to instantly block the lens—no settings, no hassle.

Streamlined Connectivity with USB-C

The VG2441V features a USB-C port that supports video, audio, and data transfer—all through a single cable. It’s a clean, convenient way to connect your devices and streamline your workspace.

Connection Flexibility

The VG2441V offers flexible connections for modern work setups, including HDMI, DisplayPort, a USB-C upstream port for video and data, and USB-A ports for peripheral support. A dedicated front-facing USB-C port also delivers up to 15W charging—perfect for powering accessories or mobile

devices throughout the day.

Crisp Full HD Resolution

With Full HD (1920x1080) resolution, this video conferencing monitor delivers sharp detail and vivid clarity—perfect for everyday tasks, virtual meetings, and casual content viewing.

Smoother Motion with 120Hz Refresh Rate

The VG2441V’s 120Hz refresh rate delivers ultra-smooth visuals—reducing screen stutter and motion blur during fast-paced tasks. Whether you’re scrolling through documents or attending virtual meetings, enjoy clearer motion and greater viewing comfort.

Work Comfortably with Full Ergonomic Adjustability

Tilt, swivel, pivot, and height adjustment features let you customize the VG2441V to your preferred viewing angle. Whether sitting, standing, or collaborating around the screen, the monitor adapts to support long-term comfort and flexible workflows.

Quick Access to Call and Display Controls

Stay focused with built-in hotkeys that put essential functions at your fingertips. Instantly mute or unmute your microphone, adjust speaker volume, or tweak display settings—no need to fumble through menus.

Eye ProTech+ for Comfortable Viewing All Day

Stay comfortable during extended work sessions with ViewSonic Eye ProTech+. This technology combines flicker-free performance with a built-in low blue light screen to reduce eye strain and help prevent digital fatigue—all without compromising image quality.

Productivity-Boosting Software Included

Optimize your workflow with ViewSonic’s free vDisplay Manager and vSplit software. vDisplay Manager lets you fine-tune monitor settings, while vSplit makes it easy to divide your screen into multiple windows for efficient multitasking.

*vDisplay Manager and vSplit are available via the ViewSonic Display Portal software. (Coming Soon)

Eco-friendly Packaging

The VG2441V comes in packaging made from 100% recyclable, FSC-certified materials. It also uses water-based ink for printing—an eco-conscious choice that reduces environmental impact without compromising durability or design.

Certified for Energy Efficiency and Sustainability

The VG2441V is EPEAT Silver and ENERGY STAR® certified, helping reduce energy consumption and lower greenhouse gas emissions—supporting both cost savings and environmental responsibility.

*Energy savings may vary based on usage and other factors.

*Certifications and safety regulations may vary by region.

Dimension & I/O Ports

Conveniently mount the monitor to your preference by utilizing the 100mm x 100mm VESA-compatible mount design.

Techninė specifikacija

Ekranas	
Ekrano įstrižainė	61 cm (24")
Ekrano technologija	LED
Ekrano rezoliucija	1920 x 1080 pikseliai
HD tipas	„Full HD“
Lietimui jautrus ekranas	Ne
Natūralus kraštinių santykis	16:9
Skydo tipas	IPS
LED galinis apšvietimas	Taip
Ekrano ryškumas	250 cd/m²
Būdingas atnaujinimo dažnis	120 Hz
Reakcijos laikas	4 ms
Kontrasto santykis (tipinis)	1500:1
Kontrasto santykis (dinaminis)	50000000:1
Matymo kampas, horizontalus	178°
Matymo kampas, vertikalus	178°
Ekrano spalvų skaičius	16,7 milijonai spalvų
Palaikomas sRGB (įprastas)	104%
Pikselių žingsnis	0,275 x 0,275 mm
Ekrano įstrižainės dydis (metrinė)	61 cm
Paviršiaus kietumas	3H
Neblizgantis ekranas	Taip
NTSC aprėptis (tipinė)	72%
Fotoaparatas	
Integruota kamera	Taip
Megapikseliai	5 MP
Garsas	
Įmontuoti garsiakalbiai	Taip
Įmontuotų garsakalbių skaičius	2
RMS galingumas	4 W
Konstrukcija	
Produkto spalva	Juoda
VESA tvirtinimo pagrindas	Taip

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Orientacija	Gulsčia / stačia
Ekrano forma	Plokščias
Suderinama su VESA sienos tvirtinimo sistema	100 x 100 mm
Aukščio reguliavimas	Taip
Aukščio reguliavimas	15 cm
Sukimasis	Taip
Pasukimo kampas	-90 - 90°
Sukiojamas	Taip
Posvyrio kampo intervalas	-5 - 20°
Ryšys	
HDMI portų kiekis	1
DVI prievadas	Ne
HDMI versija	1.4
„DisplayPort“ kiekis	1
USB prievadų skaičius	4
USB jungtis	USB A tipo, C tipo USB
C tipo USB kylančiųjų prievadų skaičius	1
USB A tipo žemakrypčių prievadų skaičius	2
USB C tipo žemakrypčių prievadų skaičius	1
USB įkrovos prievadas	Taip
Kompiuterinė sistema	
Kompiuterio sistema	Ne
Veikimo charakteristikos	
Virtualusis ekranas (OSD)	Taip
Energijos valdymas	
Energijos vartojimo efektyvumo klasė (SDR)	E
Energijos sąnaudos (SDR) per 1000 valandų	18 kWh
Energijos suvartojimas	19 W
Galios suvartojimas (maks.)	64 W
Energijos suvartojimas (laukimo režimu)	0,5 W
AC įėjimo įtampa	100 - 240 V
Energijos efektyvumo skalė	Nuo A iki G
Maitinimo tipas	Vidinis
Aplinkos sąlygos	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.


www.shopro.lt · info@shopro.lt · +370 693 39903

Darbo temperatūros diapazonas (TT)	0 - 40 °C
Darbo santykinės drėgmės diapazonas	20 - 90%
Svoris ir matmenys	
Ekrano plotis	539,8 mm
Ekrano gylis	58,6 mm
Ekrano aukštis	346,9 mm
Ekrano svoris	2,9 kg
Plotis (su stovu)	539,8 mm
Gylis (su stovu)	206,1 mm
Aukštis (su stovu)	513 mm
Svoris (su stovu)	4,5 kg
Pakuotės duomenys	
Pakuotės plotis	630 mm
Pakuotės gylis	125 mm
Pakuotės aukštis	513 mm
Paketo svoris	6,8 kg
Pakuotės turinys	
Pridėtas stovas	Taip
Sertifikatai	
Sertifikavimas	cTUVus, FCC-B, ICES003, Energy Star, EPEAT, CEC, NOM, Mexico Energy, CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, TCO 10, EAC, UkrSEPRO
Logistikos duomenys	
Padėklo bendrasis plotis	120 cm
Padėklo bendrasis ilgis	100 cm
Padėklo bendrasis aukštis	2,19 m
Gaminių skaičius pagrindinėje (išorinėje) dėžėje	1 vnt
Darniosios sistemos (DS) kodas	8528521000

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė **E** A–G

- Energijos etiketė
- Gaminio informacijos lapas
- EPREL duomenų bazė

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Greitos pradžios vadovas
- Vaizdo įrašas youtube.com/watch?v=FYj_VRqA1eg

Gamintojo ir saugos informacija

GAMINTOJAS

Viewsonic

ATSAKINGAS ASMUO ES

ViewSonic Technology GMBH
Fürst-Leopold-Platz 1, 46284 Dorsten, DE
viewsonic.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt