



Monitor AG Neovo VA-3201 32 inch (80cm) Full HD VA Commercial Display with Integrated Speakers, Black

Modelis: VA-3201

Gamintojas: AG NEOVO

EAN: 4710739598377

Prekės kodas: 509327

306.99€

32-inch Full HD VA Commercial Display - AG Neovo VA-3201

The AG Neovo VA-3201 is a robust 32-inch (80 cm) Full HD LCD display specifically engineered for demanding commercial environments and essential digital signage applications. Combining sharp 1920 x 1080 resolution with a high-contrast VA panel, this monitor delivers compelling visual content consistently, whether used in retail, corporate lobbies, or control rooms. Its versatility, high visibility,

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

and integrated audio make it an ideal professional solution.

Superior Visual Performance

Equipped with a high-quality VA panel, the VA-3201 ensures exceptional image clarity and depth. The display features a high typical contrast ratio of 4000:1 and 300 cd/m² brightness, guaranteeing vibrant and easily visible content even in moderately lit environments. Coupled with expansive 178° horizontal and vertical viewing angles, image quality remains consistent and true regardless of the viewer's position.

Key Features for Business Use

- **Display Quality:** 31.5-inch diagonal, Full HD (1920 x 1080 pixels) resolution, 16.7 million colours, and 5 ms response time.
- **Wide Viewing Angles:** 178°/178° viewing angles ensure consistent color and clarity across large spaces.
- **Versatile Installation:** Supports VESA 100 x 100 mm mounting and can be used in both landscape and portrait orientations, adapting easily to specific commercial display settings.
- **Integrated Audio:** Features two built-in speakers with a total RMS rated power of 6W (2 x 3 W), providing necessary sound effects for multimedia playback without requiring external components.
- **Connectivity Hub:** Equipped with multiple input options including HDMI 1.4, DisplayPort, and legacy VGA (D-Sub) ports for broad device compatibility.
- **Ergonomics:** Includes tilt adjustment with a range of -5° to 8° for optimal positioning.

Reliability and Sustainability

Designed for reliable commercial operation, the VA-3201 maintains energy efficiency (SDR Class E) with a typical power consumption of 27 W. The monitor carries multiple compliance and sustainability certifications, including CE, RoHS, WEEE, UKCA, and EAC, ensuring it meets high international safety and environmental standards.

AG NEOVO is a brand renowned for designing high-performance visual display technology, specializing in professional monitors built for durability and specialized applications, particularly in security, industrial, and commercial settings.

Order today from ++SHOP++ as we offer the best deals and fast delivery on professional display solutions.

32'' Full HD LCD display

The VA-3201 is a 32'' Full HD LCD display engineered for essential digital signage applications. Featuring sharp 1080p resolution, expansive viewing angles, and a high contrast ratio, it delivers compelling visual content in indoor environments. Its versatile connectivity options and integrated audio capabilities enable seamless connections to media players and various multimedia devices, providing an immersive visual and auditory experience. The display supports both desk placement and mounting in landscape or portrait orientations, making it an ideal solution for retail, corporate, and other indoor commercial spaces.

Full HD Visibility for Commercial Use

The VA-3201 combines Full HD 1920×1080 resolution, 300 nits of brightness, and 16/7 commercial operation times to easily deliver business messaging and boost customer engagement.

Vibrant and Clear in Any Light

The display's 300 nits brightness ensures highly visible images and messages in a wide range of locations from shopping malls to lobbies, control rooms and more.

Consistent Image Performance at Every Angle

By adopting wide viewing angle panel, this monitor delivers consistent colors and detailed images with the same image quality whether you are looking at the screen from above, below, the front, or the side.

Landscape/Portrait Capability

Designed for versatile installation, our commercial-grade display supports both landscape and portrait orientations, catering to the specific needs of any surveillance or information display setting.

Integrated Dual Speakers

Integrated with dual 1W speakers, the VA-3201 provides sound effects for multimedia content.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Versatile Connectivity

Equipped with multiple input options – HDMI, DisplayPort, and VGA – our monitor ensures compatibility with a wide range of devices.

Tilt adjustment: Yes | Cable lock slot type: Kensington | Energy efficiency class (SDR): E | Display brightness (typical): 300 cd/m² | Weight (without stand): 5.6 kg | Built-in camera: No | Depth (with stand): 200.9 mm | Built-in speaker(s): Yes | Tilt angle range: -5 - 8° | HDMI version: 1.4 | RMS rated power: 2 x 3 W | Operating temperature (T-T): 5 - 35 °C | Contrast ratio (typical): 4000:1 | Viewing angle, vertical: 178° | Panel type: VA | Touchscreen: No | Display number of colours: 16.7 million colours | Built-in USB hub: No | Height (with stand): 485.2 mm | Sustainability certificates: CE | Width (with stand): 714 mm | Digital vertical frequency: 56 - 75 Hz | 3.5 mm jack input: 1 | Screen shape: Flat | Response time: 5 ms | Quick start guide: Yes | HDMI: Yes | Width (without stand): 714 mm | Compliance certificates: REACH | DisplayPorts quantity: 1 | Sustainability certificates: EAC | Compliance certificates: Low Voltage Directive (LVD) | Sustainability compliance: Yes | Sustainability certificates: WEEE | Sustainability certificates: RoHS | Power consumption (typical): 27 W | Panel mounting interface: 100 x 100 mm | Power consumption (off): 0.3 W | Energy efficiency scale: A to G | Compliance certificates: WEEE | Compliance certificates: UKCA | Sustainability certificates: REACH | Compliance certificates: RoHS | Compliance certificates: CE | Package depth: 140 mm | Viewing angle, horizontal: 178° | HD type: Full HD | Display technology: LCD | Product colour: Black | Native aspect ratio: 16:9 | Storage temperature (T-T): -20 - 60 °C | Height adjustment: No | Display diagonal: 80 cm (31.5") | Cables included: HDMI | Number of speakers: 2 | Cables included: AC | Package weight: 9.5 kg | Display resolution: 1920 x 1080 pixels | Energy efficiency class (HDR): Not available | Digital horizontal frequency: 30 - 83 kHz | HDMI ports quantity: 1 | Power consumption (standby): 0.5 W | Depth (without stand): 54.1 mm | Package width: 799 mm | VESA mounting: Yes | Storage relative humidity (H-H): 10 - 90% | Operating relative humidity (H-H): 20 - 85% | Sustainability certificates: Low Voltage Directive (LVD) | Cable lock slot: Yes | Pixel pitch: 0.364 x 0.364 mm | Compliance certificates: EAC | Height (without stand): 423.7 mm | 3.5 mm jack input: 1 | Energy consumption (SDR) per 1000 hours: 27 kWh | Sustainability certificates: UKCA | European Product Registry for Energy Labelling (EPREL) code: 1996195 | Market positioning: Business | Warnings: Place the monitor on a flat and stable surface to avoid tipping and damage. | Package height: 530 mm | VGA (D-Sub) ports quantity: 1 | Weight (with stand): 7.2 kg