

Lenovo ThinkPad USB-C Wired USB 3.2 Gen 1 (3.1 Gen 1) Type-C Black

Gamintojas: **LENOVO** · Modelis: **40A90090SA** · EAN: **5715063024324** · Prekės kodas: **512622**



343,89 €

Kaina su PVM

Be PVM: **284,21 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Wired
- ✓ Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-C
- ✓ Ethernet LAN 10,100,1000 Mbit/s
- ✓ Cable lock slot
- ✓ Plug and Play



Aprašymas

The ThinkPad USB-C Dock works with ThinkPad and Lenovo laptops, and utilises the same USB-C standard technology found on a wide range of popular laptops and devices. Experience all your productivity needs including video, data, and wired Ethernet, all while delivering continuous power to your laptop via a robust USB Type-C port. A single UHD display of 30Hz or dual FHD displays allow you to enjoy vivid video displays for more detailed work. And it's tailor-made for large enterprises with convenient manageability features like PXE boot, Wake-On LAN and MAC address pass-through. Simply connect your laptop or tablet with the dock and boost your productivity in no time.

Techninė specifikacija

Specifications

Sandėlio grupė

Notebook > Dockingstations/Hubs [+971][442]

Ports & interfaces

Connectivity technology	Wired
Host interface	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3
HDMI ports quantity	0
Microphone in	No
Headphone outputs	0
VGA (D-Sub) ports quantity	1
DisplayPorts quantity	2
Combo headphone/mic port	Yes

Network

Ethernet LAN	Yes
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s

Performance

Product colour	Black
Card reader integrated	No
Maximum digital resolution	3840 x 2160 pixels
Maximum analog resolution	1920 x 1200 pixels
Cable lock slot	Yes
Plug and Play	Yes
Charging function	Yes
Brand compatibility	Lenovo

Power

Power supply	90 W
Power supply type	External

Software

Windows operating systems supported	Yes
-------------------------------------	-----

Operational conditions

Operating temperature (T-T)	-5 - 40 °C
Operating relative humidity (H-H)	20 - 95%

Weight & dimensions

Width	171 mm
Depth	80 mm
Height	32.5 mm
Weight	290 g
Packaging data	
Package width	215 mm
Package depth	160 mm
Package height	75 mm
Package weight	950 g
Packaging content	
Cables included	USB Type-C
AC adapter included	Yes