

iiyama G-MASTER G2770HS-B1 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black

Gamintojas: IIYAMA · Modelis: G2770HS-B1 · EAN: 4948570124473 · Prekės kodas: 514574



193,90 €

Kaina su PVM

Be PVM: 160,25 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6 cm (27") LCD Fast IPS
- ✓ Full HD 1920 x 1080 pixels 16:9
- ✓ 180 Hz 0.2 ms 300 cd/m² 1000:1
- ✓ AMD FreeSync Flicker-free technology
- ✓ D 16.1 kWh 16 W



Aprašymas

Gain the competitive edge you need to unlock your full gaming potential with the 27" G2770HS monitor. Featuring an ultra-fast 0.2ms MPRT and a 180Hz refresh rate, this monitor ensures smooth gameplay. Armed with Adaptive Sync you can make split second decisions and forget about ghosting effects or smearing issues. The ability to adjust brightness and the dark shades with the Black Tuner delivers greater viewing performance in shadowed areas and the IPS panel technology guarantees superb image quality.

Techninė specifikacija

Specifications

Sandėlio grupė

Periferie & Desktop > Monitore [+1612][[-585]

Display

Display diagonal	68.6 cm (27")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Full HD
Panel type	Fast IPS
Response time	0.2 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	180 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Display brightness (typical)	300 cd/m²
Response time (MPRT)	0.2 ms
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.311 x 0.311 mm
Horizontal scan range	30 - 225 kHz
Viewable size, horizontal	59.7 cm
Viewable size, vertical	33.6 cm
Display diagonal (metric)	68.6 cm
Colour depth	8 bit

Performance

AMD FreeSync	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes

Multimedia

Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W

Design

Market positioning	Gaming
Product colour	Black
Ports & interfaces	
Built-in USB hub	No
HDMI	Yes
Headphone out	Yes
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
HDCP	Yes
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	No
Panel mounting interface	100 x 100 mm
Cable management	Yes
Cable lock slot type	Kensington
Tilt adjustment	Yes
Tilt angle range	3.5 - 21.5°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Czech, German, English, Spanish, French, Italian, Japanese, Dutch, Polish, Portuguese, Russian
Power	
Energy efficiency class (SDR)	D
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	16.1 kWh
Power consumption (typical)	16 W
Power consumption (standby)	0.3 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
Weight & dimensions	

Width (with stand)	613 mm
Depth (with stand)	192.5 mm
Height (with stand)	438 mm
Weight (with stand)	4 kg
Packaging data	
Package width	690 mm
Package depth	140 mm
Package height	432 mm
Packaging content	
Cables included	AC, HDMI, DisplayPort
Quick start guide	Yes
Sustainability	
Sustainability certificates	ErP
Other features	
Packaging content	quick start guide, safety guide
Weight	4 kg
Height	438 mm
Width	613 mm
Depth	192.5 mm
Compliance certificates	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
User controls	picture adjust (contrast, brightness, OD, ACR, ECO, Black Tuner, MBR, gamma), input select (input source), audio adjust (volume, mute), store user settings (user modes), colour settings (colour temperature, 6-Axis, user preset), image adjust (i-Style colour, X-Res Technology, sharp & soft, HDMI range, direct drive mode, video mode adjust), language, setup menu (OSD H. position, OSD V. position, OSD time, opening logo, Adaptive Sync, LED, DDC/CI, USB BC), display information, reset
Control panel	Signal select / Exit, + / Volume, - / i-Style Colour, Menu, Power