

CLUB3D 9-1 Dual HDMI™ USB-C® Hub PD3.0 100W

Gamintojas: CLUB 3D · Modelis: CSV-2552 · EAN: 8719214473556 · Prekės kodas: 516099



88,90 €

Kaina su PVM

Be PVM: 73,47 €

Sandėlyje



Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- Dual Displays hub with DP1.4 Alt mode, OUTPUT: 2x HDMI™. Connect up to 2 displays with a single USB-C® input, supporting resolutions up to two times 4K60Hz screen for an immersive multi-monitor setup.
- 1 GBASE-T GIGABIT ETHERNET: Features a 1Gbps network controller that delivers speeds of 10/100/1000 Mbps; For laptops / devices without an Ethernet, such as MacBook / iPad Air / Pro; USB-C® connectivity while providing power for PD3.0 charging.
- 1 PORT USB Type-C®: Expand the connectivity of a USB-C® computer by adding 4 USB Ports 2x USB Type-A, 1x Type-C® and a Power Delivery 3.0 USB-C® Port Max. 100Watt upstream.
- 2 dedicated Card reader slots Micro SD/SD supports SD3.0(UHS-II) with max 104Mbps, card slots work simultaneously.



Aprašymas

The Club 3D CSV-2552 is a USB-C® 9-1 hub with Dual HDMI™, 2x USB-A, 1x USB-C® data, RJ45, Micro SD/SD card slots and USB-C® charging female port, providing an ideal solution for extending the port of USB-C® or Thunderbolt host (PC/Laptop/Mobile phone, etc.), especially for those host with a single USB-C® port.

Techninė specifikacija

Specifications

Sandėlio grupė	Notebook > Notebook Ladegeräte/Netzteile [+3682][-718]
Ports & interfaces	
Ports quantity	9
Host interface	USB Type-C
Hub interfaces	HDMI, RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	2
HDMI ports quantity	1
Ethernet LAN (RJ-45) ports	1
Card reader integrated	Yes
Card reader slot	2
Compatible memory cards	MicroSD (TransFlash), SD
Features	
Data transfer rate	5000 Mbit/s
Maximum refresh rate	60 Hz
Supported graphics resolutions	3840 x 2160, 7680 x 4320
Product colour	Black
USB Power Delivery (USB PD)	Yes
USB Power Delivery revision	3
USB Power Delivery up to	100 W
HD type	8K Ultra HD
Number of displays supported	2
Cable type	Round cable
Cable length	0.17 m
Network	
Ethernet interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Power	
Power supply type	USB
Output voltage	5 V
Output current	2.4 A
System requirements	
Windows operating systems supported	Windows 11
Mac operating systems supported	Mac OS X 15.0 Sequoia

Weight & dimensions

Width	115 mm
Depth	59 mm
Height	14 mm
Weight	121 g

Packaging data

Quantity per pack	1 pc(s)
Package width	145 mm
Package depth	145 mm
Package height	45 mm
Package weight	169 g

Packaging composition

Plastic packaging weight	3 g
Paper/cardboard packaging weight	45 g
Total plastic packaging weight	0 g
Total paper/cardboard packaging weight	0 g

Logistics data

Harmonized System (HS) code	84733020
-----------------------------	----------

Technical details

Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
-------------------------	---