

FSP iFP 2000 nepertraukiamo maitinimo resursai (UPS) „Line-Interactive“ 2 kVA 1200 W 2 AC išvestis(ys / čių)

Gamintojas: **FSP GROUP** · Modelis: **PPF12A1600** · EAN: **4713224522345** · Prekės kodas: **516176**



282,90 €

Kaina su PVM

Be PVM: **233,80 €**

Sandėlyje





Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ „Line-Interactive“
- ✓ 2 kVA 1200 W
- ✓ Signalų forma: Sinusas
- ✓ 2 AC išvestis(ys / čių)
- ✓ 12 V 9 Ah
- ✓ „Mini Tower“ Juoda



Aprašymas

The iFP series is equipped with automatic voltage regulation to reduce the impact of unstable voltage on equipment. The intelligent UPS' functions can also provide power during outages, and the battery automatically charges when power is restored. FSP's intelligent UPS can provide equipment with an uninterrupted supply of power at any time.

Techninė specifikacija

Features	
UPS topology	Line-Interactive
Output power capacity	2 kVA
Output power	1200 W
Waveform	Sine
Input operation voltage (min)	140 V
Input operation voltage (max)	290 V
Input frequency	50/60 Hz
Output operation voltage (min)	110 V
Output operation voltage (max)	240 V
Output frequency	50/60 Hz
Output voltage regulation	10%
Automatic Voltage Regulation (AVR)	Yes
Response time	6 ms
Noise level	40 dB
Power protection features	Battery discharge, Overcharge, Overload
Audible alarm(s)	Yes
Audible alarm modes	Alarm when on battery, Fault, Low battery alarm, Overload alarm
Auto-restart	Yes
Ports & interfaces	
AC outlet types	Type F
AC outlets quantity	2 AC outlet(s)
Number of output IEC jumpers	2
USB port	Yes
USB 2.0 ports quantity	1
USB port type	USB Type-B
Ethernet LAN (RJ-45) ports	2
Battery	
Battery capacity	9 Ah

Battery voltage	12 V
Number of batteries supported	2
Cold start	Yes
Design	
Form factor	Mini Tower
Product colour	Black
Control type	Buttons
Display type	LCD
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	0 - 90%
Certificates	
Compliance certificates	CE, cTUVus
Packaging content	
Batteries included	Yes
Manual	Yes
Weight & dimensions	
Width	130 mm
Depth	320 mm
Height	182 mm
Weight	11 kg
Logistics data	
Harmonized System (HS) code	85078000
Other features	
Packaging content	UPS & user manual
Sustainability	
Sustainability compliance	Yes
Matmenys ir svoris	
Matmenys (I × P × A)	39,00cm × 20,00cm × 28,00cm
Svoris	11,40kg

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

FSP Technology Inc.

Xinpu 6th St. No.101, 330 Taoyuan City, TW

fsplifestyle.com

ATSAKINGAS ASMUO ES

Fortron/Source (Europa) GmbH

Carl-Friedrich-Benz-Strasse 13, D-47877 Willich,

DE

fsplifestyle.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt