

Epson EcoTank M2170 Inkjet A4 1200 x 2400 DPI 39 ppm Wi-Fi

Gamintojas: **EPSON** · Modelis: **C11CH43402** · EAN: **8715946663494** · Prekės kodas: **516618**



307,90 €

Kaina su PVM

Be PVM: **254,46 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Reduce your printing costs: Economical ink tank printer with lots of ink included
- ✓ Reliable and durable: One-year or 100,000-page warranty
- ✓ Reduce energy usage: Save up to 95% in power consumption⁵
- ✓ Time saving: Wi-Fi, double-sided printing, 250-sheet tray, mobile printing
- ✓ Fast, business-quality printing: 20ppm print speeds⁴, no warm up time, PrecisionCore printhead



Aprašymas

EcoTank M2170

Mobile printing is easy with this durable, fast and energy-efficient EcoTank. With print, scan and copy, it provides a low-cost printing solution, that can help reduce your printing costs. A cost-efficient solution, print up to 11,000 pages with the included black ink¹. Select features directly and quickly using the 3.7cm colour LCD screen.

Reduce your printing costs

You can save up to 50% in three years compared to monochrome laser printers with EcoTank². It features a large refillable ink tank that you fill with the included ink bottles instead of toner. From the start you have enough ink to print thousands of pages, slashing costs and saving time.

Low cost replacements

While refills are likely to be few and far between, you'll be able to save over 90% on the cost per page with replacement ink bottles³.

Reliable

Giving peace of mind, every EcoTank mono printer comes with a one-year/100,000-page warranty.

Save time

Don't waste time changing supplies - with an ink tank system you can essentially fill it up and forget about it. Printing is fast with no warm-up time and speeds of 20ppm⁴.

Save energy

Cut energy usage and reduce overheads with an EcoTank mono printer. It can save up to 95%⁵ in power consumption compared to mono laser printers.

Efficient business features

Experience the PrecisionCore printhead that's renowned for its speed, quality, reliability and efficiency. Replace paper less often with the 250-sheet tray and save paper with automatic double-sided printing.

Connectivity solutions

Scan-to-Cloud and print from anywhere in the office with Wi-Fi connectivity and Epson's free mobile printing apps.

Techninė specifikacija

Specifications

Sandėlio grupė	Root/Electronics/PC peripherals/Printers, 3D printers and plotters/Inkjet printer [+85] [-175]
----------------	--

Printing

Print technology	Inkjet
Printing	Mono printing
Duplex printing	Yes
Maximum resolution	1200 x 2400 DPI
Print speed (black, normal quality, A4/US Letter)	39 ppm
Duplex printing mode	Auto
Print speed (ISO/IEC 24734) mono	20 ipm
Duplex print speed (ISO/IEC 24734) mono	9 ipm
Time to first page (black, normal)	6 s
Print margins (top, bottom, right, left)	3 mm

Copying

Copying	Mono copying
Maximum copy resolution	600 x 600 DPI
Maximum number of copies	99 copies
Copier resize	25 - 400%

Scanning

Scanning	Colour scanning
----------	-----------------

Optical scanning resolution	1200 x 2400 DPI
Scanner type	Flatbed scanner
Maximum scan area	216 x 297 mm
Scan technology	CIS
Scan to	Image
Scan speed (colour)	2.2 ppm
Scan speed (black)	5 ppm
Image formats supported	BMP, JPEG, PNG, TIFF
Document formats supported	PDF
Input colour depth	48 bit
Output colour depth	24 bit
Input greyscale depth	16 bit
Output greyscale depth	8 bit
Fax	
Faxing	No
Features	
Number of print cartridges	1
Printing colours	Black
Recommended duty cycle	0 - 20000 pages per month
Ink tank system	Yes
Page description languages	ESC P, ESC/P-R, GDI
Country of origin	Philippines
Input & output capacity	
Total number of input trays	2
Total input capacity	250 sheets
Total output capacity	100 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	216 x 1200 mm
ISO B-series sizes (B0...B9)	B5, B6
Non-ISO print media sizes	16K, Hagaki card, Legal, Letter
Envelopes sizes	10, C6, DL

Paper tray media weight	64 - 256 g/m²
-------------------------	---------------

Ports & interfaces

Direct printing	Yes
-----------------	-----

USB port	Yes
----------	-----

USB 2.0 ports quantity	1
------------------------	---

Network

Wi-Fi	Yes
-------	-----

Ethernet LAN	Yes
--------------	-----

Cabling technology	10/100/1000Base-T(X)
--------------------	----------------------

Ethernet LAN data rates	10,100,1000 Mbit/s
-------------------------	--------------------

Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
-----------------	-------------------------------------

Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK
---------------------	--

Supported network protocols (IPv4)	TCP/IP, LPD, IPP, PORT9100, WSD
------------------------------------	---------------------------------

Supported network protocols (IPv6)	TCP/IP, LPD, IPP, PORT9100, WSD
------------------------------------	---------------------------------

Management protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SLP, WSD, LLTD
----------------------	--

Mobile printing technologies	Apple AirPrint, Epson Connect, Epson Remote Print, Epson iPrint, Google Cloud Print
------------------------------	---

Performance

Sound pressure level (printing)	56 dB
---------------------------------	-------

Design

Product colour	Black, White
----------------	--------------

Market positioning	Home & office
--------------------	---------------

Built-in display	Yes
------------------	-----

Display	LCD
---------	-----

Display diagonal	3.66 cm (1.44")
------------------	-----------------

Touchscreen	Yes
-------------	-----

Control type	Touch
--------------	-------

Colour display	Yes
----------------	-----

Power

Power consumption (copying)	12 W
-----------------------------	------

Power consumption (standby)	4.9 W
-----------------------------	-------

Power consumption (sleep)	0.7 W
---------------------------	-------

Power consumption (off)	0.8 W
-------------------------	-------

AC input voltage	100 - 240 V
------------------	-------------

System requirements

Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Server operating systems supported	Windows Server 2008, Windows Server 2008 R2, Windows Server 2008 x64, Windows Server 2012 R2, Windows Server 2012 x64, Windows Server 2016
Weight & dimensions	
Width	375 mm
Depth	347 mm
Height	302 mm
Weight	6.4 kg
Packaging data	
Package width	415 mm
Package depth	445 mm
Package height	375 mm
Package weight	8.01 kg
Quantity per pack	1 pc(s)
Packaging content	
Power cord included	Yes
Warranty card	Yes
Logistics data	
Products per pallet layer	2 pc(s)
Products per pallet	10 pc(s)
Products per pallet layer (UK)	4 pc(s)
Products per pallet (UK)	20 pc(s)
Matmenys ir svoris	
Matmenys (I × P × A)	44,00cm × 41,00cm × 37,00cm