

Aerocool LUX 550W power supply unit 20+4 pin ATX ATX Black

Gamintojas: **AEROCOOL** · Modelis: **AEROLUX-550-80BRONZE** · EAN: **4718009156234** · Prekės kodas: **538375**



53,91 €

Kaina su PVM

Be PVM: **44,55 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 80Plus 230V EU Bronze Certified for up to 88%+ efficiency
- ✓ Silent 12cm fan with optimized thermal fan speed control. Fan runs at startup speed (less than 800RPM) before reaching 60% load at 25°C ambient temperatures
- ✓ Soft, black, flat cables allow for more convenient cable management and easier installation
- ✓ Compatible with all Intel form factors up to ATX12V Ver.2.4



Aprašymas

Up To 88%+ Efficiency

80Plus 230V EU Bronze Certified for high efficiency performance.

Stylish, Elegant Design

Featuring a stylish, elegant design, the LUX PSU is the perfect balance between power and luxury.

This power supply elevates the look and feel of your rig while delivering maximum efficiency power.

Improved Air Ventilation

30% Increased ventilation area in the body of the PSU allows for increased air flow and circulation, preventing your system from overheating.

Optimized Fan RPM

12cm silent black fan with optimized thermal fan speed control. Fan runs at startup speed (less than 800RPM) before reaching 60% load at 25°C ambient temperatures

Convenient Cable Management

Soft, black, flat cables allow for more convenient cable management and easier installation.

Compatibility

Compatible with all Intel form factors up to ATX12V Ver.2.4.

Techninė specifikacija

Specifications	
Sandėlio grupė	Power supplies for enclosures [+112][-54]
Power	
Total power	550 W
AC input voltage	220 - 240 V
AC input frequency	50 - 60 Hz
Input current	4 A
Power factor	0.9
Power Factor Correction (PFC) type	Active
Combined power (+3.3V)	100 W
Combined power (+12V)	504 W
Combined power (+5V)	100 W
Combined power (-12V)	3.6 W
Combined power (+5Vsb)	12.5 W
Max output current (+3.3V)	20 A
Max output current (+12V)	42 A
Max output current (+5V)	20 A
Max output current (-12V)	0.3 A
Max output current (+5Vsb)	2.5 A
Efficiency	88%
Ports & interfaces	
Motherboard power connector	20+4 pin ATX
Peripheral (Molex) power connectors (4-pin)	0

Motherboard power cable length	50 cm
Number of SATA power connectors	4
Number of PATA power connectors	2
SATA power cable length	550 mm
PCI Express power connectors (6+2 pin)	1
PCI Express power cable length	45 cm
CPU power connector (4+4 pin)	Yes
CPU power cable length	55 cm
ATX power connector (20+4 pin)	Yes
PCI Express connector	Yes
Cabling type	Non-Modular
Performance	
Purpose	PC
Power supply unit (PSU) form factor	ATX
80 PLUS certification	80 PLUS Bronze
ATX version	2.4
Design	
Product colour	Black
Cooling type	Active
Fan diameter	12 cm
Number of fans	1 fan(s)
Packaging content	
Cables included	AC
Packaging data	
Manual	Yes
Package width	230 mm
Package depth	195 mm
Package height	95 mm
Package type	Box
Logistics data	
Master (outer) case width	250 mm
Master (outer) case length	495 mm
Master (outer) case height	215 mm
Matmenys ir svoris	

Matmenys (I × P × A)	10,00cm × 20,00cm × 24,00cm
Svoris	1,60kg