



HP Color LaserJet Pro MFP 4302dw Printer

Modelis: 4RA83F

Gamintojas: HEWLETT-PACKARD

EAN: 196068323189

Prekės kodas: 538667

459.99€

Replacement cartridges: HP 220A Black Original LaserJet Toner Cartridge (~2,000 pages) W2200A HP 220A Cyan Original LaserJet Toner Cartridge (~1,800 pages) W2201A HP 220A Yellow Original LaserJet Toner Cartridge (~1,800 pages) W2202A HP 220A Magenta Original LaserJet Toner Cartridge (~1,800 pages) W2203A HP 220X Black Original LaserJet Toner Cartridge (~7,500 pages) W2200X HP 220X Cyan Original LaserJet Toner Cartridge (~5,500 pages) W2201X HP 220X Yellow Original LaserJet Toner Cartridge (~5,500 pages) W2202X HP 220X Magenta Original LaserJet Toner Cartridge (~5,500 pages) W2203X | Manufacturer warranty: One-year, onsite repair. Warranty and support options vary by product, country and local legal requirements. | Compatible operating systems: Windows 11 Windows 10 Windows Client OS Android iOS Mobile OS macOS 10.15 Catalina macOS 11 Big Sur macOS 12 Monterey macOS 13 Ventura macOS 15 Sequoia Linux Citrix Chrome OS | Recommended system requirements: 2 GB available hard disk space Internet connection or USB port Internet browser. 2 GB available hard drive space Internet connection or USB port Internet browser. | Box contents: HP Color LaserJet Pro 4302dw Printer 4 preinstalled HP LaserJet Toner cartridges (Black: 2,000 pages, Introductory-Cyan, Magenta, Yellow: 1,000 pages) In-box

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

documentation (Reference Guide, Setup Card) Warranty card (Where required) HP printer software is available at <https://www.hp.com/support> Power cord USB cable. | Certification: CISPR 22:2008 (International) Class B, CISPR 32:2015 (International) Class B / EN 55032:2015 Class B + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class B. Other EMC approvals as required by individual countries. | Envelope feeder: No | Typical electricity consumption (TEC) number: 1.423 kWh/Week (Blue Angel) | Ethernet LAN data rates: 10,100,1000 Mbit/s | Print resolution colour: 600 x 600 DPI | HP GTIN (EAN/UPC): 886111043361 | Duplex print speed (black, normal quality, A4/US Letter): 29 ppm | ID-card copy function: Yes | AC input frequency: 50/60 Hz | Storage temperature (T-T): -20 - 40 °C | Operating temperature (T-T): 10 - 32.5 °C | Ethernet LAN: Yes | Wi-Fi Direct: Yes | Copying: Colour copying | Auto fit function: Yes | Total carbon footprint (kg of CO2e): 14.8 | Wi-Fi: Yes | UNSPSC-code: 43212110 | Sound pressure level (printing): 50 dB | Display diagonal: 10.9 cm (4.3") | HP GTIN (EAN/UPC) with options: (A2S) 884420971535 (ABU) 884420971405 (ABY) 884420971450 (ACQ) 884420971436 (B13) 888182819975 (B19) 884420971412 (BAZ) 884420971429 | Package depth: 497 mm | Duplex scanning: No | Package weight: 23.6 kg | Print technology: Laser | Windows operating systems supported: Windows 11 | Printer fonts: Scalable | Carbon emissions, manufacturing (kg of CO2e): 377 | Package height: 492 mm | Watermark printing: Yes | Built-in display: Yes | Total number of input trays: 2 | Warranty card: Yes | Print resolution black: 600 x 600 DPI | Number of print cartridges: 4 | Page description languages: PostScript 3 | Page description languages: PDF | USB 2.0 ports quantity: 2 | Display: LED | Package width: 597 mm | Control type: Touch | Mac operating systems supported: Mac OS X 13.0 Ventura | Internal storage capacity: 512 GB | Maximum print size: 212 x 352 mm | Server operating systems supported: Windows Server 2012 | Auto document feeder (ADF) input capacity: 50 sheets | Product colour: Blue | Page description languages: PCL 5c | Total input capacity: 300 sheets | Depth: 435 mm | AC input voltage: 110 - 240 V | Bluetooth: Yes | Page description languages: URF | Mac operating systems supported: MacOS | Windows operating systems supported: Windows 10 | Cables included: AC | Printer fonts: TrueType | Total output capacity: 150 sheets | Power consumption (off): 0.07 W | Mac operating systems supported: Mac OS X 12.0 Monterey | Cartridge(s) included: Yes | Weight: 20.4 kg | Wi-Fi standards: 802.11b | Other operating systems supported: iOS | Paper tray media types: Glossy paper | Included cartridge capacity (CMY): 1000 pages | Carbon emissions, logistics (kg of CO2e): 50 | Recommended operating temperature range (T-T): 15 - 27 °C | Page description languages: PCL 5e | Sustainability compliance: Yes | HP Auto-On/Auto-Off: Yes | Acoustic power emissions (ready): Inaudible | Print speed (black, draft quality, A4/US Letter): 35 ppm | Cabling technology: 10/100Base-T(X) | Paper tray media types: Labels | Maximum output capacity: 150

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

sheets | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Printing: Colour printing | USB 3.2 Gen 1 (3.1 Gen 1) ports quantity: 1 | Width: 421 mm | Duplex copying: Yes | Power consumption (ready): 18 W | HP Dynamic security: Yes | N-in-1 copy function: Yes | Scan speed (black): 29 ppm | Paper tray 1 input capacity: 50 sheets | USB port: Yes | Page description languages: PCL 6 | Server operating systems supported: Windows Server 2008 R2 x64 | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Carbon emissions, end-of-life (kg of CO2e): 0.6 | Multi-Purpose tray: Yes | Server operating systems supported: Windows Server 2022 | Power consumption (PowerSave): 0.8 W | Warm-up time: 55 s | Copier resize: 25 - 400% | Custom media length: 127 - 356 mm | Page description languages: PWG | Duplex print speed (colour, normal quality, A4/US Letter): 29 ppm | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Built-in processor: Yes | Power consumption (printing): 585 W | Server operating systems supported: Windows Server 2016 | Wi-Fi standards: 802.11g | Other operating systems supported: ChromeOS | Paper tray media types: Plain paper | Sound pressure level (scanning): 48 dB | Copy speed (colour, normal quality, A4): 35 cpm | Faxing: No | Mobile printing technologies: Mopria Print Service | Time to first copy (black, normal): 7.6 s | Paper tray media types: Photo paper | Time to first page (black, normal): 9.5 s | Included cartridge capacity (black): 2000 pages | Power consumption (max): 585 W | Paper tray media types: Letterhead | Paper tray media weight: 60 - 200 g/m² | Scan drivers: TWAIN | Processor frequency: 1200 MHz | Paper tray media types: Rough paper | Compliance certificates: CE | Mobile printing technologies: Apple AirPrint | Time to first copy (colour, normal): 10 s | Maximum number of copies: 999 copies | Compliance certificates: cUL | Printing colours: Black, Cyan, Magenta, Yellow | Compliance certificates: CCC | Compliance certificates: UL | Compliance certificates: BIS | General Product Safety Regulation (GPSR) URL: <https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-professional-cp5225-printer-series/model/3974356?sku=CE710A> | https://kaas.hpcloud.hp.com/pdf-public/pdf_10340661_en-US-1.pdf | Maximum number of input trays: 3 | Height: 384 mm | Paper tray media types: Bond paper | Paper tray media types: Postcard | Server operating systems supported: Windows Server 2019 | Wi-Fi standards: Wi-Fi 4 (802.11n) | Other operating systems supported: Android | Paper tray media types: Recycled paper | Scan drivers: WIA | Compliance certificates: GS mark | HP segment: Small medium business | Server operating systems supported: Windows Server 2012 R2 x64 | Sound power level (printing): 6.1 dB | Maximum ISO A-series paper size: A4 | Multi-Purpose tray input capacity: 50 sheets | Scanner type: Flatbed scanner | Image formats supported: JPG | Image formats supported: TIFF | Direct printing: Yes | Maximum scan resolution: 1200 x 1200 DPI | Scanning: Colour scanning | Duplex printing: Yes |

Scan technology: CIS | Compliance certificates: BSMI | All-In-One-multitasking: Yes | Maximum

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

internal memory: 512 MB | Digital sender: Yes | Mobile operating systems supported: Android | Total carbon emissions, w/o use phase (kg of CO2e): 499 | Print speed (black, normal quality, A4/US Letter): 33 ppm | Mobile operating systems supported: iOS | Number of users: 10 user(s) | ISO A-series sizes (A0...A9): A6 | Maximum duty cycle: 50000 pages per month | Time to first page (colour, normal): 10.5 s | Print speed (colour, normal quality, A4/US Letter): 33 ppm | Duplex functions: Print | JIS B-series sizes (B0...B9): B6 | Recommended duty cycle: 750 - 4000 pages per month | ISO A-series sizes (A0...A9): A5 | Scan speed (colour): 26 ppm | Internal memory: 512 MB | Duplex printing mode: Auto | Power consumption (sleep): 0.8 W | Paper tray 2 input capacity: 250 sheets | Input colour depth: 30 bit | Copy speed (black, normal quality, A4): 35 cpm | Custom media width: 76.2 - 216 mm | Maximum copy resolution: 600 x 600 DPI | ISO A-series sizes (A0...A9): A4 | N-in-1 copy function (N=): 2 | Document formats supported: PDF | Scan to: TWAIN | Greyscale levels: 256 | Optical scanning resolution: 1200 x 1200 DPI | Scan to: WIA | Scan to: Software | Maximum resolution: 600 x 600 DPI | Maximum scan area: 216 x 297 mm | Maximum input capacity: 850 sheets | Scan to: E-mail