



HP Color LaserJet Pro 3202dn 600 x 600 DPI A4

Modelis: 8D7L0A

Gamintojas: HEWLETT-PACKARD

EAN: 196548369119

Prekės kodas: 538949

287.99€

Replacement cartridges: HP 219A Black Original LaserJet Toner Cartridge (~1,300 pages) W2190A HP 219A Cyan Original LaserJet Toner Cartridge (~1,200 pages) W2191A HP 219A Yellow Original LaserJet Toner Cartridge (~1,200 pages) W2192A HP 219A Magenta Original LaserJet Toner Cartridge (~1,200 pages) W2193A HP 219X High Yield Black Original LaserJet Toner Cartridge (~3,200 pages) W2190X HP 219X High Yield Cyan Original LaserJet Toner Cartridge (~2,500 pages) W2191X HP 219X High Yield Yellow Original LaserJet Toner Cartridge (~2,500 pages) W2192X HP 219X High Yield Magenta Original LaserJet Toner Cartridge (~2,500 pages) W2193X | Manufacturer warranty: One-year limited warranty. For more information please visit us at <https://www.support.hp.com> 12 . | Box contents: HP Color LaserJet Pro 3202dn Power cord Toner cartridge User Guide Flyers | Compatible operating systems: Windows 11 Windows 10 Android iOS macOS 12 Monterey macOS 13 Ventura macOS 14 Sonoma macOS 15 Sequoia Linux | Recommended system requirements: Microsoft Windows 11 10 32-bit or 64-bit 2 GB available hard disk space Internet connection. Apple macOS 12.0 Monterey macOS 13.0 Ventura macOS v14 Sonoma 2GB HD Internet required. | Bundled

software: HP Printer Software downloadable from www.hp.com/hp-app | Certification: EN IEC 61000-

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be

išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

3-2:2019 +A1:2021 EN 61000-3-3:2021 CISPR 32:2019 CISPR 35:2016 EN
55032:2015+A11:2020+A1:2020 EN 55035:2017+A11:2020 EN 61000-4-12:2017 FCC CFR 47 Part
15B ICES-003, Issue 6:2019 Other Telecom approvals as required by individual countries | Print
resolution black: 600 x 600 DPI | Printing colours: Magenta | Printing colours: Black | Print speed
(colour, normal quality, A4/US Letter): 25 ppm | Print resolution colour: 600 x 600 DPI | Warm-up
time: 55 s | Typical electricity consumption (TEC) number: 0.272 kWh/week (Energy Star) | Printing
colours: Cyan | Built-in processor: Yes | Duplex printing: Yes | Included cartridge capacity (black):
600 pages | Acoustic pressure emissions bystander (ready): 16 dB | Printing colours: Yellow | Mobile
printing technologies: Mopria Print Service | Maximum internal memory: 256 MB | Mobile printing
technologies: Apple AirPrint | Printer fonts: Scalable | Duplex printing mode: Auto | Time to first page
(colour, normal): 11 s | Printer fonts: TrueType | Recommended operating temperature range (T-T):
15 - 27 °C | Master (outer) cases per pallet layer: 7 pc(s) | Pallet dimensions (W x D x H): 1200 x
1000 x 2041 mm | Envelopes sizes: C5 | Maximum ISO A-series paper size: A4 | Total input capacity:
250 sheets | Time to first page (black, normal): 10.9 s | Maximum input capacity: 251 sheets |
Envelopes sizes: 10 | Recommended duty cycle: 150 - 2500 pages per month | Harmonized System
(HS) code: 8443321010 | Envelopes sizes: Monarch | Envelopes sizes: B5 | JIS B-series sizes (B0...B9):
B5 | JIS B-series sizes (B0...B9): B6 | Acoustic power emissions (ready): 23 dB | Envelopes sizes: DL |
Recommended humidity operating range: 30 - 70% | Energy Star Typical Electricity Consumption
(TEC): 0.272 kWh/week | Power supply type: Internal (Built-in) power supply | HP Auto-On/Auto-Off:
Yes | Number of print cartridges: 4 | Non-ISO print media sizes: Executive | ISO A-series sizes
(A0...A9): A3 | USB port: Yes | Market positioning: Business | Included cartridge capacity (CMY): 500
pages | HP segment: Small medium business | Maximum duty cycle: 40000 pages per month | ISO A-
series sizes (A0...A9): A4 | Layers per pallet: 4 pc(s) | Other operating systems supported: iOS |
Internal memory: 256 MB | Control type: Buttons | HP Dynamic security: Yes | Pallet weight
(imperial): 474.2 kg (1045.4 lbs) | Envelope feeder: No | Power consumption (printing): 415 W |
Maximum output capacity: 100 sheets | Power consumption (ready): 6.1 W | UNSPSC-code:
43212105 | Other operating systems supported: Android | Cartridge(s) included: Yes | Sound
pressure level (printing): 51 dB | Custom media sizes: 76 x 127 mm to 216 x 356 mm | Colour: Yes |
Maximum resolution: 600 x 600 DPI | Print speed (black, normal quality, A4/US Letter): 25 ppm | Non-
ISO print media sizes: Legal | Non-ISO print media sizes: 16K | Non-ISO print media sizes: Letter |
Non-ISO print media sizes: Oficio | Pallet gross weight: 474.2 kg | Pallet dimensions (W x D x H)
(imperial): 1199.9 x 1000 x 2040.9 mm (47.2 x 39.4 x 80.3") | Total output capacity: 100 sheets |
Total number of input trays: 2 | Paper tray media weight: 60 - 176 g/m² | Maximum number of input
trays: 2 | Paper tray media types: Plain paper | Paper tray media types: Lightweight paper | Paper

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be
išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

tray media types: Envelopes | Paper tray media types: Bond paper | Paper tray media types: Glossy paper | Paper tray media types: Rough paper | Paper tray media types: Heavy paper | Paper tray media types: Labels | Paper tray media types: Transparencies | Paper tray media types: Letterhead | Paper tray media types: Recycled paper | Sound power level (printing): 6.2 dB | Paper tray media types: Card stock | Page description languages: URF | Page description languages: PCL 6 | Sustainability compliance: Yes | Page description languages: PCL 5 | Page description languages: PWG | Page description languages: PDF | Page description languages: JPEG | Sustainable technologies and materials: Contains post-consumer recycled plastic | Sustainability certificates: Blue Angel | Display: MGD | Width: 390 mm | Weight: 13.8 kg | Ethernet LAN: Yes | Direct printing: Yes | USB 2.0 ports quantity: 1 | Package weight: 16.9 kg | Windows operating systems supported: Windows 11 | Printing: Colour printing | Ethernet LAN data rates: 10,100,1000 Mbit/s | Mac operating systems supported: Mac OS X 14.0 Sonoma | Windows operating systems supported: Windows 10 | Cables included: AC | Operating relative humidity (H-H): 10 - 80% | Processor frequency: 1200 MHz | Mac operating systems supported: Mac OS X 13.0 Ventura | Mac operating systems supported: MacOS | Manual: Yes | Power consumption (PowerSave): 0.05 W | Height: 254.2 mm | AC input voltage: 110 - 240 V | Mac operating systems supported: Mac OS X 12.0 Monterey | Depth: 419.1 mm | Cabling technology: 10/100Base-T(X) | User guide: Yes | Custom media width: 76 - 216 mm | Power consumption (off): 0.05 W | Package depth: 331 mm | Maximum print size: 216 x 356 mm | Product colour: Grey | Processor frequency: 1.2 GHz | Storage temperature (T-T): -20 - 60 °C | Custom media length: 127 - 356 mm | Print technology: Laser | Built-in display: Yes | Display diagonal: 5.08 cm (2") | Wi-Fi: No | Package height: 510 mm | Operating temperature (T-T): 15 - 30 °C | Package width: 497 mm | HP GTIN (EAN/UPC): 886111043361 | General Product Safety Regulation (GPSR) URL: <https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-professional-cp5225-printer-series/model/3974356?sku=CE710A> https://kaas.hpcloud.hp.com/pdf-public/public/pdf_10340661_en-US-1.pdf | HP GTIN (EAN/UPC) with options: (A2S) 884420971535 (ABU) 884420971405 (ABY) 884420971450 (ACQ) 884420971436 (B13) 888182819975 (B19) 884420971412 (BAZ) 884420971429 | Compliance certificates: CCC | Compliance certificates: BIS | Compliance certificates: CE | Compliance certificates: GS mark | Compliance certificates: EAC | Compliance certificates: Federal Communications Commission (FCC) | Compliance certificates: BSMI