



Monitorius Philips E Line 328E1CA/00 31.5 colio 4K UHD Lenktas VA Ekranas

Modelis: 328E1CA/00

Gamintojas: PHILIPS

EAN: 8712581758516

Prekės kodas: 539020

397.99€

Philips E Line 328E1CA 31.5 colio 4K UHD lenktas VA monitorius

Ženkite į vizualinio spindesio pasaulį su Philips E Line 328E1CA monitoriumi. Sukurtas namų naudotojams ir kūrybiniais profesionalams, reikalaujantiems stulbinančios detalumo ir ryškių spalvų, šis 31.5 colio ekranas perteikia kvapą gniaužiančią 4K Ultra HD raišką (3840 x 2160). Agresyvus 1500R išlinkis apgaubia jūsų regėjimo lauką, suteikdamas neįtikėtinai įtraukiančią patirtį, nesvarbu, ar žiūrite filmus, redaguojate nuotraukas, ar tvarkote sudėtingas skaičiuokles.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjančiam rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Neprilygstamas vizualinis aiškumas ir spalvų atkūrimas

Šis monitorius naudoja aukštos kokybės VA skydelį, užtikrinantį išskirtinį kontrasto santykį (2500:1) ir plačius 178/178 laipsnių žiūrėjimo kampus. Kartu su Philips „Ultra Wide-Color“ technologija, 328E1CA atkuria platesnį spalvų spektrą, pasiekdamas 120.5% sRGB ir 97.8% NTSC aprėptį, todėl vaizdai tampa gyvi ir tikroviški. Greitas 4 ms atsako laikas užtikrina sklandų vaizdo perėjimą, o 60 Hz atnaujinimo dažnis yra optimizuotas aukštos raiškos turinio kūrimui ir bendram naudojimui.

Ergonomika ir jungiamumas

Philips 328E1CA turi esmines funkcijas, skirtas vartotojo patogumui ilgų sesijų metu. „Flicker-Free“ (be mirgėjimo) technologija sumažina akių nuovargį, o „Low Blue Light“ (mažai mėlynos šviesos) režimas sumažina kenksmingą trumpųjų bangų mėlynosios šviesos spinduliavimą. Jungčių pasirinkimas yra universalus: du HDMI 2.0 prievadai ir vienas DisplayPort 1.2, palaikantys didelės spartos 4K vaizdo įvestį. Be to, integruoti du 3 W garsiakalbiai (iš viso 6 W RMS) užtikrina kokybišką garsą be poreikio naudoti išorinius garsiakalbius.

- **Įtraukianti 4K UHD raiška:** 3840 x 2160 pikselių išskirtiniam aiškumui 31.5 colio ekrane.
- **1500R lenktas ekranas:** Suteikia gilų, įtraukiantį žiūrėjimo potyrį, sumažinant vizualinius iškraipymus kraštuose.
- **Ultra Wide-Color technologija:** Užtikrina ryškų spalvų atkūrimą su 120.5% sRGB aprėptimi.
- **Akių komforto technologijos:** Apima „Flicker-free“ ir „Low Blue Light“ režimus ilgesniam žiūrėjimo patogumui.
- **Universalus jungiamumas:** Turi 2x HDMI 2.0 ir 1x DisplayPort 1.2 įvestis.
- **Integruotas garsas:** Dvigubi 3W įmontuoti garsiakalbiai suteikia aiškų ir galingą garsą (6W RMS).
- **VESA suderinamumas:** Leidžia lengvai tvirtinti prie sienos ar naudoti su specialiu stovu (100 x 100 mm).

PHILIPS yra visame pasaulyje pripažintas technologijų lyderis, siekiantis pagerinti žmonių gyvenimus per prasmingas inovacijas sveikatos priežiūros, apšvietimo ir plataus vartojimo elektronikos srityse. Jų monitoriai yra žinomi dėl savo kokybės, našumo ir dėmesio naudotojo gerovei.

Užsisakykite šiandien iš ++SHOP++, nes mes siūlome geriausius pasiūlymus ir patikimą aptarnavimą aukščiausios klasės Philips ekranams.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

The 32" curved E line display offers a truly immersive experience in a stylish design. Ultra-clear 4K UHD with Ultra wide-color and Adaptive-Sync brings your images alive!

TV tuner integrated: No | Tilt angle range: -5 - 20° | Display resolution: 3840 x 2160 pixels | Display brightness (typical): 250 cd/m² | Height adjustment: No | LED indicators: Operation | NVIDIA G-SYNC: No | Package type: Box | Viewing angle, horizontal: 178° | Power consumption (standby): 0.5 W | Package depth: 236 mm | AC input frequency: 50/60 Hz | Digital vertical frequency: 48 - 75 Hz | Cable lock slot type: Kensington | Display diagonal: 80 cm (31.5") | 3D: No | Horizontal scan range: 53 - 84 kHz | Digital horizontal frequency: 53 - 84 kHz | Operating temperature (T-T): 0 - 40 °C | Power consumption (off): 0.3 W | On Screen Display (OSD): Yes | Package width: 800 mm | Pixel pitch: 0.182 x 0.182 mm | Operating relative humidity (H-H): 20 - 80% | On/off switch: Yes | DVI port: No | Viewing angle, vertical: 178° | DisplayPort version: 1.2 | Supported graphics resolutions: 1024 x 768 (XGA) | Supported graphics resolutions: 1440 x 900 (WXGA+) | Supported graphics resolutions: 640 x 480 (VGA) | Supported graphics resolutions: 720 x 400 | Power consumption (typical): 61.1 W | Built-in USB hub: No | Supported graphics resolutions: 1680 x 1050 (WSXGA+) | Vertical scan range: 48 - 75 Hz | AC input voltage: 100 - 240 V | Display technology: LCD | HD type: 4K Ultra HD | Product colour: Black | LED indicators: Stand-by | Screen shape: Curved | Backlight type: W-LED | Response time: 4 ms | DisplayPorts quantity: 1 | Supported graphics resolutions: 1920 x 2160 | HDMI ports quantity: 2 | Depth (with stand): 281 mm | Supported graphics resolutions: 1920 x 1080 (HD 1080) | Supported graphics resolutions: 800 x 600 (SVGA) | Supported graphics resolutions: 1280 x 1024 (SXGA) | VESA mounting: Yes | Display number of colours: 1.073 billion colours | Storage temperature (T-T): -20 - 60 °C | Operating altitude: 0 - 3658 m | Supported graphics resolutions: 3840 x 2160 | Cable lock slot: Yes | Panel mounting interface: 100 x 100 mm | Manual: Yes | Native aspect ratio: 16:9 | Supported graphics resolutions: 1280 x 720 (HD 720) | Aspect ratio: 16:9 | Annual energy consumption: 73 kWh | Cables included: Audio (3.5mm) | Package weight: 10.5 kg | Cables included: AC | Cables included: HDMI | Package height: 625 mm | Market positioning: Home | HDMI version: 2.0 | Width (with stand): 709 mm | Height (with stand): 523 mm | Heavy metals free: Pb (lead) | Recommended resolution: 3840 x 2160 @ 60 Hz | RGB colour space: sRGB | Height (without stand): 425 mm | Recyclable packaging material: 100% | Built-in camera: No | Maximum refresh rate: 60 Hz | Plug and Play: Yes | Width (without stand): 709 mm | HDMI: Yes | Low Blue Light technology: Yes | Mean time between failures (MTBF): 50000 h | Sync-on-green (SOG): Yes | Audio input: No | Audio output: Yes | Tilttable: Y | Screen curvature: 150 cm | NTSC coverage (typical): 97.8% | Number of speakers: 2 | Built-in speaker(s): Yes | Headphone out: No | Component video sync: Separate sync | Number of OSD languages: 21 | Flicker-free technology: Yes | sRGB coverage

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

(typical): 120.5% | Heavy metals free: Hg (mercury) | Energy efficiency class (old): B | Pixel density: 140 ppi | Weight (without stand): 6.89 kg | Feet colour: Black | Sustainability certificates: RoHS | Depth (without stand): 88 mm | Component video sync: Sync-on-green (SOG) | Weight (with stand): 7.71 kg | Stand included: Yes | Separate H/V sync: Yes | Viewable size, vertical: 39.2 cm | Philips SmartUniformity: 97 - 102% | On Screen Display (OSD) languages: Russian | Screen curvature rating: 1500R | Total amount of recyclable materials: 100% | Non-operating altitude: 0 - 12192 m | AMD FreeSync: No | On Screen Display (OSD) languages: Portuguese | On Screen Display (OSD) languages: Simplified Chinese | On Screen Display (OSD) languages: Spanish | On Screen Display (OSD) languages: Traditional Chinese | On Screen Display (OSD) languages: French | On Screen Display (OSD) languages: Korean | On Screen Display (OSD) languages: Polish | On Screen Display (OSD) languages: Japanese | On Screen Display (OSD) languages: Greek | On Screen Display (OSD) languages: Turkish | On Screen Display (OSD) languages: Swedish | On Screen Display (OSD) languages: Hungarian | On Screen Display (OSD) languages: German | On Screen Display (OSD) languages: Italian | On Screen Display (OSD) languages: Dutch | On Screen Display (OSD) languages: Ukrainian | On Screen Display (OSD) languages: Finnish | On Screen Display (OSD) languages: English | Colour gamut: 99% | Energy efficiency class (SDR): G | RMS rated power: 6 W | Contrast ratio (typical): 2500:1 | Panel type: VA | DDC/CI: Yes | Viewable size, horizontal: 69.7 cm