

Cudy GS105U network switch Unmanaged Gigabit Ethernet (10/100/1000) White

Gamintojas: CUDY · Modelis: GS105U · EAN: 6971690794262 · Prekės kodas: 539092



12,90 €

Kaina su PVM

Be PVM: 10,66 €

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Powering via USB-C
- ✓ 5x Gigabit Ethernet Ports
- ✓ IGMP Snooping
- ✓ Max 1.2W, Idle 0.2W
- ✓ Desktop, Wall-Mount
- ✓ 88×52.5×24 mm (3.46×2.07×0.94")



Aprašymas

Flexible USB-C Powering

No Sockets Nearby? No Worries

No power sockets nearby? Use the USB port on your PC/TV/router/printer to power the switch and expand the connection with ease.

A Moving Network Hub

Do maintenance and troubleshooting more easily with a power bank-powered switch. It can operate for a full day with a 10,000 mAh power bank.

Reliable Transimitting

A packet buffer prevents packet loss and improves the reliability of your network.

Extra Transmission Distance

140 meters of Gigabit transmission adding 40% longer distance compared to a standard switch, simplifies wiring for larger premises.

Saves Power

Reduce power consumption when Ethernet ports are idle, saving the electricity expenses on networking facilities.

Wall Mounting

Provides two mounting holes on the bottom of the casing, catering to wall-mounting placement scenarios.

Compact Size. Modern Design.

Compact enough to fit in most home network distribution boxes. The wave line white casing casts a modern aesthetic. The retail package comes with a USB-A to USB-C power cable.

Expand Network for More Devices**Connect Office Computers to Wired Network****Boost Home Devices with Stable Ethernet**

A mini Ethernet switch powered by USB-C, ideal for sharing a wired network on a desktop, wall, or in a distribution box.

Techninė specifikacija

Specifications	
Sandėlio grupė	Switches [+83][-71]
Management features	
Switch type	Unmanaged
Ports & interfaces	
Basic switching RJ-45 Ethernet ports quantity	5
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Installed SFP modules quantity	0
Installed SFP+ modules quantity	0
USB Type-C ports quantity	1
Power connector	USB
Network	
Networking standards	IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x
10G support	No
Copper ethernet cabling technology	10BASE-T, 100BASE-TX, 1000BASE-T
Cable types supported	Cat3, Cat5, Cat5e
Flow control support	Yes
VLAN support	Yes
Data transmission	
MAC address table	2048 entries

Switching capacity	10 Gbit/s
Forwarding rate	7.44 Mpps
Store-and-forward	Yes
Jumbo frames support	Yes
Jumbo frames	15000
Packet buffer memory	0.375 MB

Design

Rack mounting	No
Product colour	White
Housing material	Plastic
Wall mountable	Yes

Power

Power source	USB
Power supply included	Yes
DC input voltage	5 V
Power consumption (max)	2 W

Power over Ethernet (PoE)

Power over Ethernet (PoE)	No
---------------------------	----

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%

Weight & dimensions

Width	88 mm
Depth	52.5 mm
Height	24 mm
Weight	53 g

Packaging content

Cables included	USB Type-A to USB Type-C
Quick start guide	Yes

Packaging data

Package width	92 mm
Package depth	89 mm

Package height	48 mm
----------------	-------

Package weight	124 g
----------------	-------

Matmenys ir svoris

Matmenys (l × P × A)	5,00cm × 9,00cm × 9,00cm
----------------------	--------------------------

Svoris	0,13kg
--------	--------