

TP-Link Pan/Tilt Home Security Wi-Fi Camera

 Gamintojas: **TP-LINK** · Modelis: **Tapo C212** · EAN: **4895252503647** · Prekės kodas: **539710**


29,90 €

Kaina su PVM

 Be PVM: **24,71 €**
Sandėlyje

Prekė internetu

 Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ High-Definition Video: Records every image in crystal-clear view
- ✓ Pan and Tilt: 360° horizontal and 114° vertical range
- ✓ Advanced Night Vision: Provides a visual distance of up to 30 ft
- ✓ Motion Detection and Notifications: Notifies you when the camera detects movement
- ✓ Sound and Light Alarm: Trigger light and sound effects to frighten away unwanted visitors
- ✓ Two-Way Audio: Enables communication through a built-in microphone and speaker
- ✓ Safe Storage: Locally stores up to 512 GB on a microSD card
- ✓ Voice Control: Free Up Your Hands with Voice Control: Works with the Google Assistant and Amazon Alexa. (Google Assistant and Amazon Alexa are not available in all languages and countries)



Aprašymas

Secure. Smart. Easy.
Always Know What Matters Most to You.

Pan/Tilt Home Security Wi-Fi Camera

Person Detection and Notifications

Customizable Your Activity Zones to Know What Matters

Control what alerts you receive by creating multiple custom activity zones around areas that matter.

Precise Motion Tracking

Keep an Eye on the Action

When motion activity is detected, tracks and follows the subject to keep it within view.

Ethernet/Wi-Fi Connection

You can not only connect the security camera by using Wi-Fi, but also connect through the Ethernet port.

Tapo Sharing

- Funny Clips

To share funny records with your families or guests.

- Tapo Devices

To share your Tapo security devices with your families or guests

Advanced Night Vision

The 850nm infrared night vision supports automatic color switch filter in low light conditions with a visual distance of up to 30 ft.

Two-Way Audio

Communicate through a built-in microphone and speaker.

Protect Your Privacy from the Very Beginning

Privacy Zone

Set customizable block zones to keep certain spaces from being recorded so you never need to worry about personal moments being leaked.

Flexible Storage

Options

Save recorded video on a microSD Card (up to 512 GB) or by using Tapo Care cloud storage services.

Techninė specifikacija

Specifications	
Sandėlio grupė	Video cameras [+106][-142]
Performance	
Type	IP security camera
Placement supported	Indoor
Connectivity technology	Wired & Wireless
PTZ control	Yes
Virtual assistant	Amazon Alexa & Google Assistant
Day/night mode	Yes
Infrared (IR) cut-off filter	Yes
Design	
Mounting type	Ceiling/Wall/Desk
Product colour	White

Form factor	Bulb
LED indicators	Yes
Camera	
Lens viewing angle, horizontal	88.11°
Lens viewing angle, vertical	46.65°
Lens viewing angle, diagonal	107.52°
Image sensor	
Sensor type	CMOS
Number of sensors	1
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")
Lens system	
Maximum aperture number	2.4
Fixed focal length	3.83 mm
Night vision	
Night vision	Yes
Night vision distance	10 m
LED type	IR
Infra-red wavelength	850 nm
Video	
Maximum resolution	2304 x 1296 pixels
Total megapixels	3 MP
Video formats supported	H.264, H.265
Supported graphics resolutions	2304 x 1296
Frame rate	30 fps
Audio	
Built-in speaker(s)	Yes
Audio system	2-way
Built-in microphone	Yes
Network	
Ethernet LAN	Yes
Wi-Fi	Yes
Bluetooth	No
Ethernet interface type	Fast Ethernet
Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n

Supported network protocols	TCP/IP, DHCP, ICMP, DNS, NTP, HTTPS, TCP, UDP
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Live view	Yes
Storage	
Built-in HDD	No
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	512 GB
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
DC-in jack	Yes
Security	
Security algorithms	128-bit AES, SSL/TLS, WPA, WPA2-PSK
Management features	
Reset button	Yes
Power	
Power source type	DC
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power consumption (typical)	3.9 W
Power consumption (max)	5.3 W
DC output voltage	9
DC output current	0.6 A
Weight & dimensions	
Width	82 mm
Depth	82 mm
Height	112.6 mm
Weight	200 g
Cable length	3 m
Packaging data	
Package width	170 mm
Package depth	170 mm
Package height	100 mm
Package weight	440 g

Packaging content

Number of cameras	1
Mounting kit	Yes
Manual	Yes

Matmenys ir svoris

Matmenys (I × P × A)	18,00cm × 18,00cm × 11,00cm
Svoris	0,46kg