

TP-Link Indoor/Outdoor Dual Lens Pan/Tilt Security Camera

Gamintojas: **TP-LINK** · Modelis: **Tapo C246D** · EAN: **1210002602723** · Prekės kodas: **539807**



76,90 €

Kaina su PVM

Be PVM: **63,55 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ **2K 3MP Dual Lens** - Capture the full picture with dual 2K high definition optics, monitoring two separate areas at the same time with just one device. Engineered to minimize blind spots for optimal coverage.
- ✓ **Wide-angle & Telephoto Lens** - With 125° FOV wide-angle lens and 6mm telephoto lens, it ensures all-around awareness and down-to-the-detail protection of your home.
- ✓ **Synchronized Smart Tracking** - When the fixed lens detects events, the pan/tilt lens will automatically pivot to focus on and track the moving object.
- ✓ **One-Tap Smart Focus** - Select an area in the wide-angle view, and the pan/tilt camera will focus on it instantly.
- ✓ **Flexible Indoor and Outdoor Placement** - From the backyard to the nursery, IP65 weatherproofing provides dependable, crystal-clear security—indoors or outdoors, rain or shine.
- ✓ **Free AI Detection & Notification** - Get instant push notifications when motion, person, pets, vehicles or even baby cry are detected, there is no additional fee to use it.
- ✓ **Works with Alexa, Google Home & Samsung SmartThings** - Fully compatible with Amazon Alexa and Google Assistant, use your simple voice command to view Tapo indoor/outdoor home security wi-fi camera live stream.
- ✓ **Smart Night Vision** -Choose from vibrant full-color with spotlights, discreet black-and-white infrared, or an automatic Smart Mode based on AI light detection for optimal clarity in any nighttime scenario.
- ✓ **Secure Local or Cloud Storage** - Save footage continuously on up to a 512 GB microSD card (not included) or subscribe to Tapo Care for cloud storage which saves 30-day video.
- ✓ **2-Way Audio** - Engage in seamless, real-time conversations with our two-way audio feature, designed for minimal latency and exceptional sound clarity.



Aprašymas

See Wide, Zoom Sharp, Secure Everything.

Indoor/Outdoor Dual Lens

Pan/Tilt Security Camera

2K Dual Lens

Get the Full Picture

with Dual Optics

Flexible Dual Coverage

The bottom telephoto lens features automatic pan and tilt to follow motion or shift focus between different areas as needed. The top wide-angle lens is fixed but can be manually adjusted during installation 360° to allow for adjustable viewing.

Synchronized Smart Tracking:

Seamlessly Follows Movement

The two cameras dynamically work together to ensure you never miss a moment – when the fixed lens detects events like motion, people, and pets, the pan/tilt lens will automatically pivot to focus on and track the moving object.

Magnify Details with Telephoto Lens

The 6mm telephoto lens delivers 3× clarity compared to standard lens and supports up to 10.8× digital zoom, ensuring every detail is clearly visible when you zoom in.

Panoramic Coverage of Two Areas, Simultaneously

Monitor two separate areas at the same time with just one powerful camera. Reduce blind spots and get a more thorough, comprehensive overview of your home.

Instant Detail with One-Tap Smart Focus

One tap for instant clarity: select an area in the wide-angle view, and the pan/tilt camera will focus on it instantly.

Smarter, More Accurate Notifications Powered by AI

Stay informed with smart AI detection that recognizes and notifies you of people, pets, vehicles, and even baby cries – all without any subscription fees. Tailor your alerts by selecting which types of detection will trigger notifications.

360° Patrol, Preset Views & Custom Schedules

Activate Patrol Mode for continuous 360° surveillance, define up to 8 specific preset viewing points, and set personalized schedules to monitor specific areas at certain times.

Engineered for Weather Resilience

Delivers reliable surveillance through rain, snow, dust, and scorching heat. Monitor your property with confidence, no matter the weather.

Pair with Smart Assistants

Includes seamless integration with Amazon Alexa, Google Assistant, and Samsung SmartThings. View live streams on your Echo Show or Chromecast.

Two-Way Audio

Built-in premium microphone and speakers ensure you can hear and be heard with exceptional clarity.

Install Anywhere: Adaptable Indoor & Outdoor Monitoring

Tapo C246D can be positioned upright or upside down, placed discreetly on a desk, securely mounted on a wall, affixed to the ceiling, or even held by a rod – engineered to adapt and provide reliable monitoring in any indoor or outdoor setting.

Techninė specifikacija

Performance	
Type	IP security camera
Placement supported	Outdoor
Connectivity technology	Wired
Design	
Mounting type	Wall
Product colour	White
Form factor	Box
International Protection (IP) code	IP65
Camera	
Field of view (FOV) angle	107.8°
Image sensor	
Sensor type	CMOS
Number of sensors	1
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")
Lens system	
Number of lenses	2
Zoom capability	Yes
Digital zoom	10.8x
Fixed focal length	2.8 mm
Night vision	
Night vision	Yes
Night vision distance	12 m
Infra-red wavelength	850 nm
Video	
Maximum resolution	2304 x 1296 pixels

Total megapixels	3 MP
Video compression formats	H.264
Frame rate	15 fps
Audio	
Built-in speaker(s)	Yes
Built-in microphone	Yes
Network	
Wi-Fi	Yes
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Wi-Fi data rate (max)	72.2 Mbit/s
Channel bandwidth	2400 MHz
Live view	Yes
Storage	
Card reader integrated	Yes
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	512 GB
Security	
Built-in siren	Yes
Siren noise level	99 dB
Video motion detection	Yes
Security algorithms	HTTPS, SSL/TLS, WPA2-PSK
Motion sensor	Yes
Human and vehicle targets classification	Yes
Management features	
Cloud-managed	Yes
Power	
Power source type	DC
AC input voltage	100-240 V
AC input frequency	50/60 Hz
Power consumption	300 mA
Operational conditions	
Operating temperature (T-T)	-20 - 50 °C
Storage temperature (T-T)	-40 - 60 °C
Operating relative humidity (H-H)	10 - 90%

Storage relative humidity (H-H)	0 - 90%
---------------------------------	---------

Weight & dimensions

Width	78 mm
Depth	76.8 mm
Height	106.8 mm
Weight	277 g

Packaging data

Package width	110 mm
Package depth	190 mm
Package height	90 mm
Package weight	690 g

Matmenys ir svoris

Matmenys (I × P × A)	9,00cm × 20,00cm × 16,00cm
Svoris	0,63kg