

Seagate Exos X24 internal hard drive 20 TB 7200 RPM 512 MB 3.5" SAS

Gamintojas: **SEAGATE** · Modelis: **ST20000NM007H** · EAN: **763649175149** · Prekės kodas: **539878**



1 033,90 €

Kaina su PVM

Be PVM: **854,46 €**

Neturime



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 20 TB 3.5" 7200 RPM SAS
- ✓ PC HDD
- ✓ Storage drive buffer size: 512 MB
- ✓ 12 Gbit/s
- ✓ Uncorrectable Bit Error Rate (UBER): < 1 per 10¹⁵ bits read
- ✓ 685 g



Aprašymas

Delivering maximum storage capacity with the highest rack-space efficiency.

Scalable. Responsive. Innovative

Powerful performance with proven technology—Seagate's ® Exos® X24 drives are built off the platform that's shipped millions globally and deployed in leading cloud service provider solutions—making them the most sought-after drives in our datasphere. Designed with the highest rack-space efficiency and protected with Seagate Secure™, Exos X24 offers extreme market-leading capacity, earning customer confidence by delivering trusted peace of mind.

Superior Reliability

Enterprise-class drives with a 550 TB/year workload rating and 2.5M-hr MTBF to meet the most demanding storage requirements.

Customisation Power Options

PowerChoice™ and PowerBalance™ for optimised power consumption when in use and idle — customisable to fit your needs.

Amazing Performance

Advanced write caching coupled with up to 285 MB/s data transfer rates provides a boost in performance without compromising on capacity.

Advanced Data Security

Seagate Instant Secure Erase for safe, affordable, fast and easy drive retirement.

Techninė specifikacija

Features	
HDD capacity	20 TB
HDD speed	7200 RPM
HDD size	3.5"
Interface	SAS
Type	HDD
Component for	PC
Storage drive buffer size	512 MB
HDD interface transfer rate	12 Gbit/s
HDD sustained transfer rate	272 MiB/s
HDD average transfer rate	285 MB/s
Average latency	4.16 ms
Uncorrectable Bit Error Rate (UBER)	< 1 per 10 ¹⁵ bits read
Rotational Vibration (RV) sensors	Yes
Mean time between failures (MTBF)	2500000 h
Power	
Power consumption (read)	9.8 W
Power consumption (write)	8.2 W
Power consumption (idle)	6.5 W
Operating voltage	5 / 12 V
Operational conditions	
Operating temperature (T-T)	10 - 60 °C
Operating vibration	2.27 G
Operating shock	40 G

Non-operating shock	200 G
---------------------	-------

Weight & dimensions

Width	101.8 mm
-------	----------

Height	26.1 mm
--------	---------

Depth	147 mm
-------	--------

Weight	685 g
--------	-------

Packaging data

Quantity per pack	1 pc(s)
-------------------	---------

Matmenys ir svoris

Matmenys (l × P × A)	11,00cm × 15,00cm × 3,00cm
----------------------	----------------------------

Svoris	0,68kg
--------	--------