

TP-Link TL-WR3002X wireless router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) Black

Gamintojas: **TP-LINK** · Modelis: **TL-WR3002X** · EAN: **1210002600811** · Prekės kodas: **539902**



76,90 €

Kaina su PVM

Be PVM: **63,55 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Portable router Black
- ✓ Dual-band (2.4 GHz / 5 GHz) Wi-Fi 6 (802.11ax) 2402 Mbit/s
- ✓ Gigabit Ethernet
- ✓ Ethernet WAN 3G/4G USB modem compatibility
- ✓ Ethernet LAN (RJ-45) ports: 1
- ✓ USB port
- ✓ Web-based management Quality of Service (QoS) support



Aprašymas

Wi-Fi That Goes Anywhere

The TL-WR3002X has multiple functional modes to get you connected no matter where you are. It also includes several features to keep you up and running.

Wi-Fi 6 Speeds Anywhere You Want Them

The TL-WR3002X delivers the speed and performance you need in a travel-ready size that goes wherever you do.

24/7 Secure Surfing with VPN Encryption

VPN Clients and Server Supported

Supporting OpenVPN, WireGuard®, PPTP, and L2TP VPN protocols, TL-WR3002X maintains your network's privacy and security, whether working remotely or using public WiFi. It can simultaneously run a VPN and regular internet connection, offering protection and flexibility.

Techninė specifikacija

Specifications	
Sandėlio grupė	Routers [+107][−112]
WAN connection	
Ethernet WAN	Yes
DSL WAN	No
SIM card slot	No
3G/4G USB modem compatibility	Yes
WAN connection type	RJ-45
Wireless LAN features	
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Top Wi-Fi standard	Wi-Fi 6 (802.11ax)
WLAN data transfer rate (max)	2402 Mbit/s
Wi-Fi standards	Wi-Fi 6 (802.11ax)
WLAN data transfer rate (first band)	2402 Mbit/s
WLAN data transfer rate (second band)	574 Mbit/s
Network	
Ethernet LAN	Yes
Ethernet LAN interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Number of guest networks (2.4 GHz)	1
Number of guest networks (5 GHz)	1
VPN support	OpenVPN Server PPTP VPN Server L2TP VPN Server Wireguard VPN Serve PPTP VPN Client L2TP VPN Client Wireguard VPN Client
Ports & interfaces	
Ethernet LAN (RJ-45) ports	1
USB port	Yes
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Memory card slot(s)	Yes
Compatible memory cards	MicroSD (TransFlash)

Maximum memory card size	512 GB
Management features	
Web-based management	Yes
Quality of Service (QoS) support	Yes
Reset button	Yes
Security	
Security algorithms	WPA, WPA-Enterprise, WPA2-Enterprise, WPA2-PSK, WPA3-Personal
Firewall	Yes
Access Control List (ACL)	Yes
Protocols	
DHCP client	Yes
DHCP server	Yes
Design	
Product type	Portable router
Product colour	Black
Certificates	
Compliance certificates	Federal Communications Commission (FCC)
Packaging content	
Cables included	LAN (RJ-45), USB
Antenna	
Antenna design	Internal
Power	
Power source type	DC
External power adapter	Yes
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-40 - 60 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%
System requirements	
Introduction year	2025
Weight & dimensions	
Width	105 mm

Depth	91.3 mm
-------	---------

Height	30 mm
--------	-------

Matmenys ir svoris

Matmenys (l × P × A)	10,00cm × 14,00cm × 13,00cm
----------------------	-----------------------------

Svoris	0,47kg
--------	--------