



Monitorius HP Series 3 Pro 27 colių FHD - 327pe

Modelis: B1GM6AA

Gamintojas: HEWLETT-PACKARD

EAN: 198828385178

Prekės kodas: 539931

211.99€

HP Series 3 Pro 27 colių FHD Monitorius

Padidinkite savo produktyvumą su HP Series 3 Pro 27 colių FHD monitoriumi. Šis energiją taupantis monitorius suteikia aiškų, ryškų Full HD vaizdą, užtikrinantį, kad kiekviena detalė būtų aštri ir gyvybinga. Reguliuojamas stovas leidžia rasti tobulą žiūrėjimo kampą, kad būtų patogiau ilgą darbo sesijų metu. Su įmontuotais garsiakalbiais ir įvairiomis jungčių galimybėmis šis monitorius sukurtas optimizuoti jūsų kasdienės užduotis ir pagerinti bendrą žiūrėjimo patirtį.

Savybės:

- **27 colių FHD ekranas:** Mėgaukitės aiškiais ir ryškiais vaizdais su 1920 x 1080 raiška.
- **IPS skydelis:** Patirkite plačius žiūrėjimo kampus ir pastovias spalvas su IPS technologija.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjanč rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- **Reguliuojamas stovas:** Tinkinkite žiūrėjimo kampą su aukščio, pakreipimo ir pasukimo reguliavimu, kad būtų maksimalus komfortas.
- **Integruoti garsiakalbiai:** Integruoti garsiakalbiai suteikia patogų garsą be išorinių įrenginių poreikio.
- **Įvairios jungtys:** Prisijunkite prie įvairių įrenginių naudodami HDMI, VGA ir DisplayPort parinktį.
- **Žemos mėlynos šviesos technologija:** Sumažinkite akių įtampą ilgų darbo sesijų metu naudodami žemos mėlynos šviesos technologiją.
- **Ekologiškas:** ENERGY STAR ir TCO sertifikatai užtikrina energijos vartojimo efektyvumą ir sumažintą poveikį aplinkai.

HP yra pasaulinis technologijų lyderis, tiekiantis novatoriškus sprendimus tiek asmeniniam, tiek profesionaliam naudojimui. Būdama įsipareigojusi kokybei ir tvarumui, HP produktai yra sukurti siekiant pagerinti jūsų produktyvumą ir suteikti sklandžią vartotojo patirtį.

Užsisakykite šiandien iš ++SHOP++, nes mes siūlome geriausias monitorių kainas ir greitą pristatymą.

Optimize Your Everyday Tasks

Make the most out of your workday on this 27-inch FHD, energy-efficient monitor. Boost productivity with just the right visual features while also experiencing great comfort with a screen that you can adjust to your ideal position.

Bundled software: HP Display Center HP Client Management Script Library | Certification: Australian-New Zealand MEPS BIS BSMI CB CCC CE cTUVus EAC FCC ICES ISO 9241-307 KC KCC NOM PSB TUV Bauart TUV-S VCCI Vietnam MEPS WEEE ISC Low blue light South Africa Energy Mexico Energy NRCS of South Africa UAE ECAS UAE RoHS Ukraine NSoC Flicker free | Box contents: Monitor HDMI cable Warranty card AC power cable Quick Setup Poster | Manufacturer warranty: HP three-year limited warranty | Anti-glare screen: Yes | Surface hardness: 3H | Carbon emissions, manufacturing (kg of CO2e): 80 | Total carbon footprint (kg of CO2e): 110 | HP GTIN (EAN/UPC): 194850889561, 194850889578, 194850889585, 194850889592 | Warnings: Place the monitor on a flat and stable surface to avoid tipping and damage. | Colour name: Black | Warranty card: Yes | Depth (without stand): 56.6 mm | Height (without stand): 364.2 mm | Weight (without stand): 4.1 kg | Built-in

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

camera: No | NTSC coverage (typical): 72% | Response time measurement type: GTG (Gray to Gray) | Adjustable height (max): 10 cm | Sustainability certificates: ENERGY STAR | Sustainability certificates: TCO | Colour gamut standard: NTSC | Warnings: Do not disassemble the monitor casing to avoid risk of electric shock. | Total carbon emissions, w/o use phase (kg of CO₂e): 8 | Carbon emissions, end-of-life (kg of CO₂e): 18 | Compliance certificates: BSMI | Feet colour: Black | HDMI: Yes | Operating temperature (T-T): 5 - 35 °C | Width (without stand): 611.9 mm | Display brightness: 250 cd/m² | Compliance certificates: RoHS | Compliance certificates: CE | Cables included: HDMI | Carbon emissions, logistics (kg of CO₂e): 4 | Energy consumption (SDR) per 1000 hours: 17 kWh | Compliance certificates: CCC | Panel type: IPS | General Product Safety Regulation (GPSR) URL: <https://support.hp.com/gb-en/product/details/hp-laserjet-mfp-m232-m237-printer-series/model/30836610?sku=6GX01F> <https://h10032.www1.hp.com/ctg/Manual/c06759742.pdf> <https://h10032.www1.hp.com/ctg/M> | Package weight: 9.7 kg | European Product Registry for Energy Labelling (EPREL) code: 2232837 | Power consumption (max): 31 W | Swivel angle range: -30 - 30° | Display technology: LCD | VESA mounting: Yes | Backlight type: Edge LED | Warnings: Unplug the monitor from the power source before cleaning. | Power consumption (standby): 0.5 W | Maximum refresh rate: 100 Hz | Energy efficiency class (HDR): Not available | Package width: 695 mm | Operating altitude: 0 - 5000 m | Compliance certificates: CB | Compliance certificates: EAC | Pixel density: 81 ppi | Energy efficiency scale: A to G | On Screen Display (OSD): Yes | Viewing angle, horizontal: 178° | Height adjustment: Yes | Colour gamut: 72% | RMS rated power: 4 W | Contrast ratio (typical): 1300:1 | Energy efficiency class (SDR): D | Colour depth: 6 bit | HDMI ports quantity: 1 | Haze rate: 25% | Pivot: Yes | Built-in speaker(s): Yes | Number of speakers: 2 | HP segment: Business | Detachable stand: Yes | Power supply type: Internal | Low Blue Light technology: Yes | Viewable size, vertical: 33.6 cm | Flicker-free technology: Yes | HDMI version: 1.4 | Display diagonal (metric): 68.6 cm | Sustainability certificates: EPEAT | Storage relative humidity (H-H): 20 - 80% | Weight (with stand): 6.5 kg | Swivelling: Yes | Tilt adjustment: Yes | Power consumption (typical): 17.2 W | Horizontal scan range: 30 - 120 kHz | Market positioning: Business | Package height: 495 mm | UNSPSC-code: 43211902 | VGA (D-Sub) ports quantity: 1 | Vertical scan range: 50 - 100 Hz | Viewing angle, vertical: 178° | Package depth: 170 mm | Touchscreen: No | Compliance certificates: BIS | Compliance certificates: Federal Communications Commission (FCC) | Viewable size, horizontal: 59.8 cm | Panel mounting interface: 100 x 100 mm | Pixel pitch: 0.3114 x 0.3114 mm | Non-operating altitude: 0 - 12192 m | Display number of colours: 16.7 million colours | Depth (with stand): 229.6 mm | AC input voltage: 100 - 240 V | Supported graphics resolutions: 1600 x 900 | Supported graphics resolutions: 1024 x 768 (XGA) | Supported graphics resolutions: 1440 x 900 (WXGA+) | Display surface: Matt | Supported graphics resolutions: 1280 x 720 (HD 720) | Supported

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

graphics resolutions: 640 x 480 (VGA) | Supported graphics resolutions: 1920 x 1080 (HD 1080) | Supported graphics resolutions: 800 x 600 (SVGA) | Supported graphics resolutions: 1280 x 1024 (SXGA) | Supported graphics resolutions: 1680 x 1050 (WSXGA+) | Display resolution: 1920 x 1080 pixels | AC input frequency: 50/60 Hz | Contrast ratio (dynamic): 8000000:1 | Package type: Box | Native aspect ratio: 16:9 | Weight: 6.5 kg | Width (with stand): 611.9 mm | Aspect ratio: 16:9 | DisplayPorts quantity: 1 | Quick start guide: Yes | Response time: 5 ms | LED backlight: Yes | Supported graphics resolutions: 1280 x 800 | Supported graphics resolutions: 720 x 400 | Display diagonal: 68.6 cm (27") | Screen shape: Flat | Height (with stand): 513.1 mm | HD type: Full HD | Product colour: Black | DisplayPort version: 1.2 | Display brightness (typical): 250 cd/m² | HDCP: Yes | Power consumption (off): 0.3 W | Cable lock slot: Yes | Tilt angle range: -5 - 20°