



Canon i-SENSYS MF754Cdw II Laser A4 1200 x 1200 DPI 33 ppm Wi-Fi

Modelis: 7185C010

Gamintojas: CANON

EAN: 4549292250398

Prekės kodas: 539967

560.99€

Security algorithms: 128-bit WEP | Security algorithms: WPA-TKIP | Built-in display: Yes | Power consumption (max): 1380 W | Wi-Fi standards: Wi-Fi 4 (802.11n) | Security algorithms: 64-bit WEP | Security algorithms: WPA2-AES | Security algorithms: WPA-PSK | Weight: 23.3 kg | Wi-Fi standards: 802.11b | Processor frequency: 1200 MHz | Security algorithms: WPA-AES | Wi-Fi standards: 802.11g | Operating temperature (T-T): 10 - 30 °C | Width: 425 mm | Security algorithms: WPA2-PSK | Wi-Fi: Yes | Mac operating systems supported: Mac OS X 10.14 Mojave | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Mac operating systems supported: Mac OS X 12.0 Monterey | Product colour: White | Ethernet LAN: Yes | Ethernet LAN data rates: 10,100,1000 Mbit/s | Mac operating systems supported: Mac OS X 10.8 Mountain Lion | Display: LCD | Mac operating systems supported: Mac OS X 10.6 Snow Leopard | Mac operating systems supported: Mac OS X 10.4 Tiger | Mac operating systems supported: Mac OS X 10.2 Jaguar | Mac operating systems supported: Mac OS X 10.9 Mavericks | Mac operating systems supported: Mac OS X 10.3 Panther | Mac operating systems

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

supported: Mac OS X 10.5 Leopard | Mac operating systems supported: Mac OS X 10.13 High Sierra | Windows operating systems supported: Windows 8.1 | USB 2.0 ports quantity: 1 | Operating relative humidity (H-H): 20 - 80% | Windows operating systems supported: Windows 10 | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Mac operating systems supported: Mac OS X 10.7 Lion | Depth: 461 mm | Mac operating systems supported: Mac OS X 10.12 Sierra | Windows operating systems supported: Windows 11 | AC input frequency: 50/60 Hz | AC input voltage: 220 - 240 V | Security algorithms: WPA2-TKIP | Multi-Purpose tray input capacity: 50 sheets | Server operating systems supported: Windows Server 2022 | Server operating systems supported: Windows Server 2012 R2 | Server operating systems supported: Windows Server 2012 | Auto document feeder (ADF) input capacity: 50 sheets | Power consumption (printing): 700 W | Paper tray media weight: 60 - 200 g/m² | Server operating systems supported: Windows Server 2019 | Faxing: Colour faxing | Server operating systems supported: Windows Server 2016 | Maximum ISO A-series paper size: A4 | USB port: Yes | Scan drivers: ICA | Duplex scanning: Yes | Time to first page (black, normal): 7.1 s | Scan drivers: TWAIN | Height: 430 mm | Scan drivers: WIA | Output colour depth: 24 bit | Total number of input trays: 1 | ID-card copy function: Yes | Copier resize: 25 - 400% | Print technology: Laser | Copying: Colour copying | ISO B-series sizes (B0...B9): B5 | Scanning: Colour scanning | Scanner type: ADF scanner | Paper tray media types: Plain paper | Printing: Colour printing | Fax memory: 512 pages | Duplex functions: Scan | Sound power level (printing): 65 dB | Non-ISO print media sizes: Executive | Internal memory: 1024 MB | Scan to: FTP | Maximum input capacity: 850 sheets | Envelopes sizes: Monarch | ISO A-series sizes (A0...A9): A5 | Non-ISO print media sizes: Statement | Sound power level (standby): 41 dB | Control type: Touch | Envelopes sizes: DL | Greyscale levels: 256 | Scan to: Cloud | Paper tray media types: Heavy paper | Maximum copy resolution: 600 x 600 DPI | Power consumption (standby): 24 W | Recommended duty cycle: 750 - 4000 pages per month | Maximum duty cycle: 50000 pages per month | Scan to: USB | Total input capacity: 250 sheets | Paper tray media types: Recycled paper | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Colour display: Yes | Power consumption (sleep): 1 W | Paper tray media types: Coated paper | ISO A-series sizes (A0...A9): A4 | Print speed (black, normal quality, A4/US Letter): 33 ppm | Optical scanning resolution: 600 x 600 DPI | Maximum resolution: 1200 x 1200 DPI | Modem speed: 33.6 Kbit/s | Scan to: E-mail | Total output capacity: 150 sheets | Non-ISO print media sizes: Letter | Paper tray media types: Thin paper | Multi-Purpose tray: Yes | Speed dialling: Yes | Warm-up time: 14 s | Management protocols: SNMPv1, SNMPv3 (IPv4,IPv6) | Printing colours: Black, Cyan, Magenta, Yellow | Paper tray media types: Postcard | Envelopes sizes: C5 | Linux operating systems supported: Yes | Maximum number of copies: 999 copies | Duplex copying: Yes | Input colour depth: 24 bit | Built-in processor: Yes | ISO A-

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

series sizes (A0...A9): A6 | Envelopes sizes: Com-10 | Time to first page (colour, normal): 7.1 s

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903