

Canon i-SENSYS LBP246dw II A4 Wi-Fi

Gamintojas: **CANON** · Modelis: **7187C006** · EAN: **4549292248609** · Prekės kodas: **539968**



250,91 €

Kaina su PVM

Be PVM: **207,36 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Business Laser
- ✓ Printing colours: Black
- ✓ A4 40 ppm
- ✓ Duplex printing Direct printing
- ✓ USB port Wi-Fi Ethernet LAN
- ✓ LED Built-in display
- ✓ Maximum duty cycle: 80000 pages per month
- ✓ Total number of input trays: 1 Total input capacity: 250 sheets Total output capacity: 150 sheets
- ✓ Internal memory: 1024 MB Built-in processor



Aprašymas

Width: 399 mm | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Power consumption (standby): 6 W | Operating temperature (T-T): 10 - 30 °C | ISO B-series sizes (B0...B9): B5 | Mac operating systems supported: Mac OS X 10.14 Mojave | Ethernet LAN: Yes | Direct printing: Yes | Mac operating systems supported: Mac OS X 10.7 Lion | Ethernet LAN data rates: 10,100,1000 Mbit/s | Mac operating systems supported: Mac OS X 10.8 Mountain Lion | Mac operating systems supported: Mac OS X 10.7.5 Lion | Mac operating systems supported: Mac OS X 10.9 Mavericks | Mac operating systems supported: Mac OS X 10.3 Panther | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Built-in processor: Yes | Security algorithms: 64-bit WEP | Security algorithms: WPA2-AES | Server operating systems supported: Windows Server 2022 | Linux operating systems supported: Yes | Mac operating systems supported: Mac OS X 10.6 Snow Leopard | Mac operating systems supported: Mac OS X 10.4 Tiger | Mac operating systems supported: Mac OS X 10.2 Jaguar | Mac operating systems supported: Mac OS X 13.0 Ventura | Mac operating systems supported: Mac OS X 10.5 Leopard | Mac operating systems supported: Mac OS X 10.13 High Sierra | Operating relative humidity (H-H): 20 - 80% | Display: LED | Server operating systems supported: Windows Server 2012 | AC input

voltage: 220 - 240 V | Printing colours: Black | Depth: 373 mm | Print speed (black, normal quality, A4/US Letter): 40 ppm | Product colour: Black | Mac operating systems supported: Mac OS X 12.0 Monterey | Server operating systems supported: Windows Server 2012 R2 | Server operating systems supported: Windows Server 2016 | Internal memory: 1024 MB | Security algorithms: WPA-AES | Colour: No | Security algorithms: WPA2-EAP | Wi-Fi: Yes | AC input frequency: 50/60 Hz | Security algorithms: 128-bit WEP | Security algorithms: WPA-TKIP | Security algorithms: WPA2-TKIP | Cabling technology: 10/100/1000Base-T(X) | Security algorithms: WPA-PSK | Power consumption (max): 1250 W | Wi-Fi standards: 802.11b | Security algorithms: WPA2-PSK | Number of print cartridges: 1 | Security algorithms: WPA-EAP | Wi-Fi standards: 802.11g | Weight: 9.5 kg | ISO A-series sizes (A0...A9): A6 | ISO A-series sizes (A0...A9): A4 | ISO A-series sizes (A0...A9): A5 | Maximum input capacity: 900 sheets | Server operating systems supported: Windows Server 2019 | Windows operating systems supported: Windows 10 | Mobile printing technologies: Mopria Print Service | Height: 249 mm | Maximum ISO A-series paper size: A4 | Wi-Fi standards: Wi-Fi 4 (802.11n) | Mobile printing technologies: Canon PRINT Business | Windows operating systems supported: Windows 11 | Mobile printing technologies: Apple AirPrint | Storage media: eMMC | USB port: Yes | Print technology: Laser | Built-in display: Yes | Warranty period: 2 year(s) | Paper tray media types: Labels | Paper tray media types: Thin paper | Paper tray media types: Heavy paper | Paper tray media types: Coated paper | Paper tray media types: Envelopes | Paper tray media types: Plain paper | Total number of input trays: 1 | Recommended duty cycle: 750 - 4000 pages per month | Sound pressure level (printing): 54 dB | Internal storage capacity: 4 GB | Sound pressure level (duplex printing): 53 dB | Paper tray media types: Postcard | Paper tray media types: Recycled paper | Duplex printing: Yes | Maximum duty cycle: 80000 pages per month | Non-ISO print media sizes: Legal | Time to first page (black, normal): 5 s | Non-ISO print media sizes: Letter | Non-ISO print media sizes: Executive | Total output capacity: 150 sheets | Non-ISO print media sizes: Oficio | Multi-Purpose tray input capacity: 100 sheets | Non-ISO print media sizes: Statement | Control type: Buttons | Envelopes sizes: C5 | Total input capacity: 250 sheets | Warm-up time: 14 s | Management protocols: SNMPv1, SNMPv3 | Paper tray media weight: 60 - 120 g/m² | Power consumption (printing): 480 W | Envelopes sizes: Com-10 | Envelopes sizes: Monarch | Envelopes sizes: DL | Multi-Purpose tray: Yes | Page description languages: UFR II | Page description languages: PCL 5e | Page description languages: PCL 6

Techninė specifikacija

Specifications	
Sandėlio grupė	Colour laser MFDs [+21][-14]
Printing	
Colour	No
Print technology	Laser
Duplex printing	Yes
Print speed (black, normal quality, A4/US Letter)	40 ppm
Warm-up time	14 s
Time to first page (black, normal)	5 s
Features	
Maximum duty cycle	80000 pages per month
Printing colours	Black
Number of print cartridges	1
Page description languages	PCL 5e, PCL 6, UFR II
Recommended duty cycle	750 - 4000 pages per month
Input & output capacity	
Total number of input trays	1
Total input capacity	250 sheets
Total output capacity	150 sheets

Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	100 sheets
Maximum input capacity	900 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Coated paper, Envelopes, Heavy paper, Labels, Plain paper, Postcard, Recycled paper, Thin paper
ISO A-series sizes (A0...A9)	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
Non-ISO print media sizes	Executive, Legal, Letter, Oficio, Statement
Envelopes sizes	C5, Com-10, DL, Monarch
Paper tray media weight	60 - 120 g/m ²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Security algorithms	64-bit WEP, 128-bit WEP, WPA-AES, WPA-EAP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-EAP, WPA2-PSK, WPA2-TKIP
Management protocols	SNMPv1, SNMPv3
Mobile printing technologies	Apple AirPrint, Canon PRINT Business, Mopria Print Service
Performance	
Internal memory	1024 MB
Internal storage capacity	4 GB
Storage media	eMMC
Built-in processor	Yes
Sound pressure level (printing)	54 dB
Sound pressure level (duplex printing)	53 dB
Design	
Market positioning	Business
Product colour	Black, White

Built-in display	Yes
Display	LED
Control type	Buttons
Power	
Power consumption (printing)	480 W
Power consumption (max)	1250 W
Power consumption (standby)	6 W
Energy Star Typical Electricity Consumption (TEC)	0.29 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz
System requirements	
Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Linux operating systems supported	Yes
Server operating systems supported	Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022
Operational conditions	
Operating temperature (T-T)	10 - 30 °C
Operating relative humidity (H-H)	20 - 80%
Weight & dimensions	
Width	399 mm
Depth	373 mm
Height	249 mm
Weight	9.5 kg
Other features	
Warranty period	2 year(s)
Matmenys ir svoris	
Matmenys (I × P × A)	38,00cm × 52,00cm × 48,00cm
Svoris	12,00kg