

MSI MAG A750BN PCIE5 II maitinimo blokas 750 W 24-pin ATX ATX Juoda

Gamintojas: **MSI** · Modelis: **306-7ZPSX11-CEO** · EAN: **4711377364256** · Prekės kodas: **540011**



87,89 €

Kaina su PVM

Be PVM: **72,64 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 750 W 100 - 240 V 50/60 Hz
- ✓ Motininės plokštės maitinimo jungtis: 24-pin ATX
- ✓ PC ATX 80 PLUS Bronze
- ✓ Aktyvus 12 cm
- ✓ Juoda



Aprašymas

MAG

msi arsenal gaming

MSI's mainstream MAG series epitomizes stability and durability and is built to withstand the most intense gaming sessions. The entire lineup features robust construction with metallic-like hardness and excellent heat dissipation, ensuring stability for all critical gaming components.

80 PLUS BRONZE CERTIFIED

The efficiency of your power supply directly influences your system's performance and your power consumption. The 80 PLUS BRONZE certification promises lower energy consumption and higher efficiency.

ATX 3.1 READY

It has an output port that is compliant with PCIe CEM 5.1 and Intel PSDG (Power Supply Design Guide) ATX 3.1, also this power supply can hold up to 2x total power excursion and 3x GPU power excursion.

Dual-color 12V-2x6 cable

The 12V-2x6 cable's connector color has been changed to yellow so that users can easily see if the connector has been plugged in properly.

Offer the CPU sufficient power

This power supply features dual 4+4-pin PCIe power connectors, providing ample 12V power to support high-performance CPUs.

POWER AT YOUR SIDE

The power supply is built with DC-to-DC construction, ensuring top-tier efficiency and unwavering voltage stability for your system.

SET FREE FOR THE +12V POWER OUTPUT

The latest CPUs and graphics cards demand more power, and a single +12V rail PSU provides an ideal combination of simplicity, robust power delivery.

Alloy Copper Connector Terminals

The cable connectors are made of copper alloy terminals so that the power supply will be safer when there is a higher surge in current.

Built for Maximum Safety

The power supply's cables, from the internal copper wires to the external high-density braided cover, are fully UL certified, ensuring superior safety and durability.

PROTECTION MECHANISMS

operate safely and stably at all times, this power supply comes with a number of protection mechanisms to give you the best peace of mind.

connectors

This non-modular power supply is equipped with soft cables, making cable management easier.

Techninė specifikacija

Power	
Total power	750 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power Factor Correction (PFC) type	Active
Combined power (+3.3V)	120 W
Combined power (+12V)	750 W

Combined power (+5V)	120 W
Combined power (+5Vsb)	15 W
Max output current (+3.3V)	20 A
Max output current (+12V)	62.5 A
Max output current (+5V)	20 A
Max output current (+5Vsb)	3 A
Efficiency	85%
Power protection features	Over current, Over power, Over voltage, Short circuit, Under voltage
Ports & interfaces	
Motherboard power connector	24-pin ATX
Peripheral (Molex) power connectors (4-pin)	2
Motherboard power cable length	55 cm
Number of SATA power connectors	3
EPS power connector (4+4 pin)	Yes
PCI Express power connectors (6+2 pin)	3
PCI Express power connectors (16-pin)	1
ATX Power connector (24-pin)	Yes
Floppy drive power connector	1
PCI Express connector	Yes
Cabling type	Non-Modular
Performance	
Purpose	PC
Power supply unit (PSU) form factor	ATX
80 PLUS certification	80 PLUS Bronze
ATX version	3.1
Design	
Product colour	Black
Cooling type	Active
Fan diameter	12 cm
Number of fans	1 fan(s)
Illumination	No
On/off switch	Yes
Weight & dimensions	
Width	150 mm

Depth	140 mm
-------	--------

Height	86 mm
--------	-------

Matmenys ir svoris

Matmenys (I × P × A)	30,00cm × 12,00cm × 20,00cm
----------------------	-----------------------------

Svoris	2,33kg
--------	--------

Dokumentai ir vaizdo įrašai

- › [Gaminio lankstinukas](#)
- › [Vaizdo įrašas](#) objects.icecat.biz/objects/139430130_73254548.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

Micro-Star Int'l Co.

Lide St., Zhonghe Dist. No. 69, 235 New Taipei
City, TW
msi.com

ATSAKINGAS ASMUO ES

Mystar Computer B.V.

Science Park Eindhoven 5706, 5692 ER Son, NL
msi.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt