



**HP LaserJet Pro
3002dn Printer,
Black and white,
Printer for Small
medium
business, Print,
Dualband Wi-Fi;
Strong Security;
Energy Efficient;
Fast first page
out speeds;
Two-sided
printing; Roam**

Modelis: 3G651F

Gamintojas: HEWLETT-PACKARD

EAN: 195122466633

Prekės kodas: 540045

163.99€

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Recommended system requirements: Microsoft Windows 11 10 2 GB available hard disk space
Internet connection Microsoft Internet Explorer or Edge.Apple macOS v10.15 Catalina macOS v11 Big Sur macOS v12 Monterey 2 GB HD Internet required. | Certification: CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B EN 61000-3-2:2014 EN 61000-3-3:2013 EN 55035:2017 FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6 | Replacement cartridges: HP 139A Original Black LaserJet Toner Cartridge (~1,500 yield) W1390A HP 139X Original Black LaserJet Toner Cartridge (~4,000 yield) W1390X | Manufacturer warranty: One-year warranty. Warranty and support options vary by product, country and local legal requirements. | Bundled software: No CD inbox (except Indonesia and China Gov) Downloadable Software from www.hp.com/hp-app, in-OS app stores. CD include HP Software Installer, Uninstaller, printer driver and other essential tools | Box contents: HP LaserJet Pro 3002dn Printer HP Black LaserJet Toner Introductory Cartridge (yield ~1000 pages) Setup Guide Reference Guide Regulatory Flyer Warranty Guide Power cord | Compatible operating systems: Windows 11 Windows 10 macOS 10.15 Catalina macOS 11 Big Sur macOS 12 Monterey macOS 15 Sequoia Linux | Operating temperature (T-T): 15 - 32.5 °C | Mac operating systems supported: MacOS | Power consumption (PowerSave): 0.06 W | Package width: 438 mm | Operating relative humidity (H-H): 10 - 80% | AC input frequency: 50/60 Hz | Built-in display: Yes | Storage temperature (T-T): -20 - 60 °C | Display diagonal: 7.62 cm (3") | Product colour: Grey | Package depth: 278 mm | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Power consumption (off): 0.06 W | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Mac operating systems supported: Mac OS X 12.0 Monterey | Ethernet LAN data rates: 10,100 Mbit/s | Windows operating systems supported: Windows 11 | Package weight: 9.8 kg | AC input voltage: 110 - 240 V | Processor frequency: 800 MHz | Weight: 7.5 kg | Windows operating systems supported: Windows 10 | Security algorithms: SNMP | ISO C-series sizes (C0...C9): C5 | Energy Star Typical Electricity Consumption (TEC): 0.3 kWh/week | Page description languages: PDF | Page description languages: URF | Package height: 466 mm | Internal memory: 256 MB | Print technology: Laser | Layers per pallet: 4 pc(s) | Typical electricity consumption (TEC) number: 0.3 kWh/week (Energy Star) | ISO B-series sizes (B0...B9): B5 | Page description languages: PCLmS | Market positioning: Business | Paper tray 1 input capacity: 250 sheets | Print speed (black, normal quality, A4/US Letter): 33 ppm | Control type: Buttons | Total carbon emissions, w/o use phase (kg of CO2e): 499 | UNSPSC-code: 43212105 | Number of print cartridges: 1 | Page description languages: PWG | HP Dynamic security: Yes | Maximum output capacity: 150 sheets | Cables included: AC | Custom media width: 76 - 216 mm | ISO C-series sizes (C0...C9): C6 | Page description languages: PCL 5c | Total input capacity: 250 sheets | USB port: Yes |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

Maximum number of input trays: 1 | Power consumption (printing): 484 W | Mobile printing technologies: Mopria Print Service | Total output capacity: 150 sheets | Custom media sizes: Width 76 to 216 mm Length 127 to 356mm | Paper tray media weight: 60 - 163 g/m² | Sustainability compliance: Yes | Sustainability certificates: Blue Angel | Maximum duty cycle: 50000 pages per month | Acoustic power emissions (ready): 32 dB | Doesn't contain: Mercury | Master (outer) cases per pallet layer: 9 pc(s) | Recommended humidity operating range: 30 - 70% | Height: 216.2 mm | Printer fonts: TrueType | Printer fonts: Scalable | Depth: 398.2 mm | Duplex print speed (black, normal quality, A4/US Letter): 20 ppm | Power consumption (ready): 2.93 W | Carbon emissions, logistics (kg of CO₂e): 50 | Ethernet LAN: Yes | Direct printing: Yes | Print resolution black: 1200 x 1200 DPI | HP GTIN (EAN/UPC): 886111043361 | Recommended operating temperature range (T-T): 17.5 - 25 °C | Non-ISO print media sizes: 16K | Acoustic pressure emissions bystander (ready): 14 dB | Warranty card: Yes | Duplex printing mode: Auto | Non-ISO print media sizes: Oficio | Non-ISO print media sizes: L | Cartridge(s) included: Yes | Paper tray media types: Cut sheet | ISO A-series sizes (A0...A9): A5 | Other operating systems supported: Linux | Paper tray media types: Glossy paper | Paper tray media types: Plain paper | Sustainable technologies and materials: Forest First product | ISO A-series sizes (A0...A9): A4 | Wi-Fi: No | Non-ISO print media sizes: Hagaki card | Pallet gross weight: 362.5 kg | Custom media length: 127 - 356 mm | Pallet dimensions (W x D x H): 1200 x 1000 x 2015 mm | General Product Safety Regulation (GPSR) URL: <https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-professional-cp5225-printer-series/model/3974356?sku=CE710A> https://kaas.hpcloud.hp.com/pdf-public/pdf_10340661_en-US-1.pdf | ISO A-series sizes (A0...A9): A6 | Envelopes sizes: B5 | Envelopes sizes: C6 | Paper tray media types: Labels | Cabling technology: 10/100Base-T(X) | Width: 367 mm | Time to first page (black, normal): 7 s | Photo paper sizes: 10x15 cm | Envelopes sizes: DL | Maximum input capacity: 250 sheets | Harmonized System (HS) code: 8443321010 | Total number of input trays: 1 | Sound pressure level (printing): 53 dB | Recommended duty cycle: 350 - 2500 pages per month | Paper tray media types: Postcard | Built-in processor: Yes | Envelopes sizes: C5 | Maximum resolution: 1200 x 1200 DPI | Carbon emissions, manufacturing (kg of CO₂e): 377 | Total carbon footprint (kg of CO₂e): 14.8 | Printing: Mono printing | JIS B-series sizes (B0...B9): B5 | JIS B-series sizes (B0...B9): B6 | Paper tray media types: Envelopes | Carbon emissions, end-of-life (kg of CO₂e): 0.6 | Duplex printing: Yes | Maximum ISO A-series paper size: A4 | Secure printing: Yes | Included cartridge capacity (black): 1000 pages | Colour: No | Compliance certificates: CCC | Compliance certificates: BIS | Server operating systems supported: Windows Server 2016 x64 | Compliance certificates: CE | Server operating systems supported: Windows Server 2008 x64 | Maximum print size: 207 x 348 mm | Server operating systems supported: Windows Server 2008 R2 x64 | Sound power level (printing):

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

6.5 dB | HP segment: Small medium business | Server operating systems supported: Windows Server 2012 R2 x64 | Maximum internal memory: 256 MB | Compliance certificates: BSMI | Printing colours: Black | Compliance certificates: Federal Communications Commission (FCC) | Linux operating systems supported: Yes | Compliance certificates: EAC | Compliance certificates: GS mark | Warm-up time: 35 s | Introduction year: 2022