GIGABYTE P550SS ICE Power Supply - PCIe 5.0, 80 PLUS Silver, 120mm Fan, ATX 3.0 compatible, EU Plug

Gamintojas: **GIGABYTE** · Modelis: **GP-P550SS ICE** · EAN: **4719331554910** · Prekės kodas: **540314**



45.90€

Kaina su PVM

Be PVM: **37.93€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Ice white aesthetics
- ✓ 80 PLUS Silver certified (230V EU)
- ✓ Support Intel ATX 3.0 standard (compatible with ATX 3.1)
- ✓ 120mm Fluid Dynamic Bearing (FDB) Fan
- ✓ Flat cable design
- ✓ Powerful single +12V rail
- ✓ OVP/OPP/SCP/UVP/OCP/OTP protection








Aprašymas

Ensure reliable and efficient power delivery with GIGABYTE power supplies. Designed for peak performance and durability, our PSUs offer stable and consistent energy to power your high-performance systems. With advanced protections and high-quality components, GIGABYTE power supplies provide the confidence you need for seamless, uninterrupted computing experiences.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Techninė specifikacija

Power	
Total power	550 W
AC input voltage	155-240 V
AC input frequency	50/60 Hz
Input current	6.3 A
Power Factor Correction (PFC) type	Active
Combined power (+3.3V)	100 W
Combined power (+12V)	549.6 W
Combined power (+5V)	100 W
Combined power (-12V)	3.6 W
Combined power (+5Vsb)	15 W
Max output current (+3.3V)	20 A
Max output current (+12V)	45.8 A
Max output current (+5V)	20 A
Max output current (-12V)	0.3 A
Max output current (+5Vsb)	3 A
Hold time	16 ms
Efficiency	90%
Power Good signal delay range	100 - 150 ms
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage
Ports & interfaces	
Motherboard power connector	20+4 pin ATX
Peripheral (Molex) power connectors (4-pin)	4
Motherboard power cable length	60 cm
Number of SATA power connectors	5
PCI Express power connectors (6+2 pin)	2
CPU power connector (4+4 pin)	Yes
ATX power connector (20+4 pin)	Yes
Floppy drive power connector	2
Floppy disk drive connector	Yes
PCI Express connector	Yes
Cabling type	Non-Modular
Performance	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Purpose	PC
Power supply unit (PSU) form factor	ATX
80 PLUS certification	80 PLUS Silver
ATX version	3.1
Bearing technology	Ball bearing
Mean time between failures (MTBF)	100000 h
Design	
Product colour	White
Cooling type	Active
Fan diameter	12 cm
Number of fans	1 fan(s)
Fan location	Top
On/off switch	Yes
Weight & dimensions	
Width	140 mm
Depth	150 mm
Height	86 mm
Weight	1.95 kg
Packaging data	
Package width	254 mm
Package depth	206 mm
Package height	117 mm
Package weight	2.11 kg
Package type	Box
Logistics data	
Warranty period	3 year(s)
Matmenys ir svoris	
Matmenys (I × P × A)	26.00cm × 21.00cm × 22.00cm
Svoris	2.05kg

Gamintojo ir saugos informacija

MANUFACTURER

GIGA-BYTE TECHNOLOGY CO., LTD.
Baoqiang Rd., Xindian Dist. No.6, 231 New Taipei City, TW
gigabyte.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.